

# Index

- HUT test, 139, 143
- LBNP test, 107, 116, 139, 143
  - and cardiopulmonary loading, 107
  - physiological changes, 144
- after-load
  - to the ventricle, 9
- alveolar-arterial difference, 98
- alveolar-capillary boundary, 52, 53, 55
- alveoli, 52
  - alveolar sacs, 52
  - number of, 52
  - surface area of, 52
  - surfactant of, 52
- aortic arch, 5
- aortic bodies, 48
- apnea, 58
  - and clinical problems, 80
  - and high altitude, 86
  - central apnea, 58, 80, 133
  - central sleep apnea, 58
  - high altitude periodic breathing, 84
  - mixed apnea, 80
  - obstructive apnea, 58, 80, 94, 96, 100, 133
    - and sleep fragmentation, 100
  - obstructive sleep apnea, 58
- arterial (systemic) pressure, 104, 108
  - and blood volume, 111
  - and capacitance influence on control, 191
  - and chemosensors, 119
  - and kidney action, 182
  - arterial baroreflex action, 109
  - central brain site regulation, 183
  - influence via blood volume regulation, 183
  - kidney control loop, 111
  - long-term control, 111
  - short-term control, 105
- arterioles
  - systemic, 1
- autonomic nervous system, 104
- autoregulation, 112, 113
  - and cerebral blood flow, 104
  - cerebral blood flow, *see* cerebral blood flow
  - metabolic mechanism, 113
  - metabolic theory, 112
  - myogenic control, 113
- baroreceptor, 5
  - central baroreceptor, 202
- baroreceptor loop, 1, 5, 105
  - high pressure sensors, 51, 105
  - low pressure sensors, 105
- baroreflex, 5, 105, 110, 142, 190
  - chemoreflex interaction, 119
  - afferent limb modeling, 191
  - and heart rate, 109
  - and hemorrhage, 105
  - and hypovolemia, 190
  - and systemic resistance, 109
  - aortic baroreceptor, 106
  - cardiopulmonary baroreflex, 106, 107, 109, 190
  - cardiopulmonary-systemic arterial interaction, 107
  - carotid baroreceptor, 106
  - efferent limb modeling, 191
  - high pressure sensors, 51, 105, 106
  - low pressure sensors, 105, 106
  - mechanoreceptor stretch receptors, 105

- neural, 110
- sympathetic and parasympathetic action, 109
- systemic arterial baroreflex, 106
- systemic arterial baroreflex action, 109
- blood flow
  - and transmural pressure, 116
  - cerebral flow, 114, 115
  - coronary flow, 115
  - dynamic pressure, 116
  - medullary
    - effects on natriuresis, 182
  - renal flow, 115
  - skeletal muscle flow, 113
- blood pressure
  - arterial pressure control, *see* arterial (systemic) pressure
  - arterial systemic, *see* arterial (systemic) pressure
  - pressure control and blood volume, *see* blood volume control
  - pulmonary pressure, *see* pulmonary pressure
  - scaling of, 164
  - venous blood pressure, *see* venous blood pressure
- blood volume
  - and hypovolemic thirst, 180
  - and salt appetite, 180
  - and RBC intravascular distribution, 185
  - blood components, 177
  - control, *see* blood volume control
  - defense against volume loss, 179
  - erythropoietin, 178
  - hematocrit, 177
    - hemoconcentration and hemodilution, 185
  - kindney influence, 178
  - measurement, *see* measurement
  - plasma, 177
  - plasma volume regulation, 179
  - plasma volume relative changes, 185
  - regulatory influence of salt, 180
  - relative changes, 185
  - scaling of, 164
  - venous to arterial shift, 176
  - venous volume, 189
- blood volume control, 111, 116, 178
  - adaptive techniques for control, 194
  - and adaptive techniques, 194
  - and diuresis, 180
  - and hemodialysis, 186
  - and hypertension, 180
  - and kidney, 109
  - and lymph flow, 188
  - and mechanical factors, 182
  - and natriuresis, 180
  - excess volume, 180
  - hormonal, 182
  - long-term control, 179
  - mid-term control, 179
  - sympathetic action, 182
  - volume loss, 179
- blood volume distribution, 139, 174, 177
  - apparent, 186
- body size, 162, 163
  - allometric scaling, 162, 163
  - body mass, 163
  - isometric scaling, 162
  - metabolic rate, 163
  - parameters, 163
  - scaling, 162
  - similarity, 162
  - specific variables, 163
  - surface area, 162–164
    - formula, 164, *see* Du Bois' formula
- Bowditch effect, 12
- capacitance, 116, 168, 169
  - apparent, 172
  - flow effects, 170
  - specific, 169
  - venous, 172
- capillaries
  - pulmonary, 2
  - systemic, 2
- cardiac output, 7, 108, 165
  - and state dependency, 66
  - and transport delay, 66

- cardiac index, 164
- cardiac output curves, 165
- control, *see* baroreflex, sympathetic system
  - scaling of, 164
- cardio-respiratory rhythms, 119
  - modulation, 119
  - respiratory sinus arrhythmia, 119
  - synchronization, 120
- cardiovascular system
  - and exercise, *see* exercise and sleep, 136
  - baroreflex, 105, *see also* control
  - basic components, 103
  - blood volume and CVS function, 116
  - capacitance, *see* capacitance
  - cardiac output, *see* cardiac output
  - central control, 106
  - chemosensors, 107
  - compliance, *see* compliance
  - control loops, 103, *see also* control
  - global control loops, 104, *see also* control
    - control
  - heart rate, *see* heart rate
  - high pressure part, 2
  - high pressure sensors, 105
  - local control, 112, *see also* control
  - low pressure part, 2
  - low pressure sensors, 105
  - pressure, *see* pressure
  - primary components, 103
  - regional circulations, 176
  - resistance, *see* resistance
  - volume control, *see* blood volume control
- carotid bodies, 48, 51, 107
- carotis sinus, 5
- cerebral blood flow, 114, 119
  - and metabolic demand, 104
  - and transport delay, 66
  - autoregulation, 114
  - dependence on CO<sub>2</sub>, 63
  - hypoxic challenge, 114, 115
  - metabolic influences, 114
  - myogenic, 113
- cerebral spinal fluid, 50
- characteristic equation, 72
  - and Rouche's Theorem, 73
- circuit
  - pulmonary, 1
  - systemic, 1
- compartment
  - extravascular, 179
  - spinal fluid, 45
- compliance, 7, 116, 143, 168
  - flow effects, 170
  - measurement, 172
  - specific, 169
- compliance vessel, 6
- compliant vascular bed, 173
- contractility, 10
  - control of, *see* control
- control
  - CVRS and exercise, 121
  - CVS and RS interaction, 117
  - CVS chemoreflex, 118
  - RBC volume control, 178
  - arterial blood pressure, *see* arterial (systemic) pressure
  - auto-transfusion, 113
  - autoregulation, *see* autoregulation
  - baroreflex, *see* baroreflex
  - baroreflex and chemoreflex interaction, 119
  - blood volume, *see* blood volume control
  - cardiac output, *see* baroreflex, sympathetic system
  - central command, 122
  - compliance, 117
  - contractility, 104, *see also* baroreflex, sympathetic system
  - delay, *see* delay
  - feedback, 46, 192, 201
    - negative, 49, 104, 105, 112, 166
  - feedforward, 107, 201
  - global and local CVS interaction, 115
  - global CVS, 103, 104
  - heart rate, *see* baroreflex, sympathetic system
  - hormonal, *see* hormonal control
  - hypovolemia and pressure, 190

- interstitial-capillary fluid, 113
- intrinsic metabolic control, 113
- linear control system, 136
- local control, 112
- local CVS control, 103
- local CVS control, 113
- long-term, 103, 111, 179, 200
- metabolic demand control, 1, 112–114, 201
- mid-term, 179, 200
- myogenic, 113–115
- neural, 110
- optimal, 127
- osmoregulation, 180
- parasympathetic system, 104, *see also* parasympathetic system
- plasma volume, 178, 179
- renal, 111
- resistance, 104, *see also* baroreflex, sympathetic system
- respiratory control system, 47
- RS chemoreflex (chemical control), 47, 49, 118
- self regulating, 112
- short-term, 103, 105, 178
- stabilized quantities in CVRS, 103
- sympathetic system, 104, *see also* sympathetic system
- ultrafiltration, 192, 193
- unstressed volume, 116
- vasoconstriction control, 201
- ventilation, 49
- ventricular volume, 201
- controllability, 23
- controller
  - central controller, 49, 50, 59
  - control gain, 64
  - Duffin, 50
  - Gray type, 45, 49
  - Khoo respiratory control model, 64
  - Lloyd and Cunningham type, 45, 50
  - peripheral controller, 49, 50, 59
  - respiratory controller, 48
- cost functional
  - quadratic, 22
- delay
  - and control gain, 93
  - asymptotically stable, 235
  - characteristic function, 235
  - distributed delay, 230
  - eigenfunctions, 236
  - eigenvalues, 235
  - hereditary system, 229
  - method of steps, 230
  - neutral functional differential equation, 231
  - respiration and stability, 91
  - retarded functional differential equation, 229
  - stable, 235
  - state-dependent delay, 50, 67
  - transport delay, 50, 63, 64, 66, 68, 99
- detectable, 23
- diastole, 2, 165
  - isovolumetric contraction, 3
- differential-difference equation, 229
- dissociation laws, 53
  - carbon dioxide curve, 55
  - neonatal and infant, 98
  - oxygen curve, 54
- diuresis, 180, *see* pressure
- Du Bois' formula, 27, 164
- ejection fraction, 3
- equation
  - Riccati, 23
- erythropoietin, 178
- exercise
  - CVS and RS coordination, 117, 120
  - blood pressure, 121
  - cardiac output, 121
  - central command, 122
  - heart rate change, 121
  - mechanoreceptors, 121
  - metaboreflex, 121
  - sympathetic activation, 121
  - ventilation change, 121, 122
- feedback
  - linear feedback law, 23

- negative, 49, 68, 104, 105, 112, 166, 176
- filtration
  - filtration coefficient, 179
  - microcirculation, 179
  - ultrafiltrate, 179
- Fisher information matrix, 218
- formula
  - Bazett's, 10
- Frank-Starling mechanism, 4, 10, 109
- Fåhræus-Lindqvist effect, 184
- generalized sensitivity function, 218
- glomerulus, 178
- glossopharyngeal nerve, 5
- Hagen-Poiseuille law, 170
- heart failure, 58, 80, 89, 133, 208
  - and sympathetic activity, 134
  - and CSR, 80, 134
  - backward failure, 133
  - congestive heart failure, 90, 133
  - forward failure, 133
  - heart remodeling, 90, 133, 203
  - increased transport delay, 91
  - ventricular failure, 137
- heart rate
  - and exercise, *see* exercise
  - and lung inflation reflex, 117
  - control, *see* baroreflex, sympathetic system
  - scaling of, 164
  - variability, 120
- hematocrit, 177
  - and large and small vessels, 184
  - and microcirculation, 184
  - and osmotic effect, 178
  - hematocrit meter, 178
  - hemoconcentration and hemodilution, 185
  - large vessel, 184
  - whole body, 184
- hemodialysis, 111, 186, 207
  - adaptive techniques for volume control, 194
  - and blood pressure control, 191, 195
  - and hypotension, 188, 191
  - and hypovolemia, 188
  - and ultrafiltration control, 193
  - blood volume and pressure control, 193
  - blood volume tracking, 193
  - extracorporeal system, 186
  - ultrafiltration, *see* ultrafiltration
  - vascular refilling, 188, 193
    - active mechanisms, 190, 192
    - and protein concentration, 188
    - passive mechanisms, 188, 192
  - volume and pressure control, 186
- hemoglobin, 53
  - Hb affinity, 97
  - 2,3-DPG, 97
  - adult, 54, 97
  - fetal, 54, 97
- hemorrhage, 116
  - chronic deterioration, 146
  - degree of blood loss, 146
  - optimal control modeling approach, 149
  - optimal fluid replacement treatment, 149
  - transfusion, 148
- hemorrhagic shock, 146
- Henry's law, 53
- Hering-Breuer reflex, 58
- high altitude
  - acclimitization, 86
  - and sleep, *see* sleep physiology
  - apnea, *see* apnea
  - hypoxia, 86
- hormonal control, 104, 110, 200
  - ADH, 112, 180
  - Ang-II, 180
  - RAAS, 110–112, 180
  - blood volume control, 180, 182
  - sympathetic, 110
- hypercapnia, 45, 46
  - and central chemosensors, 118
- hypertension, 80, 133
  - and blood volume regulation, 180
- hypotension, 188, 195
- hypovolemia, 116, 188

- compensation for, 190
- hypoxia, 45, 46, 118
  - and apnea, 119
  - and CBF, 115
  - high altitude, 86
  - hypoxic response, 99
  - paradoxical hypoxic response, 99
  - sympathetic response, 118
- ideal gas law, 56
  - BTPS-STPD conversion, 57
  - Avogadro's law, 56
  - Boyle's law, 56
  - Charles's law, 56
  - Dalton's law, 56
- incremental generalized sensitivity functions, 218
- indicator dilution
  - and blood volume measurement, 183
  - and volume of distribution, 183
  - binding to albumin, 184
- infant physiology, 97
  - L-R shunt, 98
  - R-L shunt, 98
  - SIDS, 100, 208
  - alveolar flow shunt, 98
  - alveolar-arterial difference, 98
  - anatomical dead space, 100
  - apnea, 100
  - dissociation changes, 98
  - Ductus Arteriosus, 98
  - Foramen Ovale, 98
  - paradoxical hypoxic response, 99
  - REM and NREM sleep, 100
  - respiratory stability, 99
  - sleep architecture development, 100
  - tidal volume, 98
  - transcutaneous blood gas measurement, 100
  - transport delay, 99
  - venous admixture, 98
  - ventilation-perfusion matching, 98
  - ventilation-perfusion ratio, 100
- infinitesimal generator, 233
- information index, 219
- interstitial pressure
  - and lymph flow, 189
- invariant
  - cone, 20
  - hyperplane, 20
  - positively, 21
- kidney
  - and blood volume control, 111, 178, 182
  - and erythropoietin, 178
  - filtration, 115
  - renal blood flow, 115
- linear-quadratic regulator problem, 23
- lung inflation reflex, 58, 118
- lymph flow, 188, 189
- mean arterial pressure, 5
- measurement
  - absolute blood volume measurement techniques, 185
  - autonomic function, 203
  - blood volume, 183
    - indicator dilution, 183
  - compliance, 172
  - continous data, 202
  - error, 203
  - estimation algorithms, 203
  - hematocrit, 185
  - interstitial oncotic pressure, 188
  - non-invasive, 202
  - plasma volume, 184
  - red blood cell concentration, 184
  - sympathetic system, 206
  - tracer techniques for volume measurement, 183
  - vascular dynamic and static, 173
- medulla, 104, 106, 108
  - vasomotor center and central control, 104
- microcirculation, 177
- model
  - CHF and Cheyne-Stokes respiration, 93, 134
  - CVRS model, 123
  - CVRS model for CHF, 134

- bottom-up approach, 204
- cardiac output, 66
- cerebral blood flow, 66
- distributed, 172
- electrical analogues for CVS vasculature, 172
- Grodins', 12
- Guyton CVS model, 199
- hemorrhage, 149
- heterogeneous, 204
- high altitude breathing, 86
- multi-scale, 204
- orthostatic stress, 140
- pulsatile flow, 106
- respiratory control, *see* controller
- sleep transition, 79
- validation, 202
- model types
  - compartmental model, 59
  - comprehensive, 58
  - intermediate, 58
  - minimal, 58
- muscle pump, 113, 122
- natriuresis, 180, *see* pressure
- O<sub>2</sub> saturation, 54
- observability, 23
- observer
  - dynamical, 24
  - Luenberger, 24
- Ohm's law, 7
- operating point, 202
- orthostatic stress, 138, 206
  - clinical issues, 139
  - orthostatic intolerance, 110, 139, 152, 206
- osmolality, 178
- osmoregulation, 180
- oxygen saturation, 65
- parameter identification problem
  - output-least-squares formulation, 30
- parasympathetic system, 104–106, 109
  - and heart rate, 109
  - control loops, 104
- partial pressure
  - blood phase, 53
  - gas phase, 47, 57
- periodic breathing, 80
  - high altitude, 84
  - possible advantages from, 85
- peripheral region
  - pulmonary, 6
  - systemic, 6
- pH, 49, 50, 55
  - control of, 104
  - acid-base balance, 55
- Physiome project, 204
- plasma, *see* blood volume
- pre-load
  - to the ventricle, 9
- pressure
  - blood pressure, *see* blood pressure
  - capillary, 179, 189
  - colloid osmotic pressure, 164, 177, 187, 192
  - effective filtration pressure, 179
  - effective transcapillary pressure, 187
  - hydrostatic, 179
  - interstitial, 182, 189
  - interstitial oncotic pressure, 188
  - long-term control, 207
  - mean circulatory filling pressure, 174, 175
  - oncotic, 179
  - plasma oncotic, 188
  - pressure diuresis, 180
    - and volume control, 182
    - under physiological conditions, 181
  - pressure escape, 181
  - pressure natriuresis, 180
    - and volume control, 182
    - under physiological conditions, 181
  - right atrial, 165, 175
  - short-term control, 206
  - tissue, 179
  - transmural, 167
- pressure-volume diagram, 4
- pulmonary pressure, 137
- pulse pressure, 5

- quadratic cost functional, 127
- reabsorption
  - sodium, 182
- red blood cells, 178
  - and kidney, 178
  - concentration, 184
  - regulation, 178
- relative degree, 221
- resistance, 103, 108
  - and autonomic effects, 104, *see also*
    - baroreflex, sympathetic system
  - and autoregulation, 113
  - and exercise, 109
  - and volume shift, 117
  - flow effects, 170
  - global vasoconstriction, 105
  - local vasoconstriction, 105
  - metabolic influence, 113
  - total systemic, 142
  - venous, 170
- resistance vessel, 6
- respiratory system
  - BTPS-STPD conversion, 57
  - acid-base and pH, *see* pH
  - and transport delays, 50, 51
  - blood gas transport, 53
  - Bohr effect, 55
  - control, *see* control
  - delay and stability, *see* delay
  - dissociation laws, 53, 55, 63
  - Haldane effect, 55
  - ideal gas law, 56
  - metabolic rates, 81
  - overview, 46
  - respiratory center, 48, 51
  - respiratory quotient, 51
  - ventilation, *see* ventilation
- scaling
  - blood contents, 164
  - blood pressure, 164
  - blood volume, 164
  - cardiac output, 164
  - colloid osmotic pressure, 164
  - heart rate, 164
  - metabolic rate, 163
  - vascular parameters, 169
- self-organizing system, 202
- sensitivity, 214
- sensory system
  - atrial-ventricular sensors, 110
  - baroreceptor and chemoreceptor re-  
lation, 118
  - baroreceptor, 105
  - cardiopulmonary sensors, 106
  - chemosensors, 48, 50, 107
  - high pressure sensors, 105
  - low pressure sensors, 105
  - mechanoreceptors, 121
  - metaboreceptors, 121
  - peripheral chemosensors, 118
  - pulmonary pressure sensors, 106
  - renal pressure sensors, 180
  - respiratory central sensory system,  
48, 50
  - respiratory peripheral sensory sys-  
tem, 48, 50
- setpoint, 202
- simple solution, 53
- sleep physiology
  - NREM, 79
  - and respiratory responsiveness, 79
  - and CVS function, 136
  - arousal, 80
  - arousal and high altitude, 86
  - cardiac output, 81
  - changes during sleep, 79
  - metabolic rates, 81
  - REM, 79
  - sleep fragmentation, 82
  - sleep stages, 79
  - sleep transition, 80, 81
  - ventilatory effects, 81
  - wakefulness stimulus, 79, 95
- stability
  - definitions of, 235
- stabilizable, 23
- Starling hypothesis, 179, 188
- state of a system, 230
- state vector, 14
- state-dependent delay, 231

- stroke work, 4
- strongly continuous semigroup, 233
- sympathetic system, 104–106, 109, 110
  - and blood volume control, 182
  - and contractility, 104
  - and heart rate, 109
  - and kidney action, 182
  - and sleep, 136
  - and systemic resistance, 104, 109
  - clinical issues, 207
  - control loops, 104
  - hypoxia, 118
  - local variation of effects, 105
  - measurement, 206
  - peripheral arterial tonometry, 203
- systems physiology, 204
- systole, 2
  - ejection phase, 3
  - isovolumetric contraction, 3
- thirst
  - hypovolemic, 180
  - salt appetite, 180
- transmural pressure, 138
- tubulus, 178
- ultrafiltration, 207
  - and hemodialysis, 186, 188, 193
  - control algorithms, 192
  - critical hemoconcentration, 193
  - filtration coefficient, 188
  - filtration rate, 188, 190, 192, 193
  - in hemodialysis, 194
  - pulses, 194
  - volume, 187
- upper airways, 51, 52, 58, 96
  - and sleep transition, 79, 96
  - dilating forces, 96
  - negative airway pressure, 96
  - patency, 51, 79, 80
- vagal nerve, 5, 119
- valve
  - aortic, 9
  - mitral, 9
  - pulmonary, 9
  - tricuspid, 9
- vasoconstriction
  - and blood volume, 189
  - arterial and venous capacitance, 172
- velocity time integral, 26
- vena cava
  - inferior, 2
  - superior, 2
- venous pressure, 108
  - central venous pressure, 106, 177, 180
- venous return, 165
  - and circularity of systems, 166
  - and effect of compliance, 175
  - and effect of resistance, 175
  - and effect of stressed volume, 175
  - and effect of unstressed volume, 176
  - and right atrial pressure, 165
  - causality, 165
  - equating venous and cardiac return curves, 165
  - input-output, 165
  - misconceptions, 166
  - venous return curves, 165, 166, 175
- venous system, 165
  - and system circularity, 165
- ventilation, 46
  - alveolar dead space, 52
  - alveolar ventilation, 47, 52, 64
  - anatomical dead space, 52, 100
  - and exercise, *see* exercise
  - central sensory system, 48, 50
  - chemical sensory system, 48
  - Cheyne-Stokes respiration, 80, 93
  - dead space, 52, 64
  - high altitude, 83
  - lung inflation reflex, 118
  - minute ventilation, 47, 51
  - periodic breathing, *see* periodic breathing
  - peripheral sensory system, 48, 50
  - physiological dead space, 57
  - upper airway patency, 51
  - ventilation-perfusion match, 52
- ventricular volume control, 201
- venules, 2

## volume

- active changes, 169
- blood volume, *see* blood volume
- compliant vascular bed, 173
- effective CO<sub>2</sub> lung volume, 61
- end-diastolic, 9
- end-systolic, 9
- osmotic volume shift, 178
- plasma volume, 178, 179
- red blood cells, 178
- specific, 169
- stressed, 116, 168, 169
- stroke, 7, 165
- tidal volume, 51, 65
- total, 8
- unstressed, 7, 9, 116, 141, 168, 171, 190
- vascular, 168