

Index

- adaptation
 - brute-force, 479–486
 - comoving-mesh, 495–502
 - equidistributed arclength, 490–495
 - equidistributed partition, 533–536
 - moving-mesh, 486–489, 536–538
 - spectral, 516–517
- arrays, 124–132
 - in MATLAB, 127–132
 - notation, 124
 - operations on, 126–127, 136
- atlas, 307
- atlas algorithm, 23, 307
 - 0-dimensional, 51
 - 1-dimensional, 48
 - adaptation in, 541–544
 - advancing-local-cover, 1-d
 - adaptive, 541–543
 - basic, 320–324
 - branch switching in, 458–462
 - branch-point detection in, 416–419
 - default, 48
 - expanding-boundary, 1-d
 - basic, 334–338
 - on domains, 368–373
 - with events, 412–415, 417–419, 458–461
 - expanding-boundary, 2-d
 - basic, 357–361
 - on domains, 374–378
 - fold-point detection in, 412–415
 - graph-based, 2-d, 348–354
 - point-cloud, 2-d, 344–347
 - states, 307–309
 - step-size adaptation in, 330–332
 - transition functions, 309–310
 - two-step predictor, 329–330
 - variations in flow, 310–311
- bordered matrix, 423
- boundary-value problems
 - multisegment, 213
 - connecting orbits, 160–178
 - quasi-periodic invariant tori, 220–226
 - single-segment, 184
 - Bratu problem, 189–191
 - catenary curve, 187–189
- branch, *see* solution manifold
- branch switching, *see* atlas algorithm
- calculus of variations
 - extremal curves, 4–7
 - continuation of, 9–14
 - global minimizers, 8–9
 - local minimizers, 7–8
 - toolbox, 573
- canards, 562–565
- chart
 - base point of, 307
 - data, 416, 446
 - on solution manifold, 23
 - structure, 49
- COCO classes
 - AtlasBase, 312–313, 323, 369, 371
 - coco_func_data, 194
 - coco_stream, 77–78, 104–105
 - CurveSegment, 313–315
- COCO signals
 - 'bddat', 108–109
 - 'remesh', 543
 - 'save_bd', 361
 - 'save_full', 75
 - 'update', 194, 203, 315, 523
 - 'update_h', 500

COCO toolboxes

- 'alg'
 - basic, 70–85, 108–113
 - with events, 425–428, 432–433, 440–442, 446–448
- 'bvp', 184–187, 202–203
- 'coll'
 - basic, 133, 149–157, 243
 - comoving-mesh, 495–502
 - moving-mesh, 544–556, 563–564
 - with events, 483–484
- 'compalg', 100–107
- 'dft', 518–525
- 'hspo'
 - basic, 228–232
 - with events, 453–456, 465–466
 - with multipliers, 262–263
- 'msbvp', 213–218
- 'po'
 - basic, 192–195
 - with events, 450–453, 462–465
 - with multipliers, 257–258
- 'var_coll', 256–257, 265–270

COCO utilities

- coco, entry-point function, 48, 52, 53, 57, 104
- coco_add_chart_data, 416
- coco_add_event, 399, 446
- coco_add_func, 47–63, 87, 398
- coco_add_func_after, 415
- coco_add_glue, 57–60
- coco_add_pars, 56–60
- coco_add_signal, 74, 543
- coco_add_slot, 74, 88
- coco_bd_col, 332
- coco_bd_labs, 399
- coco_bd_read, 53, 362
- coco_change_func, 543
- coco_emit, 74
- coco_exist, 484
- coco_ezDFDP, 73
- coco_ezDFDX, 73
- coco_func_data, 194
- coco_get, 109
- coco_get_chart_data, 416, 419
- coco_get_func_data, 83, 87
- coco_get_id, 83

- coco_merge, 111
- coco_prob, 46
- coco_project_opts, xiv, 324, 352
- coco_read_solution, 49, 76
- coco_remesh, 542–543
- coco_save_data, 75
- coco_set, 109
- coco_set_chart_data, 416
- coco_set_parival, 242
- coco_stream, 77, 104
- coco_xchg_pars, 199, 400

- COCO-compatible encoding of
 - monitor function, 46
 - slot function, 74
 - zero function, 46

collocation

- conditions, 124
- nodes, 11, 20
- orthogonal, 149
- zero problem, 122–124
 - vectorized, 138–140, 147–148

- connecting orbits, 160–179, 197–200, 270–285, 557–561

continuation

- corrector, 302
- definition of, 3
- parameters, 23, 44–45
 - activating, 45
 - active, 44
 - inactive, 44
 - string labels, 50
- predictor, 302
- variables, 23
 - decomposition of, 45

continuation problem

- algebraic, 69
- canonical sum, 95–96
- closed, 24
- closer, 97, 99–100
- construction, 30, 42–44
- constructor, 98
- delayed construction of, 412
- embeddings of, 38–40
- equivalence of, 38
- evaluation, 30–31

- extended, 23–24
 - construction operator, 47, 50
 - initializable, 24
 - objects, 96–98
 - partial realizations of, 40–41
 - reduced, 24
 - restricted, 24
 - structure, 45
- cuspidal normal form, 428
- data array, 49
- dependency index set, 42
- dimensional deficit, *see* zero problem
- discrete Fourier transform, 222, 509–513
- discretization
 - by interpolation, 123
 - by quadrature, 11–14
 - errors, 479–482
 - of dynamical system, 121
 - of Euler–Lagrange equations, 11
 - orders, 476–479
 - parameters, 476–479
- dynamical system, 20
- error estimation, *see* discretization
- event
 - detection, 394–395
 - handlers, 443–446
- finite-state machine, *see* atlas algorithm
- Floquet multipliers, 257, 448
- fold-point continuation, 431–433
- Fourier
 - coefficients, 510
 - expansion, 221
 - integral formula, 511
 - modes, 527
- function
 - data, 46, 60–63, 74, 415–416
 - identifier, 47, 50
 - objects, 86–88
 - type, 48, 50
- Hénon map, 57
- heteroclinic trajectory, *see* connecting orbits
- homoclinic trajectory, *see* connecting orbits
- Hopf bifurcation, 195, 440
- index set, xiii–xiv
- instance identifier
 - object, 83
 - toolbox, 83
- monitor functions, 23, 394
 - active constraints, 44
 - embedded, 50, 411
 - evaluation of, 397–398
 - inactive constraints, 45
 - nonembedded, 257, 411
- Neimark–Sacker bifurcation, *see* periodic orbits, bifurcations
- period-doubling bifurcation, *see* periodic orbits, bifurcations
- periodic orbits, 20–23, 200–206
 - bifurcations, 448–458
 - branch switching at, 462–468
 - multisegment
 - continuation of, 226–228
 - piecewise-smooth, 232–236
 - stability of, 260–262
 - variable dimension, 236–244
 - resonant, 380
 - single-segment
 - continuation of, 191, 203–206
 - near Hopf bifurcation, 195–200
 - stability of, 257–260
- phase condition, 21
 - in ‘def’, 515
 - in ‘po’, 192
- problem
 - parameters, 45, 69, 98, 122
 - variables, 45, 69, 98
- projection condition, 300, 302
 - base point, 302
 - direction vector, 302
 - initialization, 303–304
 - pseudo-arclength predictor, 306
 - step size, 302
 - tangent matrix, 302

- pseudo-arclength continuation, *see* projection condition
- remeshing, *see* adaptation
- resonance surface, 380
- run identifier, 48
- saddle-node bifurcation, *see* periodic orbits, bifurcations
- sensitivity matrix, *see* variational equations
- shooting method, 157–160
- signals, 74–76
- slot functions, 74–76
- solution file, 49
- solution manifold
 - charts on, 307
 - continuation on, 305–307
 - covering, *see* atlas
 - curve segment on, 302–303
 - gaps between charts, 333
 - local cover, 299–301
 - regular point on, 23
 - special points on
 - branch points, 393–394
 - fold points, 391–393
 - locating, 386–388
 - vertical tangencies, 388–390
 - tangent space, 297–299
 - tangent vector, 297
- spectral
 - assumption, 481
 - continuation problem, 517
 - convergence, 11
 - zero problem, 513–514
- stick-slip oscillations, 241–242
 - with impacts, 243–244
- toolbox
 - closer, 100
 - constructor, 70
 - data, 91
 - extractor, 76
 - instance identifiers, 83, 90–91
 - objects, 88–90
 - settings, 109
- variational equations, 252
 - discretization of, 253–255
 - embedded, 265–268
- vector field, 20
- vectorized
 - algorithms, 132–134, 137–138
 - extension, 134
 - functions, 134–136
- zero functions, 23
- zero problem, 23