

# Index

- a posteriori error bounds
  - energy norm, 80, 115, 129
  - output, 78, 84
  - relative, 80, 129
  - state space, 78, 84, 104, 107, 113
- a posteriori error estimation, 46
- a priori convergence rate, 23
- a priori error, 23
- a priori error analysis, 32
- a priori error bound, 23
- a priori error estimate, 24, 30, 32, 33, 43, 49
- ADI method, 276
- adjoint state, 40, 42
- admissible set, 35
- admittance parameters, 339
- advection-diffusion model, 108
- affine representation, 204, 378
- alternating directions implicit iteration, 276
- alternating least squares
  - for optimization in TT format, 242
- alternating minimal energy method, 243
- alternating minimization algorithm, 187
- AMEN, *see* alternating minimal energy method
- ansatz functions, 23
- ansatz space, 32
- approximation class, 144
  
- balanced realization, 265
- balanced system, 265
  - bilinear, 273
- balanced truncation, 34, 265, 336, 380, 391
  - for bilinear systems, 274
  - frequency-weighted, 267
  
- Gramians, 336
  - for stochastic systems, 270
- Banach fixed-point iteration, 41
- Banach fixed-point method, 52
- bang-bang control, 54
- basis rank, 6
- best approximation, 177
- bilinear control system, 271
- bilinear form, 23
- Bochner space, 176
- break-even quantity, 385, 402
  
- Cauchy–Schwarz inequality, 7, 16, 21, 81, 115
- certification, *see* a posteriori error bounds
- coercivity constant, lower bound, 90, 92
- coercivity, uniform, 70, 109
- collateral basis, 103
- complementarity condition, 40
- complementarity function, 41
- complexity, 385
  - break-even quantity, 402
  - offline complexity, 378, 385
  - online complexity, 378, 385, 386
- compliant problem, 81
- construction of interpolants
  - descriptor realization based on  $\mathbf{c}$ , 347
  - descriptor realization without the use of  $\mathbf{c}$ , 347
  - polynomial, 345
- continuity constant, upper bound, 92, 129
- continuity, uniform, 70, 109
- contragredient transformation, 266
- control constraints, bilateral, 36
- control space, 34
  
- controllability Gramian, 385
- controllable, 264
- convergence
  - EI convergence rates, 104
  - global exponential convergence, 97
  - greedy convergence rates, 96
  - POD-greedy convergence rates, 123
  - uniform convergence, 77
- cost functional, 35
- Crank–Nicolson method, 32, 50
- cross-approximation
  - many dimensions, 247
- cross-Gramian, 382
- cross-norm, 174
  - reasonable, 174
  - uniform, 174
  
- data-driven model reduction, 320–322
  - Loewner matrices, 321
- density matrix renormalization group, 242
- derivative
  - directional, 37
  - Gâteaux, 38
- descriptor realization, 337
  - controllable, 337
  - D-term, 338
  - observable, 337
  - poles, 337
  - poles at infinity, 338
  - stable, 337
- descriptor system, 262
- dictionary, 144–146, 154, 155, 164, 166
  - width, 146, 164
- differentiability, 73, 129

- Dirac–Frenkel variational principle, 244
- DMRG, *see* density matrix renormalization group
- dual mapping, 7
- dual pairing, 7
- dynamical low-rank approximation, 243
- effectivities, 79–81, 84, 85
- EI, *see* empirical interpolation
- eigenvalue, 8
- eigenvector, 8
- empirical correlation operator, 119
- empirical cross-Gramian, 382
- empirical interpolation
- a posteriori error estimation, 104
  - a priori convergence rate, 104
  - conservation property, 105
  - Lebesgue constant bound, 104
  - method, 102
- empirical interpolation method, 102, 198
- emWX
- see* empirical cross-Gramian, 382
- energy estimates, 24
- error estimators, *see* a posteriori error bounds
- error indicator, choice of, 95
- error measures
- combined, 385
  - frequency response, 384
  - $\mathcal{H}_2$ -norm, 300, 385
  - gradient expression, 315
  - $\mathcal{H}_\infty$ -norm, 299, 384
  - output, 384
  - state-space, 384
- error-residual relation, 76, 113
- evolution problem, 23, 109
- finite difference discretization, 112
- finite element discretization, 32, 49
- finite element error, 49
- finite element solution, 49
- finite volume discretization, 111
- Fourier coefficients, 6
- Fourier sum, 6
- frequency-weighted balanced truncation, 267
- Galerkin approximation, 206
- minimal residual, 207
  - Petrov–, 206
- Galerkin expansion, 28, 42
- Gâteaux gradient, 38
- Gramian, 264
- controllability, 264
  - observability, 264
- Grassmann manifold, 179
- greedy
- convergence rates, 96
  - multistage, 98
  - procedure, 94
  - strong, 97
  - weak, 95, 97
- greedy algorithm, 137, 138, 157–163
- for low-rank approximation, 190–196
  - pure, 157, 158
  - weak, 158–161, 163
- Gronwall’s inequality, 29
- Hankel singular values, 265, 267
- Hardy norm, 384
- heat equation, 35
- heuristic a priori rule, 11
- Hilbert–Schmidt theorem, 8
- Hilbert–Schmidt theory, 27
- impedance parameters, 339
- implicit Euler method, 32, 50
- input space, 24
- input term, 24
- integration by parts formula, 24, 40
- interpolation, 199, 208
- interpolatory methods, 380
- iterative methods, 52
- Karhunen–Loève decomposition, 182, 202
- Kolmogorov, 143, 147, 149, 152, 153, 157, 158, 160, 164
- entropy, 147
  - $n$ -width, 143, 149, 153
  - subspace, 160
  - width, 152, 157, 158, 164
- Kolmogorov width, 96, 182
- Kronecker product, 240
- strong, 240
- Kronecker symbol, 6
- Krylov subspace method
- extended, 278
  - for Lyapunov equations, 277
  - rational, 278
- Lagrange
- barycentric formula, 343
  - basis, 343
  - polynomial, 343
- Lagrange multiplier, 40
- Lagrangian framework, 11, 40
- Lagrangian reduced basis, 93
- Lanczos method, 12
- least-squares, 199
- library, 146, 150
- width, 146, 150
- linear-quadratic problem, 34
- linear time-invariant system, 261
- Lipschitz continuity, 73, 129
- Loewner
- algorithm, 356
  - Charles, 341
  - and Hankel matrices, 344
  - matrix, 341
  - pencil, 342, 349
- Loewner framework, 341
- illustrative examples, 360
  - interpolation error, 359
  - minimal amount of data, 351
  - notation, 336
  - positive real interpolation, 357
  - real matrices from complex data, 360
  - redundant data, 352
  - summary, 373
  - trade-off accuracy vs complexity, 374
- low-rank approximation
- dynamical, 243
- Lyapunov equation, 268, 275, 357
- frequency-weighted, 279
  - generalized, 272, 280
- magic points, 103
- manifold dynamics, 50
- matricization, 184
- MatrInt
- see* matrix interpolation, 380
- matrix interpolation, 380
- matrix pencil
- regular, 337

- maximum-volume principle, 246
- method of snapshots, 13
- min-theta procedure, 90
- minimal, 264
- minimal subspaces, 174
- model reduction
  - differential algebraic systems (DAEs), 307–309
  - moment matching, 303
  - optimal approximation with respect to  $\mathcal{H}_2$ -norm, *see* optimal  $\mathcal{H}_2$ -approximation, 309
  - optimal approximation with respect to  $\mathcal{H}_\infty$ -norm, 306
- output error, 300
- Petrov–Galerkin projection, 301, 303
- preserving structure, *see* structure-preserving model reduction, 316
- rational Krylov, 303
- tangential interpolation, 302–307
  - generalized Hermite interpolation, 305
- model reduction problem, 338
- MOR Wiki, 378, 386–388
- multi-(parameter) moment matching, 382
- MultiPMomMтч
  - see* multi-(parameter) moment matching, 382
- multiquery, 65, 128
- nonlinear programming, 11
- objective function, 34
- observable, 264
- offline/online decomposition, 66, 85, 86, 89, 116, 117
- offline phase, *see* offline/online decomposition
- online phase, *see* offline/online decomposition
- operator
  - adjoint, 7
  - bounded, 6
  - compact, 7, 180
  - control, 24, 34
  - finite rank, 7
  - input, 24
  - inverse, 8
  - multiplication, 16
  - nonnegative, 7
  - nuclear, 180
  - projection, 26, 42
  - self-adjoint, 7
  - solution, 25, 42
- operator kernel, 18
- operator norm, 7
- optimal control problem, 34
- optimal  $\mathcal{H}_2$ -approximation, 309–316
  - descent algorithms, 314
  - iterative rational Krylov algorithm (IRKA), 311
  - with respect to a weighted  $\mathcal{H}_2$ -norm, 312
- optimality condition, 11, 37, 41
- optimality system, 40, 41
- optimization problem, 11
  - constrained, 34
- orthogonalizations
  - left and right, 235
- orthonormalization, 75, 99
- output approximation, 74, 83, 116
- overfitting, 96
- parameter domain partitioning, 98
- parameter separability, 72, 88, 110, 118
- parameter vector, 66
- parametric model reduction, 322–378
  - benchmarks, 386
  - interpolatory projection methods, 324
  - methods, 379
  - parameter gradient and Hessian, 324
  - projection-based, 378
- parametric PDEs, 66
- perturbation method, 45
- perturbation theory, 19
- perturbation variable, 46
- Petrov–Galerkin projection, 266
- PGD, *see* proper generalized decomposition
- piecewise  $\mathcal{H}_2$  tangential interpolation, 381
- PMOR
  - see* parametric model reduction, 378
- POD, *see* proper orthogonal decomposition
  - approximation, 29, 50
  - basis, 6
  - in Euclidean space, 12
  - for evolution problems, 25
  - in function spaces, 15
  - Galerkin ansatz, 42
  - Galerkin approximation, 23, 34, 44
  - Galerkin scheme, 23, 28, 42, 47
  - with homogenization, 55
  - multiple snapshots, 14
  - see* proper orthogonal decomposition, 379
  - for weighted inner product, 13
- POD-greedy, 379
  - convergence rates, 123
  - procedure, 121
- primal-dual active set strategy, 41, 54
- primal-dual approach, 83
- projected gradient method, 41, 53
- projected system
  - interpolation property, 354
- projector-splitting scheme, 244
- proper generalized decomposition, 190
- proper orthogonal decomposition, 119, 120, 379
  - Galerkin, 198
- proximal set, 177
- PWH2TanInt
  - see* piecewise  $\mathcal{H}_2$  tangential interpolation, 381
- quadratic programming
  - problem, 35, 37
- QTT format, 249
- rank, 178
  - canonical, 183
  - tensor-train, 185
  - tree-based, 184
  - Tucker, 184
- Rannacher smoothing, 50
- rational function
  - McMillan degree, 342
  - order, 342
- rational interpolation, 336
  - and the Loewner matrix, 342
- parametrization of interpolants, 355

- RBmatlab, 68, 82, 100, 117  
 real-time, 65  
 realization independent  
     reduction methods, *see*  
     data-driven model  
     reduction, 320  
 reconstruction error, 50  
 reduced basis, 137, 146–148,  
     156, 157, 163  
     Lagrangian, 93  
     methods, 66, 137, 146–148,  
     156, 157  
     space, 74  
     Taylor, 93  
 reduced basis method, 66, 214  
 reduced model, 50  
 reduced-order modeling, 23  
     from data, 368  
     Loewner framework  
     solution, 368  
     numerical results, 370  
 reduction errors, 50  
 regularity, 24  
 reproduction of solutions, 77,  
     112  
 resolvent set, 8  
 restricted equivalence  
     transformation, 263  
 Riemannian optimization  
     for Lyapunov equations, 278  
 Riesz isomorphisms, 7  
 Riesz–Schauder theorem, 8  
 Riesz theorem, 31  
  
 scattering parameters, 339  
 SCM, *see* successive constraint  
     method  
 semismooth Newton  
     algorithm, 41  
 sequential quadratic  
     programming, 34  
 singular perturbation  
     approximation, 267  
 singular value, 180  
     Hankel, 265  
 singular value decomposition,  
     12, 19, 27, 49, 265  
     higher-order, 189  
     of higher-order tensors, 188  
     of order-two tensors, 180  
 singular vector, 180  
 skeleton decomposition, 246  
 slim computing, 65  
 snapshot, 5, 157, 164, 166  
  
 snapshot ensemble, 43  
 snapshot selection, 15  
 snapshot subspace, 5, 33  
 snapshots, 66, 74  
 solution manifold, 66, 70, 71, 73  
 SPA  
     *see* singular perturbation  
     approximation, 267  
 space-time energy norm, 114  
 sparse, 144  
 sparse approximation, 177  
 spectral theory, 8  
 spectrum, 8  
     point, 8  
 stability, 71, 75, 110  
 state approximation, 74, 112  
 state equation, 34  
 state-space transformation, 265  
 steepest descent method, 53  
 step-size condition, 53  
 stochastic control system, 269  
 structure-preserving model  
     reduction  
     delay systems, 318, 319, 322  
     generalized coprime  
     realizations, 317, 324  
     parametrized systems, *see*  
     parametric model  
     reduction  
     polynomial systems, 318  
     second-order systems, 325  
 successive constraint method,  
     92  
 superposition principle, 24  
 SVD, *see* singular value  
     decomposition  
 Sylvester equation, 350  
 system  
     balanced, 265  
     bilinear, 271  
     descriptor, 262  
     linear time-invariant, 261  
     minimal, 264  
     stochastic, 269  
     system identification, 339  
  
 tangent space, 244  
 Taylor reduced basis, 93  
 tensor  
     cross-approximation, 245  
     elementary, 173  
     rounding, 237  
 tensor format, 183–186  
     canonical, 183  
     tensor-train, 185  
     tree-based Tucker, 184  
     Tucker, 184  
 tensor norm, 174  
     canonical, 175  
     injective, 174, 180  
     projective, 175, 180  
 tensor space  
     algebraic, 173  
     Banach, 173  
     Bochner, 176  
     Hilbert, 173  
     Lebesgue, 175  
     of operators, 173  
 thermal block model, 68, 72,  
     128  
 time discretization scheme, 32  
 time integration method, 32  
 training set  
     adaptivity, 98  
     treatment, 97  
 transfer function, 263, 299  
     polynomial part of, 308  
 transfer function interpolation,  
     381  
 TransFncInt  
     *see* transfer function  
     interpolation, 381  
 transposed POD problem, 13  
 trapezoidal weights, 20  
 true solution, 50  
 TT cross algorithm, 248  
 TT format  
     definition of, 234  
     matrix representation, 239  
 TT rank, 234  
 TT-SVD, 236  
  
 unfolding, 184, 234  
  
 vanishing error bound, 79, 114  
 variational inequality, 40–42  
 variational techniques, 24  
 vector network analyzer  
     (VNA), 340  
  
 weak  $\ell_p$ , 145  
 weak solution, 24  
 weights selection, 15  
 Wiener process, 269  
  
 Young’s inequality, 29