

# Index

- [·], 31, 127
- [[·]], 330, 403
- {·}, 127
- {{·}}, 330, 403
- ⟨·, ·⟩, 247
- $\Delta^+$ , 89
- $\Delta^-$ , 89
- $\delta u_j$ , 260
- $\overline{\delta u_j}$ , 263
- $\lambda$ , 76, 92
- $a \vee b$ , 78
- $a \wedge b$ , 78
- $A^\pm$ , 126, 249
- $c_{ir}^m$ , 311
- $d_r^{j_0}$ , 312
- $D^+$ , 89
- $D^-$ , 89
- $E_l$ , 89
- $b$ , 89
- $b_x$ , 148
- $b_y$ , 148
- $k$ , 89
- $L^1$ -contraction, 36, 37, 77
- $L^1$ -norm, 36
- $L^2$ -norm, 49, 383
- $L^p$ , 90
- $r_j$ , 179, 240
- $u^\pm$ , 260
- Adjoint problem, 207
- Affine mapping, 386
- Aliasing, 396, 420, 511
- Amplification matrix, 95
- Basis function, 379
  - high-order, 380
  - modal, 386
  - monomial, 386
  - nodal, 391
  - orthonormal, 386
- Beam-Warming scheme, 241, 262
- Burgers' equation, 6, 14, 31, 33, 69, 74
  - characteristics, 7
  - two-dimensional, 149
- Cardinal function, 201
  - Shannon, 201
  - Whittaker, 201
- Cell
  - average, 123, 137, 148
  - boundary, 123
  - centered, 123
  - entropy condition, 126
  - entropy inequality, 184
- Cell entropy condition, 126
  - discontinuous Galerkin method, 398
- Central flux, 384
- Central scheme, 137, 274
  - Burgers' equation, 284
  - cell entropy condition, 280
  - Euler equations, 286
  - first order, 277
  - second order, 278
  - TVD-stability, 278
  - wave equation, 282
- Central WENO (CWENO), 345
- CFL (Courant, Friedrichs, and Lewy) condition, 99, 124, 550
- CFL number, 92
- Characteristic decomposition, 318
- Characteristic reconstruction, 318
- Characteristic waves, 54
- Characteristics, 4, 7, 29
- Collocation points, 517
- Compression, 241

- Conservation, 2
- Conservation form, 70, 71
- Conservation law
  - differential form, 2
  - integral form, 1, 2, 32, 123
  - linear system, 49
  - scalar, 29, 69
  - system, 49
  - two dimensions, 469
- Conserved variable, 2
- Consistency, 402
- Contact discontinuity, 57
- Convergence, 90
- Convex flux, 30
- CWENO (central WENO), 345
  
- Differentiation matrix, 393
- Diffusivity coefficient, 427
- Dirac delta function
  - continuous, 33
- Discontinuous Galerkin method, 380
  - average -  $\llbracket \cdot \rrbracket$ , 403
  - boundary conditions, 472
  - cell entropy condition, 398
  - central flux, 384
  - convergence rate, 384
  - entropy dissipation, 435
  - global conservation, 397
  - Hermite-WENO limiting, 452
  - hidden accuracy, 409, 416
  - high-order TVD-slope limiting, 443
  - jump -  $\{\cdot\}$ , 403
  - Lax-Friedrichs flux, 398
  - Lax-Wendroff theorem, 397, 424
  - local conservation, 397
  - local discontinuous Galerkin (LDG), 431
  - modal representation, 386
  - moment accuracy, 409
  - multidimensional problems, 469
  - nodal representation, 391
  - nonlinear dissipation, 425
  - nonlinear viscosity, 432
  - phase error analysis, 405
  - second order operator, 427
  - slope limiter, 441
  - storage penalty, 382
  - strong form, 381, 397, 470
  - time step, 436, 473
  - upwind flux, 384
  - weak form, 381, 397, 470
- Discrete conservation, 71
- Dispersion analysis
  - resolution, 408
  - upwind flux, 407
- Dispersion relation, 406
- Domain of dependence, 51, 99
- Domain of influence, 52
  
- E-flux, 176, 244
  - cell entropy condition, 177
- ENO (essentially nonoscillatory) scheme,
  - 307, 309, 314
  - accuracy, 319, 325
  - entropy flux, 321
  - entropy stability, 321
  - sign property, 320
- Entropy
  - cell condition, 80, 126, 184
  - condition, 34, 35, 42, 59, 74
  - conservative, 187, 195
  - fix, 131
  - flux, 40, 80
  - functions, 40, 59
  - inequality, 184
  - Kruřkov pair, 45
  - Lax condition, 35
  - Lax condition system, 60
  - Oleinik condition, 36, 174
  - pair, 40, 61, 62
  - production, 185
  - stable, 184
- Equations of elastodynamics, 11
- Essentially nonoscillatory (ENO) scheme,
  - 307, 309, 314
- Euler equations, 12, 13
  - characteristics, 52
  - entropy pair, 63
  - entropy variables, 63
  - one-dimensional, 16, 52, 63
  - shock-entropy problem, 17
  - Sod's problem, 17
  - two-dimensional, 18, 153
  - vortex solution, 19, 159
- Explicit SSP multistep methods (SSPEMS),
  - 234
- Explicit SSP Runge-Kutta (SSPERK), 225, 226
- Exponential accuracy, 170
- Extrema preserving limiters, 453
  
- FCT (flux correction transport), 239

- Filter, 209, 530
  - accuracy, 216
  - coefficients, 209
  - exponential, 211
  - function, 209, 421
  - matrix, 421
  - optimal, 211
  - order, 209
  - stability, 215
- Finite difference
  - boundary conditions, 104
  - consistent, 94
  - convergence, 93
  - Lax–Friedrichs, 90, 92, 99
  - Lax–Wendroff, 95, 99, 102
  - local Lax–Friedrichs, 102
  - Rusanov, 102
  - stable, 94
- Finite difference method, 89, 166, 237
- Finite difference scheme
  - central, 166
  - stencil, 166
- Finite volume
  - boundary conditions, 104
- Finite volume method, 124, 125, 237
  - two-dimensional, 147, 148
- Flux, 2, 123
  - convex, 30
  - Jacobian, 52
  - numerical, 71
- Flux correction transport (FCT), 239
- Flux limited scheme, 238
  - two-dimensional, 288
- Flux limiter, 238, 251
  - Chakravarthy–Osher, 242
  - Koren, 243
  - minmod, 242
  - OSPRE, 243
  - Superbee, 243
  - Sweby, 243
  - symmetric, 243
  - van Leer, 243
- Flux reconstruction scheme, 464, 465
- Flux splitting
  - Lax–Friedrichs, 317
  - Roe, 317
- Forward Euler method, 220
- Fourier basis, 505
- Fourier–Galerkin
  - stability, 516
- Fourier method
  - CFL condition, 550
  - collocation stability, 519
  - Galerkin stability, 516
- Fourier series, 504
  - accuracy, 506, 512
  - aliasing error, 511
  - continuous, 504
  - derivative, 507
  - differentiation matrix, 511
  - discrete, 97, 509
  - Parseval’s identify, 506
- Fourier spectral method, 503
- Fromm scheme, 262
- Frozen problem, 50
- Galerkin scheme, 207, 379
- Gaussian quadrature, 387
  - Gauss–Lobatto quadrature, 392
- Gegenbauer
  - Padé reconstruction, 548
  - polynomial, 543
  - quadrature, 548
- Generalized Riemann problem, 261
- Genuinely nonlinear, 57
- Gibbs
  - complementary basis, 541
  - condition, 542
  - phenomenon, 201, 204, 409
- Godunov’s method, 123, 125
- Godunov’s theorem, 82
- Grid, 69, 90
  - function, 89
  - operator, 89
  - stencil, 166, 205
- Grid size
  - spatial  $h$ , 69
  - temporal  $k$ , 69
- Heat equation, 427
- Heaviside function, 308
- Homogeneous function, 522
- Hyperbolic system
  - genuinely nonlinear, 57
  - linear, 51
  - quasilinear form, 52
  - strictly, 51
  - strongly, 51
  - symmetric, 51

- weakly, 51
- wellposed, 50
- Ideal gas law, 16
- Implicit SSP Runge–Kutta (SSPIRK), 227, 228
- Inverse Lax–Wendroff, 364
- Kernel, 202
  - Dirichlet, 202
- KPP (Kolmogorov–Petrovskii–Piskunov) problem
  - monotone scheme, 151
- Kreiss matrix theorem, 95
- Kronecker delta, 12
- Lagrange interpolation, 201
- Lagrange polynomial, 166, 204, 311, 392
  - remainder, 166
- Lagrangian approach, 266
- Lax–Friedrichs
  - flux, 398, 415
  - flux splitting, 317
  - method, 82, 178
  - scheme, 200
- Lax–Friedrichs scheme
  - central, 138
- Lax–Richtmyer equivalence theorem, 94
- Lax–Wendroff
  - method, 82, 178, 200, 262
- Lax–Wendroff theorem, 72
  - discontinuous Galerkin method, 397
- Legendre polynomial, 387
  - derivative, 388
  - recurrence, 387
- Legendre quadrature
  - Gauss, 323
  - Gauss–Radau, 463
- Linear scheme, 81
- Linear system, 49
  - hyperbolic, 51
  - Riemann problem, 54
  - strictly hyperbolic, 51
  - strongly hyperbolic, 51
  - symmetric hyperbolic, 51
  - weakly hyperbolic, 51
- Mass matrix
  - global, 379
  - local, 382, 387, 393, 396
- Maximum principle, 77
- Maxmod function, 444
- Maxwell’s equations, 10, 15, 56, 60
  - Lax–Friedrichs flux, 330
  - one-dimensional, 127
  - upwind flux, 329
- Method of lines, 219
- Minmod function, 239
  - TVB, 265
- Modal representation, 386
- Modified equation, 92, 167
  - central scheme, 169
  - downwind scheme, 169
  - upwind scheme, 168
- Monotone scheme, 76, 77
  - two-dimensional, 149
- Monotone upstream-centered scheme for conservation laws (MUSCL), 260
- Monotonicity, 74
- Monotonicity-preserving scheme, 81
- MUSCL (monotone upstream-centered scheme for conservation laws), 260
- Navier–Cauchy equation, 12
- Newton divided differences, 315
- Newton form, 315
- Nodal representation, 391
- Nonconservation form, 70
- Nonconvex problem, 18, 151
- Nonlinear diffusivity, 432
  - coefficient decay based, 434
  - entropy-based, 435
- Nonlinear schemes, 165
- Norm
  - $L^1$ , 36
  - $L^2$ , 49, 383
  - $L^p$ , 90
  - broken, 383
  - continuous, 90
  - discrete, 90
  - matrix, 51, 94
  - seminorm, 383
  - Sobolev, 383
- Normal matrix, 96
- Numerical flux, 71, 127
  - alternating local discontinuous Galerkin, 431
  - central, 428
  - consistent, 71
  - E-flux, 176
  - Engquist–Osher, 134, 190
  - Godunov, 126, 190

- heat equation, 428
- HLL (Harten–Lax–van Leer), 135, 140
- HLLC, 136, 141
- Lax–Friedrichs, 74, 78, 102, 127, 130
- Lax–Wendroff, 74, 79, 102, 191
- Lipschitz continuous, 71
- local Lax–Friedrichs, 102, 190, 470
- monotone, 76
- multidimensional, 148
- Roe, 75, 102, 125, 129, 139
- Rusanov, 74, 102
- Numerical phase speed, 171
- Numerical phase velocity, 406
- Padé-approximation
  - Fourier, 536
  - Gibbs phenomenon, 536
  - singular, 538
- Parseval’s identity, 98
- Petrov–Galerkin scheme, 381, 458
- Phase error, 171, 408
- Phase error analysis, 170, 405
- Picard’s
  - theorem, 221
  - formula, 219
- Piecewise linear method (PLM), 266
- Piecewise parabolic method (PPM), 267
- PLM (piecewise linear method), 266
- Points per wavelength, 171, 172, 406
- Positive schemes, 248
- PPM (piecewise parabolic method), 267
- Primitive, 310
- Quasilinear form, 52
- Rankine–Hugoniot condition, 31, 55, 57
- Rarefaction wave, 34
- Residual, 378
- Riemann invariants, 58
- Riemann problem, 53, 54
  - approximate, 128
  - small data, 58
- Roe
  - average, 136
  - condition, 129
  - flux, 75, 125
  - flux splitting, 317
  - linearization, 129
  - matrix, 129
  - numerical flux, 129, 131
- Runge–Kutta method, 221, 222
  - diagonally implicit, 223
  - explicit, 223
  - implicit, 223
  - order conditions, 228
  - reducible, 223
- Scalar conservation law, 29
- Semibounded operator, 516
- Shape function
  - linear, 379
- Shift operator  $E_l$ , 71
- Shock, 60
- Shock tube problem
  - one-dimensional, 17
  - two-dimensional, 19, 159
- Shock wave, 35
- Shock-entropy problem, 17
- sinc-function, 201
- Single-valued flux, 397
- Singular Fourier–Padé form, 538
- Skew-symmetric form, 520, 522
- Slope limited scheme
  - two-dimensional, 288
- Slope limiter, 264
  - discontinuous Galerkin method, 441
  - minmod, 264, 443
  - moment limiting, 446
  - MUSCL, 264, 443
  - parameter free, 444
  - Superbee, 264
  - van Albada, 264
  - WENO, 449
- Smoothness estimator, 435
- Smoothness indicator, 432
- Sobolev norm, 504
- Sod’s problem, 17
- Software libraries, 13
- Sonic point, 102, 130
  - fix, 102, 126
- Spectral collocation penalty method, 459
- Spectral difference scheme, 461, 468
- Spectral finite volume scheme, 461
- Spectral Galerkin penalty method, 460
- Spectral method
  - collocation penalty, 459
  - difference scheme, 461
  - finite volume, 461
  - Galerkin penalty, 460
  - staggered grid, 462

- Speed of sound, 17
- SSP (strong stability preserving) effectivity index, 232
- SSP scheme, 219, 224
  - effective SSP coefficient, 226
  - explicit SSPERK, 223
  - implicit SSPIRK, 227
  - modified Shu–Osher form, 230
  - multistep method, 232
  - negative coefficients, 232
  - order barriers, 228
  - Shu–Osher form, 232
  - SSP coefficient, 224
  - SSPEMS(s,p) (explicit SSP multistep), 234
  - SSPERK(10,4) (explicit SSP Runge–Kutta), 226
  - SSPERK(2,2), 225
  - SSPERK(3,3), 226
  - SSPERK(s,p), 225
  - SSPIRK(s,2) (implicit SSP Runge–Kutta), 227
  - SSPIRK(s,3), 228
  - SSPIRK(s,p), 227
  - stage order, 229
- Stability, 402
  - von Neumann, 96
- Staggered scheme, 277
- Stencil, 71, 166
- Stiffness matrix
  - global, 379
  - local, 382, 388, 393, 396, 428
- Sturm–Liouville problem, 389
- Symbol of scheme, 98
- Symmetrizer, 62, 522
- Test function, 379
- Test problem
  - Burgers’ equation, 14
  - linear wave equation, 14
  - Maxwell’s equations, 15
  - nonconvex problem, 18
  - one-dimensional Euler equations, 16
  - two-dimensional Euler equations, 18
- Total variation (TV), 36
  - bounded (TVB), 175, 181
  - continuous, 174
  - diminishing (TVD), 36, 77, 174, 175, 180
  - discrete, 174
  - stable, 174
- Trace inequality, 404
- Trapezoidal method, 220
- Trial function, 379
  - high-order, 380
- Troubled-cell indicator, 443, 449
- Truncation error, 93, 402
- TV (total variation)-stable, 174
- TVB (total variation bounded)-stability, 265
- TVD (total variation diminishing)-region, 240
- Upwind flux, 384
  - Maxwell’s equations, 329
- Vandermonde matrix, 391
- Vanishing viscosity solution, 32, 38
- Viscosity coefficient, 427
- von Neumann stability, 96
- Wave
  - characteristic, 54
  - contact, 57
  - equation, 3, 14
  - N-wave, 39
  - rarefaction, 34
  - shock, 35
- Weak solution, 32, 33
- Well balanced scheme, 347
- Wellposed problem, 49
- WENO (weighted essentially nonoscillatory) method, 307
  - accuracy, 353
  - central (CWENO), 345
  - critical point, 343
  - embedded, 345
  - inverse Lax–Wendroff, 364
  - mapped weights, 343
  - smoothness indicator, 338, 339
  - stability, 353
  - WENO-Z, 344, 355