

Index

- 2-echelon vehicle routing problem (2E-VRP), 12, 21
- 2E-VRP, *see* 2-echelon vehicle routing problem (2E-VRP)
- ACO, *see* ant colony optimization (ACO)
- ACVRP, *see* asymmetric capacitated vehicle routing problem (ACVRP)
- adaptive large neighborhood search (ALNS), 90, 94, 97, 105, 142, 168, 171, 176, 202, 230, 244, 316, 325, 446
- adaptive memory programming (AMP), 94, 168, 243, 249, 259, 286, 316
- additive approach, 42, 46, 178, 282
- ALNS, *see* adaptive large neighborhood search (ALNS)
- AMP, *see* adaptive memory programming (AMP)
- ant colony optimization (ACO), 90, 92, 150, 168, 171, 206, 244, 252, 279, 286, 313
- AP, *see* assignment problem (AP)
- arc routing problems, 8, 274, 336
- assignment neighborhood, 138
- assignment problem (AP), 38, 39, 42, 52, 320, 329
- asymmetric capacitated vehicle routing problem (ACVRP), 3, 37–44, 64, 150, 243
- asymmetric traveling salesman problem (ATSP), 43, 132, 281
- asymmetric vehicle routing problem with backhauls (AVRPB), 243
- ATSP, *see* asymmetric traveling salesman problem (ATSP)
- AVRPB, *see* asymmetric vehicle routing problem with backhauls (AVRPB)
- b*-matching, 39, 41
- BB, *see* branch-and-bound (BB)
- BC, *see* branch-and-cut (BC)
- BCP, *see* branch-and-cut-and-price (BCP)
- benchmark, *see* test problems
- Benders' decomposition, 163, 198–200, 217
- bi-objective vehicle routing problem, 451
- bin-packing problem, 4, 48, 51, 362
- BP, *see* branch-and-price (BP)
- branch-and-bound (BB), 37, 38, 46, 120, 123, 130, 131, 142, 174, 243, 278, 282
- branch-and-cut (BC), 4, 42, 46, 52, 60, 65, 74, 122, 131, 163, 169, 175, 199, 217, 231, 232, 278, 282, 364, 399
- branch-and-cut-and-price (BCP), 37, 45, 59, 60, 69, 74, 123, 130, 149, 169, 175, 234, 246, 258, 285, 402
- branch-and-price (BP), 123, 142, 151, 175, 220, 233, 258, 284, 285, 320, 390, 399
- bundle method, 128
- capacitated profitable tour problem (CPTP), 13, 283
- capacitated vehicle routing problem (CVRP), 3, 9, 14, 37–53, 59–83, 91, 94, 119, 120, 150, 178, 233, 242, 246, 247, 255, 300, 442
- capacity constraints, 5, 14, 38, 46, 48, 51, 121, 124, 131, 144, 171, 173, 233, 245, 318, 332, 386
- capacity cut constraints (CCCs), 41
- CCCs, *see* capacity cut constraints (CCCs)
- CG, *see* column generation (CG)
- cluster-first, route-second, 200, 204, 364
- clustered vehicle routing problem (CluVRP), 23
- CluVRP, *see* clustered vehicle routing problem (CluVRP)
- column generation (CG), 8, 37, 45, 47, 59, 62, 64, 65, 69, 74, 75, 89, 120, 123, 150, 175, 200, 202, 220, 233, 247, 252, 258, 285, 321, 364, 388, 449
- comb inequalities/cuts, 49, 52, 129
- commodity flow, 4, 133, 171, 414
- connectivity constraints, 227
- consistent vehicle routing problem (ConVRP), 22
- constructive/construction algorithms/heuristics, 88, 95, 135, 149, 163, 168, 170, 171, 174, 176,

- 243, 247, 250, 259, 278,
286, 312, 314, 318, 323,
328, 364, 399
- ConVRP, *see* consistent vehicle
routing problem
(ConVRP)
- CPLEX, 133, 278, 330
- CPTP, *see* capacitated profitable
tour problem (CPTP)
- cross exchange, 141
- crossover, 92, 143, 147, 244, 247,
252
- cutting plane, 6, 38, 46, 123, 128,
129, 131, 204, 258
- CVRP, *see* capacitated vehicle
routing problem
(CVRP)
- CVRPSEP, 65, 78
- DA, *see* deterministic annealing
(DA)
- Dantzig–Wolfe decomposition, 8,
122, 220, 286
- DARP, *see* dial-a-ride problem
(DARP)
- degree constraints, 6, 40, 41, 63,
65, 446
- deterministic annealing (DA), 90,
91
- dial-a-ride problem (DARP), 11,
17, 172, 193, 199, 308,
312, 316
- disabled persons transportation
problem, 21, 308
- disaster management, *see* disaster
relief
- disaster relief, 331, 409
- disrupted vehicle routing
problem, 333
- diversification, 97, 168, 171, 247,
259, 287, 334
- dominance criterion, *see*
dominance rule
- dominance rule, 44, 69, 125, 130,
220, 221, 234, 285
- DP, *see* dynamic programming
(DP)
- dual ascent, 133, 175
- dual problem, 42, 46, 128
- dynamic context, 93, 161, 176,
194, 199, 201, 202, 282,
359, 363, 369, 401
- dynamic generation (DG), 388
- dynamic programming (DP), 46,
61, 64, 66–69, 95, 124,
133, 141, 150, 169, 174,
175, 199, 200, 220, 224,
243, 252, 258, 277, 285,
320, 364, 449
- dynamic vehicle routing problem,
9, 14, 214, 299–336, 369
- ejection chains, 94, 169, 202, 316
- elementary shortest path problem
with resource
constraints (ESPPRC),
122, 233, 252, 258, 285
- ESPPRC, *see* elementary shortest
path problem with
resource constraints
(ESPPRC)
- Euclidean distance, 246, 354
- Euclidean instances, 42
- evolutionary algorithms, 120,
143, 147, 314
- exchange neighborhood, 89, 136,
137, 142, 144, 145, 147,
170, 178, 248, 251, 254,
316, 364
- fleet size and mix (FSM), 18, 245,
359, 369
- flow conservation constraints, 167
- framed capacity inequalities, 49,
51
- FSM, *see* fleet size and mix (FSM)
- GA, *see* genetic algorithms (GA)
- generalized subtour elimination
constraints (GSEC),
38, 286
- genetic algorithms (GA), 88, 90,
92, 143, 174, 364
- giant tour, 92, 144, 171, 244, 247
- GPU, *see* graphic processing units
(GPU)
- granular tabu search, 168, 259
- graphic processing unit (GPU),
365, 370
- graphical relaxation, 48
- GRASP, *see* greedy randomized
adaptive search
procedure (GRASP)
- greedy randomized adaptive
search procedure
(GRASP), 94, 164, 172,
177, 248, 252, 279, 287
- green vehicle routing, 437–453
- GSEC, *see* generalized subtour
elimination constraints
(GSEC)
- heterogeneous or mixed fleet
vehicle routing
problem (HFVRP), 18,
241, 245
- heterogeneous vehicle routing
problem (HVRP), 18,
245
- HFVRP, *see* heterogeneous or
mixed fleet vehicle
routing problem
(HFVRP)
- HVRP, *see* heterogeneous vehicle
routing problem
(HVRP)
- hybrid heuristics, 88, 91–94, 97,
168–170, 176, 202, 207,
244, 248, 251, 287, 314,
333, 399
- hypotour inequalities, 50, 52
- ILS, *see* iterated local search (ILS)
- insertion algorithms, 200, 278
- intensification, 97, 168, 259
- inventory routing problem (IRP),
11
- IRP, *see* inventory routing
problems (IRP)
- iterated local search (ILS), 90, 91,
94, 141, 147, 247, 251
- knapsack problem, 46, 150, 220,
277
- L-shaped algorithm, 200, 217
- Lagrangian relaxation, 8, 38, 120,
128, 133, 278, 332
- large neighborhood search (LNS),
94, 95, 138, 139, 142,
176, 203, 207, 229, 250,
287, 313, 364, 390, 399
- linear programming relaxation
(LP relaxation), 6, 42,
45, 133, 251, 252, 399
- LNS, *see* large neighborhood
search (LNS)
- loading constraints, 14, 99, 177,
249
- location-routing problem, 226,
411
- LP relaxation, *see* linear
programming

- relaxation (LP relaxation)
- matheuristics, 95, 250, 252, 258
- MD-VRP, *see* multi(ple) depot vehicle routing problem (MDVRP)
- MDVRP, *see* multi(ple) depot vehicle routing problem (MDVRP)
- mixed vehicle routing problem with backhauls (MVRPB), 10, 244
- MTVRP, *see* multi-trip vehicle routing problem (MTVRP)
- multi(ple) depot vehicle routing problem (MDVRP), 18, 97, 249, 251, 253, 289
- multi-depot vehicle routing problem (MD-VRP), *see* multi(ple) depot vehicle routing problem (MDVRP)
- multi-trip vehicle routing problem (MTVRP), 16, 254
- multiple vehicle traveling purchaser problem (MV-TPP), 13
- multistar inequalities/constraints, 42, 47, 50, 52, 65, 164
- mutation, 143
- MV-TPP, *see* multiple vehicle traveling purchaser problem (MV-TPP)
- MVRPB, *see* mixed vehicle routing problem with backhauls (MVRPB)
- neural networks, 92, 332
- online, *see* dynamic context
- OP, *see* orienteering problem (OP)
- open vehicle routing problem (OVRP), 21, 205, 243
- orienteering problem (OP), 13, 274, 276, 277, 282, 283
- OVRP, *see* open vehicle routing problem (OVRP)
- path relinking (PR), 90, 93, 145, 147, 172, 202, 247, 253, 279, 287
- PCTSP, *see* prize-collecting traveling salesman problem (PCTSP)
- PCVRP, *see* prize-collecting vehicle routing problem (PCVRP)
- PDP, *see* pickup-and-delivery problem (PDP)
- period or periodic vehicle routing problem (PVRP), 11, 20, 242, 249, 313
- petal algorithms, 88, 95
- pickup-and-delivery problem (PDP), 11, 17, 97, 142, 161–181, 193–207, 309, 311, 361, 382, 431
- pollution-routing problem (PRP), 444
- PR, *see* path relinking (PR)
- precedence constraints, 173, 174, 195, 199, 281, 357, 361, 364, 426
- pricing, 45, 59, 60, 64, 65, 69, 74, 77, 123, 233, 252, 285, 368, 373
- prize-collecting traveling salesman problem (PCTSP), 13, 46, 274, 276, 281
- prize-collecting vehicle routing problem (PCVRP), 13
- probabilistic formulation, 226
- profitable tour problem (PTP), 13, 274, 276, 280
- PRP, *see* pollution-routing problem (PRP)
- PTP, *see* profitable tour problem (PTP)
- PVRP, *see* period or periodic vehicle routing problem (PVRP)
- RCCs, *see* rounded capacity inequalities/cuts (RCCs)
- real-time, *see* dynamic context
- record-to-record travel (RRT), 91, 259
- relocate neighborhood, 89, 94, 138, 170, 251, 364
- reoptimization, 194, 222, 225, 229, 302, 310, 311, 313, 318, 324, 328, 331
- rounded capacity inequalities/cuts (RCCs), 48, 51, 63
- route enumeration, 61, 75, 76, 81
- RRT, *see* record-to-record travel (RRT)
- SA, *see* simulated annealing (SA)
- savings algorithm, 243, 247, 288
- SC, *see* set covering (SC)
- scatter search (SS), 90, 93, 259, 443
- SCCs, *see* strengthened capacity inequalities/cuts (SCCs)
- SCM, *see* supply chain management (SCM)
- SCVRP, *see* symmetric capacitated vehicle routing problem (SCVRP)
- SDVRP, *see* split delivery vehicle routing problem (SDVRP)
- SECs, *see* subtour elimination constraints (SECs)
- separation problem, 51, 196
- separation procedures, 46, 51, 65, 131, 164, 258
- set covering (SC), 7, 8, 45, 95–97, 169, 247, 251, 252, 258, 332, 386
- set partitioning (SP), 7, 38, 42, 45, 60, 63, 74, 88, 91, 95, 122, 123, 129, 133, 134, 169, 199, 200, 202, 216, 219, 233, 243, 246, 250, 258
- ship routing, 381–403
- shortest path problem (SPP), 175, 199, 248, 316, 365, 450
- shortest spanning tree (SST), 38–40
- simulated annealing (SA), 88, 90, 142, 147, 174, 176, 179, 204, 249, 251, 259, 364, 442, 446
- site-dependent vehicle routing problem, 18, 21, 251
- soft time windows, 17, 21, 99, 119, 142, 150, 201, 230, 231, 233, 314, 322, 392, 402, 420
- software tools, 2, 351–376, 427
- SP, *see* set partitioning (SP)
- speed optimization, 391–393, 449, 450, 453
- split delivery vehicle routing problem (SDVRP), 12, 242, 255

- SPP, *see* shortest path problem (SPP) 289, 313, 364, 386, 388, 447, 449
- SRCs, *see* subset-row inequalities/cuts (SRCs)
- SS, *see* scatter search (SS)
- SSPP, *see* stochastic shortest path problem (SSPP)
- SST, *see* shortest spanning tree (SST)
- stochastic components, 12, 176, 200, 202, 213, 214, 283, 300, 301, 304, 311, 318, 321, 326, 327, 359, 401, 413, 414
- stochastic programming, 194, 214, 231, 322, 327, 413, 420
- stochastic shortest path problem (SSPP), 222, 328
- stochastic vehicle routing problem (SVRP), 9, 14, 213–234, 422
- strengthened capacity inequalities/cuts (SCCs), 66, 175
- subgradient optimization procedure, 41
- subset-row inequalities/cuts (SRCs), 61, 62, 66, 67, 129, 133, 221, 286
- subtour elimination constraints (SECs), 5, 51, 123, 132, 217, 232
- subtour elimination scheme, 43
- supply chain management (SCM), 12, 352, 393, 415, 418, 437
- SVRP, *see* stochastic vehicle routing problem (SVRP)
- swap neighborhood, 89, 94, 202, 248
- symmetric capacitated vehicle routing problem (SCVRP), 3, 37–41, 46, 243
- symmetric traveling salesman problem, 48
- tabu search (TS), 46, 88, 90, 91, 97, 126, 134, 145, 147, 149, 168, 201, 204, 207, 221, 229, 231, 233, 243, 247, 251, 258, 279, 286, 289, 313, 364, 386, 388, 447, 449
- TDVRP, *see* time-dependent vehicle routing problem (TDVRP)
- team orienteering problem (TOP), 13, 274, 284, 287, 421
- test problems, 38, 60, 83, 89, 93, 100, 102, 120, 133, 134, 150, 163, 169–171, 176, 221, 243, 246, 247, 249–252, 254, 259, 282–287, 289, 320, 330, 334, 365, 371, 386, 402, 442, 443, 448, 449
- time-dependent vehicle routing problem (TDVRP), 150, 446
- TOP, *see* team orienteering problem (TOP)
- TP, *see* transportation problem (TP)
- transportation problem (TP), 39, 201, 314, 316, 414
- transshipment, 19, 21, 177, 357, 364
- traveling salesman problem (TSP), 4, 37, 40, 48, 51, 89, 93, 138, 164, 174, 274, 278, 308, 427
- traveling salesman problem with pickups and deliveries (TSPPD), 163, 170, 195
- traveling salesman problem with time windows, 129
- triangle inequality, 8, 9, 45, 48, 121, 257, 281, 427, 429
- truck-and-trailer, 17, 19–21, 359, 362
- TS, *see* tabu search (TS)
- TSP, *see* traveling salesman problem (TSP)
- TSPPD, *see* traveling salesman problem with pickups and deliveries (TSPPD)
- unified algorithms, 97
- variable neighborhood descent (VND), 164, 168, 171, 233, 259
- variable neighborhood search (VNS), 88, 90, 92, 94, 164, 178, 248, 251, 286, 313, 364, 386
- vehicle flow formulation, 4, 6, 38, 178, 196, 284, 416
- vehicle routing problem with backhauls (VRPB), 10, 21, 241, 242, 443
- vehicle routing problem with backhauls and time windows (VRPBTW), 244, 309, 321
- vehicle routing problem with multiple synchronization constraints (VRPMS), 20
- vehicle routing problem with multiple use of vehicles (VRPM), *see* multi-trip vehicle routing problem (MTVRP)
- vehicle routing problem with private fleet and common carrier (VRPPC), 13, 283, 288
- vehicle routing problem with profits (VRPP), 273–290
- vehicle routing problem with simultaneous pickup and delivery (VRPSPD), 10, 166, 168
- vehicle routing problem with split delivery, *see* split delivery vehicle routing problem (SDVRP)
- vehicle routing problem with stochastic customers (VRPSC), 230, 322
- vehicle routing problem with stochastic demands (VRPSD), 214, 215, 218, 219, 222, 228, 322
- vehicle routing problem with stochastic travel time, 232, 233
- vehicle routing problem with time windows (VRPTW), 16, 59, 75, 119–151, 204, 247, 371, 442

- VND, *see* variable neighborhood descent (VND)
- VNS, *see* variable neighborhood search (VNS)
- VRPB, *see* vehicle routing problem with backhauls (VRPB)
- VRPBTW, *see* vehicle routing problem with backhauls and time windows (VRPBTW)
- VRPM, *see* multi-trip vehicle routing problem (MTVRP)
- VRPMS, *see* vehicle routing problem with multiple synchronization constraints (VRPMS)
- VRPP, *see* vehicle routing problem with profits (VRPP)
- VRPPC, *see* vehicle routing problem with private fleet and common carrier (VRPPC)
- VRPSC, *see* vehicle routing problem with stochastic customers (VRPSC)
- VRPSD, *see* vehicle routing problem with stochastic demands (VRPSD)
- VRPSPD, *see* vehicle routing problem with simultaneous pickup and delivery (VRPSPD)
- VRPTW, *see* vehicle routing problem with time windows (VRPTW)
- worst-case behavior, 70, 170, 255, 334, 427