

Index

- affine-scaling method, 202–204, 206, 210
 - poor performance of, 203
 - steplength choice, 203
- approximation problems, 218–227
 - ℓ_1 -norm, 221–224
 - ℓ_2 -norm. *See* least-squares problems
 - ℓ_∞ -norm. *See* Chebyshev approximation
 - for linear equalities, 218–223
 - with hard constraints, 223–224, 227
- arc, 12–14, 144
- back substitution. *See* triangular substitution
- basic feasible solution, 118
 - as iterates of revised simplex method, 123
 - association with basis matrix, 120–121
 - association with vertex, 121–123
 - degenerate, 120
 - existence, 119–120
 - initial, 129, 134–139
- basic solution, 118
- basis, 117, 126, 152
 - for problems with bound constraints, 130
 - initial, 125, 134–137
 - optimal, 129, 152–156
- basis matrix, 52, 118, 120, 123, 139, 140, 154
 - for network linear program, 149
 - LU factorization of, 139–142
- big M method, 110–112
 - behavior on infeasible problems, 112
 - motivation, 110–111
 - proof of effectiveness, 111
 - specification, 111–112
- bimatrix game, 185
- Bland’s rule. *See* smallest-subscript rule
- blocking variable, 48
- breakpoint, 163
- canonical form, 8, 16, 45, 117, 120, 123, 129, 130, 134, 138, 139, 150, 151, 156, 195, 197
 - dual of, 109
 - for problems with bound constraints, 130
- centering parameter, 206, 214
- central path, 205
- Chebyshev approximation, 219–221, 223
- Cholesky factorization, 209, 212
- classification, 11–12, 230–235
 - labeled points, 230
 - testing set, 235
 - training set, 235
 - tuning set, 235
- classifier, 230
 - linear, 230
 - nonlinear, 233, 234
- complementarity, 101–102, 178, 237
 - almost-, 178, 179
 - existence of strictly complementary primal-dual solution, 114–115
 - strict, 101
- complementary slackness.
 - See* complementarity
- concave function, 161, 244
- constraints, 1
 - active, 14
 - bounds, 74–75
 - equality, 72–87
 - inactive, 14
 - inequality, 72–87
- convex combination, 239, 241
- convex function, 170, 242–244, 248

- linear underestimation, 170, 250
 - strict, 173
- convex hull, 56, 113, 241
- convex set, 170, 173, 239–241
- cost vector, 7, 151, 154
 - parametrized, 159
- cross-validation, 235
- cycling, 66–72, 104

- Dantzig, George B., 7, 16
- degenerate linear program, 66, 67
- diet problem, 8, 96
- divergence, 144
- domain, 242
- dual linear program
 - of canonical form, 196
 - of standard form, 94, 102
 - tableau representation, 94
- dual linear system, 89
- dual pair of linear programs. *See* primal-dual pair of linear programs
- dual simplex method, 89, 102–106, 164, 220–223
 - motivation for, 102
 - relationship to simplex method applied to the dual, 105–106
 - specification of, 103–104
- duality, 89–115
 - for quadratic programs, 176–177
 - practical example, 96–98
 - strong, 98–99
 - applications of, 112–115, 167
 - for quadratic programming, 176–177
 - weak, 97–98, 101, 111, 176
- duality gap, 197
- duality measure, 197, 205, 213

- ellipsoid method, 15
- entering variable, 47
- epigraph, 217, 242–243
- equilibrium pair. *See* Nash equilibrium
- expected loss, 185

- Farkas lemma, 112–113
- feasible point, 3
 - dual, 98, 103
- feasible region, 3, 46, 51, 53, 169, 171, 182
- feasible set. *See* feasible region
- feature space, 233
- fickle variable, 69
- finite termination of simplex method, 65–72
- floating-point number, 127
- floating-point operations, 39
- forward substitution. *See* triangular substitution
- Frank–Wolfe theorem, 172–173
- fundamental theorem of algebra, 113, 225

- Gaussian elimination, 39
- general form of linear program, 75
 - dual of, 107–109
- global solution, 170, 171, 173, 182
- Gordan theorem, 113
- gradient, 172, 242, 244, 247
- graphical solution of linear programs, 2–6

- Hessian, 171, 172, 214, 224, 242, 244, 245
- Huber estimation
 - formulation as quadratic program, 229–230
 - motivation and definition, 227–228
 - optimality conditions, 228–229

- infeasible linear program, 14, 62, 98, 225
- infeasible point, 3
- integer programming, 7, 16
- interior-point methods
 - basic properties of primal-dual methods, 196–197
 - comparison with simplex method, 212
 - introduction, 15, 195–197
 - path-following. *See* path-following methods
 - relationship to Newton’s method, 202

- Jacobian, 199, 202, 249
- Jordan exchange, 17–23, 26, 27, 46–48, 53, 83, 179, 221. *See also* pivot block, 31

- blocking of, 25, 33, 36, 38
- interpretation on dual tableaus, 89–91
- Karmarkar, Narendra, 15, 214
- Karush–Kuhn–Tucker (KKT) conditions,
 - 100–101, 129, 192, 195
 - as constrained nonlinear equations, 201–202
 - for canonical form, 195, 196
 - for linear programs in general form, 108
 - for quadratic programs, 173–175, 181, 184–185, 212, 229, 233
 - statement of, 100–101
- kernel, 234
 - Gaussian, 234–235
 - linear, 234
 - polynomial, 234
- KKT (Karush–Kuhn–Tucker) conditions.
 - See* Karush–Kuhn–Tucker conditions
- knapsack problem, 130
- Lagrange multipliers, 173, 176, 195, 229, 232
- Lagrangian, 176
- LCP. *See* linear complementarity problem (LCP)
- least-squares problems, 211, 224–229
 - normal equations, 225
- leaving variable, 48, 156
- Lemke’s method, 178–185
 - application to quadratic programs, 182–185
 - outline of, 178
 - Phase I, 178–179, 188
 - Phase II, 179, 188
 - termination of, 182
- Lemke–Howson method, 187
- level set, 243
- linear combination, 240
- linear complementarity problem (LCP),
 - 169, 177–178
 - definition, 177
 - infeasible, 182
 - relationship to quadratic programming, 174, 177, 180, 182
- linear dependence, 23, 24, 138, 221
 - of functions, 24
- linear equations, 32–39
 - inconsistent, 218, 227
 - overdetermined, 220, 221, 223, 224, 226, 227, 230
 - solution using Gaussian elimination, 39–41
 - solution using Jordan exchanges, 32–39
 - flop count, 39, 44
 - with infinitely many solutions, 37
- linear independence, 17, 23–27, 51, 52, 118, 119
 - of functions, 24
 - of rows/columns in a matrix, 92
- local solution, 169, 170, 173, 184
- LU* decomposition. *See* *LU* factorization
- LU* factorization, 17, 39–44, 127, 138, 197
 - complete pivoting, 43
 - flop count, 44
 - partial pivoting, 42–44
 - updating, 139–142
- matching pennies game, 188–191, 193
- matrix
 - addition, 239
 - basis. *See* basis matrix
 - diagonal, 196, 208, 238
 - eigenvalues, 246
 - identity, 238
 - indefinite, 208, 214, 245
 - inverse, 27–31, 238
 - invertible, 51, 152, 225
 - loss, 185–188, 191
 - lower triangular, 39, 209, 239
 - unit, 40
 - multiplication, 239
 - nonsingular, 27
 - permutation, 39–41, 139, 209, 238
 - poorly conditioned, 226
 - positive definite, 245, 246
 - positive semidefinite, 172, 174, 176, 224, 245, 246

- representation in MATLAB, 251–252
- singular, 27, 31
- skew-symmetric, 178
- sparse, 208, 209, 238
- symmetric, 172, 244
- totally unimodular, 150
- transpose, 238
- upper triangular, 39
- Mehrotra predictor-corrector method.
 - See* path-following methods
- minimax problems, 217–218
 - discrete, 218
- minimum principle, 170, 173, 184
- mixed strategy, 185
- mixed-integer linear programming, 150
- monotone, 247
- Nash equilibrium, 186, 192
 - computation of, 186–187
- Nash, John, 169, 186
- network linear program, 143–150
 - assignment problem, 149
 - circulation problem, 147
 - general properties, 143–144
 - max-flow, 146–147
 - minimum-cost, 12–14, 144–146, 149
 - node-arc incidence matrix, 145
 - shortest-path, 145–146
 - transportation problem, 147–149
- network simplex method, 149–150
- Newton's method, 197–201
 - for scalar nonlinear equations, 197–198
 - for systems of nonlinear equations, 197–201
 - quadratic convergence of, 199
 - with line search, 201
- node, 12, 144
 - demand, 13, 145
 - sink, 145
 - supply, 13
- nondegenerate linear program, 65, 66
- nonlinear programming, 169–172
- nonnegative orthant, 171, 251
- norm, 218, 247–248
 - ℓ_1 , 221, 247
 - ℓ_2 , 231, 247
 - ℓ_p , 219, 247
 - ℓ_∞ , 219, 247
 - dual, 231, 248
 - equivalence of, 248
- objective function, 1, 154, 241
 - contours, 4, 46, 159
- optimal face, 58. *See also* solution set
- order notation
 - $O(\cdot)$, 248
 - $o(\cdot)$, 248–250
- parametric programming, 151, 158–168
- path-following methods
 - MATLAB implementation of, 209
 - choice of centering parameter, 207, 210
 - choice of starting point, 211
 - choice of steplength, 207, 211
 - corrector direction, 210, 211
 - for quadratic programming, 212–214
 - linear algebra issues, 208–209, 211, 214
 - normal-equations form, 208
 - long-step, 206–207
 - specification of algorithm, 206–207
 - motivation, 204–205
 - practical enhancements, 209–211
 - relationship to Newton's method, 205–206
- permutation, 29
- Phase I of simplex method, 60–65, 179, 223
 - after addition of constraints, 157
 - description of, 60–65
 - dual simplex as possible alternative, 102, 104
 - for canonical form, 134–138
 - for problems with parametrized constraints, 167
 - for solution of linear inequalities, 64
 - purpose of, 53
- Phase II of simplex method, 53–60, 62, 71, 103, 135–137
- piecewise-linear function, 161, 163, 217

- pivot, 18, 20, 46, 47. *See also* Jordan exchange
 block, 31
 degenerate, 62, 64, 69
 nondegenerate, 67
 submatrix, 31
- pivot selection, 15. *See also* pricing
 Devex, 142, 143
 for dual simplex, 103
 for Lemke's algorithm, 179
 steepest-edge, 142
- polynomial complexity, 207
- predictor-corrector method.
See path-following methods
- preprocessing, 212
- pricing, 47, 49, 53, 68, 117
 partial, 142
- primal-dual methods. *See* interior-point methods
- primal-dual pair of linear programs, 89
 definition, 94
 for general linear programs, 108
 interior-point methods and, 195
 optimality conditions for, 100
 weak duality for, 97
 zero-sum games and, 192
- prisoners' dilemma, 186, 191
- projection, 173, 205, 244
- pure strategies, 185
- QR* factorization, 226
- quadratic function, 244–247
 convex, 244–247
- quadratic programming, 7, 172–177, 212–215, 227, 231
 convex, 172, 173, 175, 212
 general form, 175
 infeasible, 182, 183
 nonconvex, 182, 184
 unbounded, 182, 183
- rank, 91, 225
 determination via Jordan exchanges, 91–92
 full, 225
- ratio test, 48, 126, 203
 after addition of constraints, 157
 definition, 49
 for dual simplex method, 103, 104, 157, 165
 in Lemke's method, 179, 180, 188
 robust implementation of, 143
 ties in, 66, 68
- reduced costs, 49, 68, 124, 132, 142, 152, 153, 160
- regression problems. *See* approximation problems
- residual vector, 219, 221, 227
 outliers, 227
- resource allocation, 10–11
- revised simplex method, 52, 117, 123–143, 156
 choice of initial basis, 125
 for problems with bound constraints, 129, 134
 fundamental idea, 123–124
 initial basic feasible solution, 134–139
 linear algebra in, 124–126
 pivot selection, 142–143
 roundoff error issues, 127–129
 specification, 124
- roundoff error, 28, 127, 143
- saddle point, 184
- scalar product, 252
- Scheme II for linear programs in nonstandard form, 72, 80–86, 157, 220, 221, 223
- Schur complement, 31
- sensitivity analysis, 4, 151
- separating hyperplane, 11, 230, 231, 233
- separation lemma, 113
- shadow prices, 97, 154, 155. *See also* Lagrange multipliers
- Sherman–Morrison–Woodbury formula, 140
- shifting, 74
- simplex method, 6, 7, 45–87
 introduction, 14–15
 network, 149–150
- slack variables, 8, 45, 117, 152, 196
 definition, 45
 dual, 101, 103

- smallest-subscript rule, 67–72, 78, 104
 solution set, 58–60
 source, 145
 standard form, 7, 16, 45, 117, 151
 standard form, transformation to, 72–76
 free variable method, 75
 Scheme I, 72, 76–80
 Scheme II, 80–86
 substitution method, 74
 Steinitz theorem, 26–27, 38, 92
 support vector machines
 linear, 230–233
 linear programming (ℓ_1) formulation, 233
 nonlinear, 233–234
 nonseparable, 231–233
 separable, 230–231
 support vectors, 231, 232
 tableau, 18–20
 augmented, 62
 condensed, 45, 47, 123
 degenerate, 65, 66, 120
 dual, 89
 feasible, 46, 187
 initial, 47, 119
 labels, 21
 MATLAB representation, 21–22
 nondegenerate, 65
 optimal, 49, 53, 58, 71, 152–154, 156
 primal, 89
 unbounded, 54
 Taylor's theorem, 170, 198, 199, 249
 theorem of the alternative, 113
 tolerance
 pivot, 127
 slack, 127
 triangular substitution, 40, 139, 141, 209
 unbounded linear program, 14, 46, 54–56, 66, 98
 unbounded ray, 54, 182, 183
 uncertainty in formulation, 151
 variables, 2
 artificial, 61, 62, 135, 167, 179, 218
 for equality constraints, 80–82, 193
 basic, 45, 152
 blocking, 133
 dependent, 18, 21, 23
 dual, 89. *See also* Lagrange multipliers
 free, 75, 80, 107, 134, 136–139, 167, 184, 222
 independent, 18, 21, 23, 26
 nonbasic, 45, 51, 130
 nonnegative, 107
 slack. *See* slack variables
 vector
 norm. *See* norm
 notation, 237
 representation in MATLAB, 251
 vertex, 14–15, 46, 51–53, 120, 163
 adjacent, 15
 degenerate, 52
 zero-sum game, 185, 192–193