

# Index

- approximation
  - conservative, 257
- Average Value-at-Risk, 257, 258, 260, 272
  - dual representation, 272
- Banach lattice, 403
- Borel set, 359
- bounded in probability, 382
- Bregman divergence, 237
- capacity expansion, 31, 42, 59
- chain rule, 384
- chance constrained problem
  - ambiguous, 285
  - disjunctive semi-infinite formulation, 117
- chance constraints, 5, 11, 15, 210
- Clarke generalized gradient, 336
- CLT (central limit theorem), 143
- common random number generation method, 180
- complexity
  - of multistage programs, 227
  - of two-stage programs, 181, 187
- conditional expectation, 363
- conditional probability, 363
- conditional risk mapping, 310, 315
- conditional sampling, 221
  - identical, 221
  - independent, 221
- Conditional Value-at-Risk, 257, 258, 260
- cone
  - contingent, 347, 386
  - critical, 178, 348
  - normal, 337
  - pointed, 403
  - polar, 29
  - recession, 29
  - tangent, 337
- confidence interval, 163
- conjugate duality, 340, 403
- constraint
  - nonanticipativity, 53, 291
- constraint qualification
  - linear independence, 169, 179
  - Mangasarian–Fromovitz, 347
  - Robinson, 347
  - Slater, 162
- contingent cone, 347, 386
- convergence
  - in distribution, 163, 382
  - in probability, 382
  - weak, 384
  - with probability one, 374
- convex hull, 337
- cumulative distribution function, 2
  - of random vector, 11
- decision rule, 21
- Delta theorem, 384, 386
  - finite dimensional, 383
  - second order, 387
- deviation of a set, 334
- diameter
  - of a set, 186
- differential uniform dominance condition, 145
- directional derivative, 334
  - $\varepsilon$ -directional derivative, 381
  - generalized, 336
  - Hadamard, 384
  - second order, 386
  - tangentially to a set, 387
- distribution
  - asymptotically normal, 163

- Binomial, 390
- conditional, 363
- Dirichlet, 98
- discrete, 361
- discrete with a finite support, 361
- empirical, 156
- gamma, 102
- log-concave, 97
- log-normal, 107
- multivariate normal, 16, 96
- multivariate Student, 150
- normal, 163
- Pareto, 151
- uniform, 96
- Wishart, 103
- domain
  - of a function, 333
  - of multifunction, 365
- dual feasibility condition, 128
- duality gap, 340, 341
- dynamic programming equations, 7, 64, 313
- empirical cdf, 3
- empirical distribution, 156
- entropy function, 237
- epiconvergence, 357
  - with probability one, 377
- epigraph of a function, 333
- $\varepsilon$ -subdifferential, 380
- estimator
  - common random number, 205
  - consistent, 157
  - linear control, 200
  - unbiased, 156
- expected value, 361
  - well defined, 361
- expected value of perfect information, 60
- Fatou's lemma, 361
- filtration, 71, 74, 309, 318
- floating body of a probability measure, 105
- Fréchet differentiability, 334
- function
  - $\alpha$ -concave, 94
  - $\alpha$ -concave on a set, 105
  - biconjugate, 262, 401
  - Carathéodory, 156, 170, 366
  - characteristic, 334
  - Clarke-regular, 103, 336
  - composite, 265
  - conjugate, 262, 338, 401
  - continuously differentiable, 336
  - cost-to-go, 65, 67, 313
  - cumulative distribution (cdf), 2, 360
  - distance generating, 236
  - disutility, 254, 271
  - essentially bounded, 399
  - extended real valued, 360
  - indicator, 29, 334
  - influence, 304
  - integrable, 361
  - likelihood ratio, 200
  - log-concave, 95
  - logarithmically concave, 95
  - lower semicontinuous, 333
  - moment-generating, 387
  - monotone, 404
  - optimal value, 366
  - polyhedral, 28, 42, 333, 405
  - proper, 333
  - quasi-concave, 96
  - radical-inverse, 197
  - random, 365
  - random lower semicontinuous, 366
  - random polyhedral, 42
  - sample average, 374
  - strongly convex, 339
  - subdifferentiable, 338, 402
  - utility, 254, 271
  - well defined, 368
- Gâteaux differentiability, 334, 383
- generalized equation
  - sample average approximation, 175
- generic constant  $O(1)$ , 188
- gradient, 335
- Hadamard differentiability, 384
- Hausdorff distance, 334
- here-and-now solution, 10
- Hessian matrix, 348
- higher order distribution functions, 90
- Hoffman's lemma, 344

- identically distributed, 374
- importance sampling, 201
- independent identically distributed, 374
- inequality
  - Chebyshev, 362
  - Chernoff, 391
  - Hölder, 400
  - Hardy–Littlewood–Polya, 280
  - Hoeffding, 390
  - Jensen, 362
  - Markov, 362
  - Minkowski for matrices, 101
- inf-compactness condition, 158
- interchangeability principle, 405
  - for risk measures, 293
  - for two-stage programming, 49
- interior of a set, 336
- inventory model, 1, 295
  
- Jacobian matrix, 335
  
- Lagrange multiplier, 348
- large deviations rate function, 388
- lattice, 403
- Law of Large Numbers, 2, 374
  - for random sets, 379
  - pointwise, 375
  - strong, 374
  - uniform, 375
  - weak, 374
- least upper bound, 403
- Lindeberg condition, 143
- Lipschitz continuous, 335
- lower bound
  - statistical, 203
- Lyapunov condition, 143
  
- mapping
  - convex, 50
  - measurable, 360
- Markov chain, 70
- Markovian process, 63
- martingale, 324
- mean absolute deviation, 255
- measurable selection, 365
- measure
  - $\alpha$ -concave, 97
  - absolutely continuous, 359
  - complete, 359
  - Dirac, 362
  - finite, 359
  - Lebesgue, 359
  - nonatomic, 367
  - sigma-additive, 359
- metric projection, 231
- mirror descent SA, 241
- model state equations, 68
- model state variables, 68
- moment-generating function, 387
- multifunction, 365
  - closed, 175, 365
  - closed valued, 175, 365
  - convex, 50
  - convex valued, 50, 367
  - measurable, 365
  - optimal solution, 366
  - upper semicontinuous, 380
  
- news vendor problem, 1, 330
- node
  - ancestor, 69
  - children, 69
  - root, 69
- nonanticipativity, 7, 52, 63
- nonanticipativity constraints, 72, 312
- nonatomic probability space, 367
- norm
  - dual, 236, 399
- normal cone, 337
- normal integrands, 366
  
- optimality conditions
  - first order, 207, 346
  - Karush–Kuhn–Tucker (KKT), 174, 207, 348
  - second order, 179, 348
  
- partial order, 403
- point
  - contact, 399
  - saddle, 340
- polar cone, 337
- policy
  - basestock, 8, 328
  - feasible, 8, 17, 64
  - fixed mix, 21

- implementable, 8, 17, 64
- myopic, 19, 325
- optimal, 8, 65, 67
- portfolio selection, 13, 298
- positive hull, 29
- positively homogeneous, 178
- probabilistic constraints, 5, 11, 87, 162
  - individual, 90
  - joint, 90
- probabilistic liquidity constraint, 94
- probability density function, 360
- probability distribution, 360
- probability measure, 359
- probability vector, 309
- problem
  - chance constrained, 87, 210
  - first stage, 10
  - of moments, 306
  - piecewise linear, 192
  - second stage, 10
  - semi-infinite programming, 308
  - subconsistent, 341
  - two stage, 10
- prox-function, 237
- prox-mapping, 237
- quadratic growth condition, 190, 350
- quantile, 16
  - left-side, 3, 256
  - right-side, 3, 256
- radial cone, 337
- random function
  - convex, 369
- random variable, 360
- random vector, 360
- recession cone, 337
- recourse
  - complete, 33
  - fixed, 33, 45
  - relatively complete, 10, 33
  - simple, 33
- recourse action, 2
- relative interior, 337
- risk measure, 261
  - absolute semideviation, 301, 329
  - coherent, 261
  - composite, 312, 318
  - consistency with stochastic orders, 282
  - law based, 279
  - law invariant, 279
  - mean-deviation, 276
  - mean-upper-semideviation, 277
  - mean-upper-semideviation from a target, 278
  - mean-variance, 275
  - multi-period, 321
  - proper, 261
  - version independent, 279
- robust optimization, 11
- saddle point, 340
- sample
  - independently identically distributed (iid), 156
  - random, 155
- sample average approximation (SAA), 155
  - multistage, 221
- sample covariance matrix, 208
- sampling
  - Latin Hypercube, 198
  - Monte Carlo, 180
- scenario tree, 69
- scenarios, 3, 30
- second order regularity, 350
- second order tangent set, 348
- semi-infinite probabilistic problem, 144
- semideviation
  - lower, 255
  - upper, 255
- separable space, 384
- sequence
  - Halton, 197
  - log-concave, 106
  - low-discrepancy, 197
  - van der Corput, 197
- set
  - elementary, 359
  - of contact points, 399
- sigma algebra, 359
  - Borel, 359
  - trivial, 359
- significance level, 5
- simplex, 237

- Slater condition, 162
- solution
- $\varepsilon$ -optimal, 181
  - sharp, 190, 191
- space
- Banach, 399
  - decomposable, 405
  - dual, 399
  - Hilbert, 275
  - measurable, 359
  - probability, 359
  - reflexive, 399
  - sample, 359
- stagewise independence, 7, 63
- star discrepancy, 195
- stationary point of  $\alpha$ -concave function, 104
- stochastic approximation, 231
- stochastic dominance
- $k$ th order, 91
  - first order, 90, 282
  - higher order, 91
  - second order, 283
- stochastic dominance constraint, 91
- stochastic generalized equations, 174
- stochastic order, 90, 282
- increasing convex, 283
  - usual, 282
- stochastic ordering constraint, 91
- stochastic programming
- nested risk averse multistage, 311, 318
- stochastic programming problem
- minimax, 170
  - multi-period, 66
  - multistage, 64
  - multistage linear, 67
  - two-stage convex, 49
  - two-stage linear, 27
  - two-stage polyhedral, 42
- strict complementarity condition, 179, 209
- strongly regular solution of a generalized equation, 176
- subdifferential, 338, 401
- subgradient, 338, 402
- algebraic, 402
  - stochastic, 230
- supply chain model, 22
- support
- of a set, 337
  - of measure, 360
- support function, 28, 337, 338
- support of a measure, 36
- tangent cone, 337
- theorem
- Artstein–Vitale, 379
  - Aumann, 367
  - Banach–Alaoglu, 401
  - Birkhoff, 111
  - central limit, 143
  - Cramér’s large deviations, 388
  - Danskin, 352
  - Fenchel–Moreau, 262, 338, 401
  - functional CLT, 164
  - Glivenko–Cantelli, 376
  - Helly, 337
  - Hlawka, 196
  - Klee–Nachbin–Namioka, 404
  - Koksma, 195
  - Kusuoka, 280
  - Lebesgue dominated convergence, 361
  - Levin–Valadier, 352
  - Lyapunov, 368
  - measurable selection, 365
  - monotone convergence, 361
  - Moreau–Rockafellar, 338, 402
  - Rademacher, 336, 353
  - Radon–Nikodym, 360
  - Richter–Rogosinski, 362
  - Skorohod–Dudley almost sure representation, 385
- time consistency, 321
- topology
- strong (norm), 401
  - weak, 401
  - weak\*, 401
- uncertainty set, 11, 306
- uniformly integrable, 382
- upper bound
- consecutive, 204
  - statistical, 204
- utility model, 271

- 
- value function, 7
  - Value-at-Risk, 16, 256, 273
    - constraint, 16
  - variation
    - of a function, 195
  - variational inequality, 174
    - stochastic, 174
  - Von Mises statistical functional, 304
  
  - wait-and-see solution, 10, 60
  - weighted mean deviation, 256