

Index

- L^1 -magic, 447
- $L^1([0, 1])$, 228
- $L^1(\mathbb{R}^n)$, 94
- L^2 -derivative
 - one dimension, 119
 - periodic case, 248
 - periodic case, higher dimensions, 273
- $L^2([0, 1])$, 239, 687
- $L^2(\mathbb{R}^n)$, 108
- T_2 -weighting, 515
- \mathbf{B}_0 -field, 512
- \mathbf{B}_1 -field, 512
- $\mathcal{C}^0([0, 1])$, 686
- $\mathcal{C}^j(\mathbb{R})$, 102
- $\mathcal{C}^k([0, 1])$, 686
- $\mathcal{C}^\infty(\mathbb{R})$, 102
- δ_{ij} , 657
- σ -algebra, 528
- l^2 , 243
- l^p spaces, 694

- Abel transform
 - definition, 80
 - inversion formula, 83
- absolute error, 11, 644
- absolute value, 48
- absolute value function, 645
- absolutely convergent series, 726
- absolutely integrable, 735
 - on \mathbb{R}^n , 740
- adjoint
 - matrix, 669
 - transformation, 669
- aliasing, 289
- alternating series test, 727
- amplitude, 314, 315, 320
- apodizing
 - filter, 326
 - function, 326, 416
- apodizing function, 416

- approximation
 - by smooth functions, 165
 - in L^2 , 247
 - polynomial, 705
 - step function, 706
- approximation problems, 246
- argument of a complex number, 49
- arithmetic
 - rules of, 640

- back-projection formula, 77
- back-substitution algorithm, 672
- background field, 512
- ball of radius r , 71
- bandlimited
 - effectively, 291
 - function, 278
 - function, higher dimensions, 301
 - functions on \mathbb{R}^n , 345
- bandwidth, 278
 - effective, 329
 - effective in \mathbb{R}^n , 345
 - finite, 278
 - finite, higher dimensions, 301
 - of a computation, 380
 - usable, 380
- basis, 652, 655
 - orthonormal, 667
- Bayes's law, 542
- Bayesian, 504
- beam hardening, 68
- beam profile, 452
- beam width, 454
- Beer's law, 57
 - probabilistic interpretation, 578
- Bernoulli detector, 578
- Bessel function, 684
 - asymptotic expansion, 685
 - integral formula, 685
 - power series expansion, 684

- Bessel's inequality, 247
- biased estimate, 573
- big O notation, 102
- bilinear function, 669
- binary noise, 364
- binary string, 643
- binomial formula
 - elementary, 679
 - general, 680
- Bloch equation, 512
 - low flip-angle approximation, 518
- Bolzano-Weierstrass theorem, 724
- Borel sets, 529
- Brownian motion, 615

- carrier frequency, 294
- Cauchy criterion, 648, 725
- Cauchy sequence, 648, 725
 - normed vector space, 690
 - on \mathbb{R}^n , 663
- Cauchy-Schwarz inequality, 7
 - $L^2(\mathbb{R}^n)$, 108
 - \mathbb{C}^n , 52
 - \mathbb{R}^n , 666
 - proof, 52
- centered moment, 547
- central limit theorem, 565
- central slice theorem, 184
 - higher dimensions, 220
- change of variable formula, 735
- characteristic function, 706
 - in probability theory, 551
 - of a subset of \mathbb{R}^n , 55
- characteristic polynomial, 107
- Chebyshev inequality, 548
- chemical shift, 511
- CNR, 521
- collimator, 372
- common refinement, 733
- comparison test, 726
- completeness, 646, 691
 - axiom, 724
- complex conjugation, 48
- complex exponential
 - higher dimensions, 138
- complex numbers, 48
- complex plane, 48
- compressive sampling, 447
- condition number, 40
- conjugate symmetry, 52

- constraint, 6
- contrast-to-noise ratio, 521
- convergence
 - in the mean, 688
 - of generalized functions, 701
 - uniform, 686
 - with respect to a metric, 663
- convergent sequence, 724
- convergent series, 726
- convergent subsequence, 724
- convex region, 17
- convolution
 - and Fourier series, 252
 - definition in higher-dimensional periodic case, 271
 - definition in periodic case, 252
 - derivatives and, 163
 - Fourier transform of, 158
 - of functions, 154
 - of sequences, 252
- Cooley-Tukey algorithm, 397
- coordinate vectors, 651
- Cormack, Alan, 3
- correlation
 - coefficient, 554
 - matrix, 558
- countable additivity, 530
- covariance, 554
 - matrix, 558
- cross-correlation function, 629
- cumulative distribution, 546

- decimal representation, 646
- degrees of freedom, 6
- deleted neighborhood, 729
- δ -function, 172
- demodulated signal, 294
- dense subset, 116
- derivative
 - L^2 , 121
 - classical, 117, 730
 - generalized function, 700
 - half, 119, 188
 - weak, 118
 - weak higher order, 119
- diameter of a hypersurface, 349
- differentiation
 - rules of computation, 731
 - under the integral sign, 741
- dimension, 655

- finite, 42
- infinite, 42
- Dirichlet kernel, 255
- disk, 71
- distance function, 645, 662
- distribution function, 546
- divergent series, 726
- dot product, *see* inner product
- dual vector space, 654
- dynamic range, 54
- echo-time, 522
- effective support, 291, 329
- effectively bandlimited, 291, 329
- empty set, 528
- ensemble average, 532
- equivalent width, 333
- Euclidean n -space, 650
- Euclidean length, 662
- even function, 114
 - finite interval, 229
- even sequence, 298
- event, 526
 - allowable, 526
- expected value, 544
- exponential
 - complex, 92
- exponential polynomials, 246
- extend by linearity, 652
- false subarachnoid space, 508
- fan angle, 430
- fan beam coordinates, 428
- fan beam scanner, 408
- fast Fourier transform, 397
- Fejer kernel, 262
- Fejer means, 262
- Fejer's theorem, 263
- FFT, 397
- filter, 160, 305
 - bandpass, 326
 - cascade, 323
 - causal, 325
 - comb, 341
 - commuting, 310
 - high pass, 326
 - impulse response, 312
 - input, 305
 - inverse, 329
 - isotropic, 347
 - linear, 307
 - low pass, 326
 - lowpass, 292
 - multiplication, 310
 - non-linear, 307
 - output, 305
 - Ram-Lak, 421
 - separable, 345
 - Shepp-Logan, 421
 - shift invariant, 160
 - stable, 160
 - transfer function, 319
- filter mask, 362
- filtered back-projection, 190, 193
- finite difference, 715, 719
- finite Fourier transform, 295
 - n dimensions, 394
- finite-dimensional distributions, 608
- Fourier coefficients, 228
- Fourier series
 - higher-dimensional, 269
 - inversion formula, 229, 251
 - inversion formula in higher dimensions, 270
 - localization principle, 267
 - partial sums, 229
 - partial sums in higher dimensions, 271
- Fourier transform
 - definition \mathbb{R}^1 , 95
 - definition \mathbb{R}^n , 137
 - derivatives, 103
 - differential equations, 107
 - functional notation \mathcal{F} , 96
 - generalized functions, 133
 - in the affine parameter, 186
 - inversion formula \mathbb{R}^1 , 95
 - inversion formula for $L^2(\mathbb{R}^1)$, 113
 - inversion formula, \mathbb{R}^n , 138
 - on L^2 , 112
- fractional derivative
 - L^2 , 123
 - classical, 122
- frequency, 92
- frequency encoding, 520
- frequency space description, 320
- Fubini's theorem, 741
- full width half maximum
 - higher dimensions, 349
- full-width κ -maximum, 332

- full-width half-maximum, 176
- full-width tenth-maximum, 332
- function
 - L -bandlimited, 278
 - L^1 -, 94
 - P -periodic, 251
 - rect, 326
 - absolutely integrable, 94
 - continuous, 729
 - differentiable, 730
 - locally absolutely integrable, 94
 - locally integrable, 44
 - nonnegative definite, 612, 613
 - on \mathbb{R}^n with k continuous derivatives, 81, 102
 - Riemann integrable, 733
 - separable, 345
 - space limited, 286
- fundamental theorem of calculus, 735
- FWHM, *see* full-width half-maximum
- Gamma function, 681
- Gaussian
 - focal spot, 371, 454
 - Fourier transform, 98
 - normalized, 562
- generalized function, 131, 697
 - n -dimensions, 703
- generating function, 551
- geometric distortion, 351
- geometric series, 726
 - sum, 647
- Gibbs number, 261
- Gibbs phenomenon, 256
- gradient field, 512
- Gram-Schmidt algorithm
 - finite dimensions, 668
 - infinite dimensions, 709
- Grangeat's formula, 443
- gyromagnetic ration, 511
- Hölder continuous function, 122
- Hölder's inequality, 689
- Hölder- $\frac{1}{2}$ function, 119
- half-derivative, 188
 - L^2 , 123
 - function having, 119
- half-maximum hypersurface, 349
- Hamming filter, 417
- Hanning
 - filter, 417
 - window, 327
- Heaviside function, 313
- Heisenberg uncertainty principle, 127
- Herman, Gabor, 428
- Hermitian
 - inner product, 52
 - symmetry, 52
- Hilbert transform
 - as principal value integral, 202
 - definition, 192
- homogeneous equation, 671
- Hounsfield units, 54
- Hounsfield, Godfrey, 3
- identity filter, 313
- ill conditioned, 38
- ill posed problem, 89
- image, 656
- imaginary part, 48
- impulse response, 312, 344
- inconsistent measurements, 488
- independent events, 540
- independent increments, 615
- independent random variables, 553
- indicator function, 534
- infimum, 645
- inner product, 665, 669
 - L^2 , 108, 240
 - \mathbb{C}^n , 52
 - $\mathbb{R} \times S^1$, 198
 - \mathbb{R}^n , 7
 - Hermitian, 52
- integers, 640
- integrable
 - absolutely, 94, 735
 - function on probability space, 536
 - locally, 94
 - on \mathbb{R}^n , 740
- integral
 - Cauchy principal value, 738
 - definite, 735
 - improper, 735
 - indefinite, 735
 - iterated, 740
 - Lebesgue, 536
 - Lebesgue-Stieltjes, 538
 - linearity of the, 734
 - principal value, 738
 - Riemann, 733

- simple function, 534
- integral operator, 43
- integral test, 727
- integration by parts, 102, 735
- intermediate value theorem, 730
- interpolation
 - generalized Shannon-Whittaker, 282
 - polynomial, 712
 - spline, 713
- Jackson's theorem, 708
- Johnson noise, 631
- joint distribution, 552
- Kaczmarz method, 499
- kernel, 656
- kernel function, 87, 309
- Lagrange interpolation, 712
- Lagrange interpolation formula, 712
- Lakshminarayanan, A.V., 421, 428
- Laplace operator, 183, 199
 - fractional powers, 199
- Laplace's method, 682
- Larmor frequency, 510
- Larmor's theorem, 513
- law of large numbers, 566
- least squares solution, 497
- likelihood function, 598
- limit in the mean, 244
- limits, 646
 - complex sequences, 50
 - for functions, 729
 - infinite sums, 726
 - one sided, 729
 - real sequences, 724
 - rules for computation, 724
- linear
 - dependence, 8
 - equation, 32
 - function, 6
 - function, \mathbb{R}^n , 651
 - independence, 8
 - subspace, 8
- linear combination, 654
- linear equations
 - finite dimensions, 34
- linear functional, 693
- linear model, 8
- linear operator, 43
- linear span, 654
- linear system
 - determined, 36
 - over-determined, 36
 - underdetermined, 37
- linear transformation, 656
 - image, 33, 656
 - kernel, 34, 656
 - null space, 34
 - range, 33
- linearly independent, 655
- little o and big O notation, 731
- logarithm
 - complex, 92
 - natural, 678
- magnetic resonance imaging, 509
- magnetization
 - equilibrium, 511
 - longitudinal component, 512
 - transverse component, 512
- mathematical phantom, 66, 407
- matrix, 657
 - change-of-basis, 659
 - invertible, 671
 - measurement, 495
 - multiplication, 658
 - nonnegative definite, 613
 - sparse, 496
 - upper triangular, 671
- matrix transpose, 669
- maximum likelihood
 - algorithm, 601
 - estimator, 598
- mean
 - of a random variable, 544
- mean value theorem, 732
 - for integrals, 734
- measurable
 - set, 528
- measure
 - Lebesgue-Stieltjes, 538
 - probability, 530
 - space, 526
 - zero, 73
- measureable
 - function, 533
- mesh size, 732
- method of projections, 499
- metric, 663

- modulation transfer function, 319, 344
- moiré effect, 361
- moment conditions, 210
- moments
 - of a random variable, 547
 - of Radon transform, 211
- MRI, 509
 - sampling in, 286
- MTF, *see* modulation transfer function
- multi-index notation, 140
- multiplication
 - scalar, 650
- mutually exclusive events, 528

- Naparstek, A., 428
- Neumann series, 87
- noise
 - quantization, 299
 - quantum, 581
 - what is, 525
- noncommutative product, 658
- nonlinear partial volume effect, 458
- nonmeasurable set, 530
- norm, 8, 662
 - L^1 , 94
 - $L^1([0, 1])$, 228
 - L^2 , 108
 - $L^2([0, 1])$, 239
 - l^2 , 243
 - p norm, 662
 - Euclidean, 662
 - sup, 662, 686
 - uniform, 686
- normal equations, 497
- nuclear magnetic resonance, 510
- null space, 656
- numbers
 - binary representation, 641
 - decimal representation, 640
 - fixed point, 643
 - floating point, 644
 - mathematical, 640
- Nyquist
 - higher-dimensional sampling theorem, 301
 - noise theorem, 633
 - rate, 280
 - sampling theorem, 279
 - sampling theorem for periodic functions, 297
 - width, 335
- odd function, 114
 - finite interval, 229
- odd sequence, 298
- offset frequency, 517
- operator norm, 38, 664
- oriented hyperplanes, 220
- oriented line, 21
- orthogonal complement, 241
- orthogonal matrix, 672
- orthogonal projection, 241
- orthogonal vectors, 666
- oversampling, 280
- overshoot, 256

- parallel beam scanner, 408
- Parseval formula
 - Fourier series, 241, 251
 - Fourier series in higher dimensions, 272
 - Fourier transform, 109
- partition, 732
- passband, 292, 326
- periodic convolution
 - sequences, 381
- periodic extension
 - for functions, 235
 - for functions on \mathbb{R}^n , 270
 - for sequences, 381
- PET, *see* positron emission tomography
- phantom, 407
 - Shepp-Logan, 66
- phase, 314, 315
- phase encoding, 519
- phase shift, 320
- photon flux, 57
- picture element, 361
- pixel, 361, 404
- point source, 312
 - two dimensions, 59
- point spread function, 312
- Poisson summation formula, 286
 - n -dimensions, 302
 - dual, 287
- polar representation, 49
- polynomial
 - Chebyshev, 711
- polynomial approximation
 - Bernstein polynomials, 708
- positron, 594
- positron emission tomography, 596
- power series, 675

- power spectral density, 110, 144
- precession, 510
- prior information, 504
- probability, 530
- probability density, 546
- probability measure, 530
- probability space, 530
- PSF, *see* point spread function
- punctured neighborhood, 729
- Pythagoras theorem
 - infinite-dimensional, 243

- QR factorization, 672
- quantization, 298

- radial function, 71
- Radon inversion formula
 - \mathbb{R}^2 , 188
 - \mathbb{R}^n , 221
- Radon transform, 69
 - adjoint, 198
 - and the Laplace operator, 221
 - and the wave equation, 222
 - convolution property, 181
 - definition in higher dimensions, 220
 - inverse for radial functions, 80
 - inversion formula in higher dimensions, 220
 - natural domain, 70, 183
 - Parseval formula, 187
 - radial function, 72
- Radon, Johan, 3
- Ramachandran, G.N., 421
- random process, 606
 - Bernoulli, 608
 - continuous parameter, 607
 - discrete parameter, 607
 - independent, 608
 - stationary, 611
 - weak sense stationary, 611
- random variable, 543
 - Bernoulli, 560
 - binomial, 560
 - complex, 543
 - Gaussian, 547, 562
 - Poisson, 562
- random variables
 - independent, 558
- rank value filtering, 364
- rate of decay, 102
- ratio test, 727
- ray, 409
- real computable function, 673
- real part, 48
- reconstruction algorithm, 401
- reconstruction grid, 404
- rectifier, 307
- regularized inverse, 207
- relative error, 11, 39, 644
- relaxation parameters, 506
- relaxation terms, 512
- resonance rotation, 512
- Riemann sum, 715
 - left, 733
 - lower, 733
 - right, 733
 - upper, 733
- Riemann-Lebesgue lemma, 101
 - n -variables, 141
 - Fourier series, 233
 - Fourier series in higher dimension, 270
- Riesz representation theorem
 - for L^p , 693
 - for l^p , 694
- root test, 727
- rotating reference frame, 513

- sample mean, 573
- sample path, 607
- sample points, 278
- sample space, 526
- sample spacing, 278, 711
- sample variance, 573
- sampling, 711
- sampling rate, 278
- Schwartz class, 131
- semi-norm, 131
- sequence, 723
 - bi-infinite, 723
 - periodic, 295
 - square summable, 243
- series, 726
- sets of measure zero, 73
 - and functions, 94
- shadow function, 23
- Shepp, Larry, 407
- shift
 - invariant filter, 160, 311
 - of a function, 160
- shift invariant filter

- implementing, 377
- side lobes, 174
- signal-to-noise ratio, 549
- simple function, 534
- Simpson's rule, 717
- sinc function, 97
 - FWHM, 177
- sinc pulse, 174
- sinc^2 pulse, 174
- sinogram, 412
- SIRT, 507
- slice selectivity profile, 404
- smoothness principle, 482
- spatial frequency, 92
 - n dimensions, 138
- SPECT, 603
- spectral density, 612
- spectral function, 488
- spin warp imaging, 520
- spin-echo, 522
- splines, 713
 - natural cubic, 713
- square integrable, 687
- squeeze lemma, 725
- standard basis, 651
- standard deviation, 549
- state space, 5
- state variables, 3
- stationary increments, 615
 - wide sense, 615
- step function, 706
- Stirling's formula, 682
- strictly convex, 17
- strip integral, 452
- subsequence, 723
- subset of \mathbb{R}
 - bounded, 645
- subspace, 8, 654
 - complex, 50
- summation by parts formula, 728
- sup norm, 43
- support
 - effective, 291
 - of a function, 56
- support line, 17
- supremum, 645
- Taylor's formula, 732
 - n -dimensions, 140
 - remainder term, 732
- Taylor's theorem, 732
- tempered distributions, 702
- tempered growth, 702, 703
- Tesla, 511
- test function, 118, 697
- thermal noise, 631
- time average, 532
- tomography, 55
- transfer function, 319, 344
- transpose, 34, 669
- trapezoidal rule, 716
- triangle inequality, 645
- truncation error, 289
- undersampling, 280
- uniform continuity, 730
- uniform sampling, 711
- unit impulse, 173, 312
- usable bandwidth, 380
- variance, 549
- vector, 650
 - addition, 650
 - notation for, 650
- vector space
 - complete normed, 691
 - complex, 50
 - dual, 654, 693
 - infinite dimensional, 655
 - normed, 662
 - real, 653
- view
 - fourth generation machine, 412
 - parallel beam, 409
 - third generation fan beam, 411
- volcano effect, 462
- Volterra operator, 87
- voxel, 404
- wave equation, 221
- wavelength, 92
- weak convergence, 695
 - for generalized functions, 701
 - of higher dimensional generalized functions, 703
- weak derivative, 85, 118, 700
 - partial, 703
- weak limit, 701
- Weierstrass approximation theorem, 705
- white noise, 625

Wiener filter, 635

Wiener process, 615

window function, 281

x-ray beam

intensity, 57

zero padding, 387

higher dimensional, 394

zero vector, 42, 653