

Index

- ε -relaxation, 123
- k -cardinality assignment, 163
- k -regular graph, 15

- Ackermann function, 55
- Adjacency matrix, 13, 16, 57, 174,
207–209, 227, 279, 282, 300
- Admissible transformation, 75,
192–194, 233, 234
- Algebraic assignment, 191, 194
- Alt, Blum, Mehlorn, and Paul algorithm,
48, 52, 174
- Alternating path, 36, 37, 77, 80, 92, 99,
102, 111, 114
- Alternating path basis, *see* strongly
feasible tree
- Alternating tree, 80, 83, 85, 92, 105
- Ant colony optimization, 263
- Applets
 - bottleneck assignment, 191
 - linear sum assignment, 128
 - quadratic assignment, 267
- Assignment polytope, 24
- Assignments, 1
- Asymptotic analysis, 285, 286, 289
 - k -index assignment, 318
 - axial 3-index assignment, 311
 - bottleneck quadratic assignment,
291
 - cubic assignment, 293
 - linear assignment, 145, 146, 149,
286
 - linear bottleneck assignment, 187
 - quadratic assignment, 285, 286,
290
 - quartic assignment, 293
- Auction algorithm, 119
- Augmenting path, 36, 40, 80, 141, 178
 - b-shortest, 178–181
- Augmenting tree, 85
- Axial 3-index assignment, 8, 305
 - bottleneck, 307

- Balanced assignment, 195
- Bandwidth minimization, 281
- Bases, 28, 31, 33, 106, 110, 111, 239,
307
- Basic matrix, 28
- Benders decomposition, 249
- Benevolent Toeplitz matrix, 277, 278
- Bipartite graph, 2
- Biquadratic assignment, 291
- Birkhoff theorem, 25, 28, 29, 67, 75
- Bottleneck assignment
 - linear, 5, 172
 - applications, 188
 - asymptotic analysis, 187
 - augmenting path, 178
 - categorized, 190
 - dual method, 177
 - lexicographic, 198, 200
 - min-max theorem, 173
 - Monge, 186
 - software, 191
 - sparse subgraph, 185
 - threshold methods, 174

- quadratic, 210, 281, 282
 - applications, 281
 - asymptotic analysis, 291
 - bounds, 282, 284
 - complexity, 282
 - random graphs, 285
- Branch-and-bound, 250
- Branch-and-cut, 253
- Bus driver rostering, 188

- Campus planning, 205
- Cardinality bipartite matching, 35
 - Alt, Blum, Mehlorn, and Paul algorithm, 48, 52, 174
 - applications, 64
 - convex graphs, 52
 - doubly convex graphs, 53, 55, 56
 - Hopcroft–Karp algorithm, 42, 46, 48, 52, 88, 127, 184, 197
 - labeling algorithm, 36, 37, 39
 - matrix algorithm, 57
 - probabilistic algorithm, 58
- Categorized assignment scheduling, 167
- Chessboard matrix, 270, 274
- Circulant matrix, 276, 278
- Complementary adjacency matrix, 18, 20, 48, 211
- Complementary slackness, 75, 121
- Complete graph, 30, 31, 280
- Complexity
 - axial 3-index assignment, 308
 - cardinality bipartite matching, 58, 127
 - bottleneck, 184
 - linear assignment, 77, 78, 88, 98, 127, 138
 - bottleneck, 174, 184
 - quadratic assignment, 210, 211
 - bottleneck, 274
- Computer codes, *see* Software
- Convex graph, 52, 301
 - algorithms, 53
 - applications, 55
 - doubly, 53, 55, 56
- Cost scaling, 87

- Cubic assignment, 291
 - asymptotic analysis, 293
- Cyclic permutation, 1, 206, 211, 277, 278, 282

- d-Monoid, 191
- Dantzig rule, 106, 111, 118, 143
- Data arrangement problem, 278
- Density of an assignment, 55, 56
- density of an assignment, 56
- Depletion of inventory, 167
- Diagonally structured matrix, 275
- Diameter of a polytope, 31, 32
- Didactic software, 128, 191, 267
- Dijkstra algorithm, 80, 93, 98, 161, 182
- Dinic–Kronrod algorithm, 89
- Distribution matrix, 151
- Double push, 125
- Doubly convex bipartite graphs, 53
- Doubly stochastic matrix, 24, 27, 67, 239
- Dual algorithms, 112

- Eigenvalues, 238, 244
- Even-odd partition problem, 277

- Fast matrix multiplication, 57, 174
- Feedback arc set, 206
- Flow, *see* Network flow
- Ford–Fulkerson theorem, *see* Max-flow min-cut theorem
- Frobenius theorem, 16, 25, 173

- Gale–Shapley algorithm, 15
- Genetic algorithm, 261
- Gilmore–Lawler bound, 225
- Graph isomorphism, 209, 279
- Graph packing, 210
- Graph partitioning, 207, 270
- GRASP, 262

- Hall’s condition, 14, 17, 60
- Hall’s theorem, *see* Marriage theorem
- Hamiltonian cycle, 34, 211, 227, 282
- Hamiltonian polytope, 34
- Hankel matrix, 153
- Hermitian matrix, 244, 245

- Hirsch conjecture, 33, 117
Hopcroft–Karp algorithm, 42, 46, 48, 52, 88, 127, 184, 197
Hung–Rom algorithm, 112
Hungarian algorithm, 77, 79, 85
- Incidence matrix, 27, 74
- König’s theorem, 16, 18, 21, 194, 309
Keyboard design, 205
Kuhn’s algorithm, *see* Hungarian algorithm
- Labeled rooted tree, 30, 31
Labeling algorithm, 36, 37, 39
Large matrix, 274
Large scale neighborhood, 265
Latin square, 10, 312–314, 316
 orthogonal, 69, 317
Level matrix, 48
Lexicographic bottleneck assignment, 198, 200
Linear sum assignment, 4, 73
 k -cardinality, 163
 algebraic, 191, 194
 applications, 165
 asymptotic analysis, 145
 algorithms, 149
 expected optimum, 145
 auction, 119
 balanced, 195
 Balinski algorithm, 116
 benchmarks, 132
 bottleneck, *see* Bottleneck assignment
 complementary slackness, 75, 121
 cost scaling, 87
 Dinic–Kronrod algorithm, 89
 dual algorithms, 112
 nonsimplex, 112
 simplex, 114
 experimental comparisons, 131, 133
 history, 77
 Hung–Rom algorithm, 112
 Hungarian algorithm, 79, 85
 lexicographic bottleneck, 198, 200
 mathematical model, 74
 max-algebra, 153
 min-cost flow, 93, 94, 98
 Monge matrix, 150
 other algorithms, 126
 parallel algorithms, 138
 auction, 139
 primal simplex, 142
 shortest path, 141
 preprocessing, 76, 99, 101, 102
 primal algorithms, 104
 nonsimplex, 104
 simplex, 106
 primal-dual algorithms, 79
 pseudoflow, 123
 ranking solutions, 158–162
 rectangular cost matrix, 165
 semi-assignment, 164
 sequential algorithms (summary), 127
 shortest path algorithms, 93–95, 97, 98
 signature, 114
 software, 127, 129
 didactic, 128
 sum- k , 195
- Marriage theorem, 2, 13–17
Matching, *see* Cardinality bipartite matching, Perfect matching
Matching theorem, *see* König’s theorem
Matrix (definitions)
 adjacency, 13
 complementary, 18
 basic, 28
 benevolent, 277
 chessboard, 270
 circulant, 276
 diagonally structured, 275
 distribution, 151
 doubly stochastic, 24
 Hankel, 153
 Hermitian, 244
 incidence, 27
 large, 272

- level, 48
 - Monge (three-dimensional), 310
 - Monge (two-dimensional), 150
 - monotone, 276
 - ordered, 279
 - permanent of, 13
 - permutation, 1
 - product, 269
 - small, 272
 - sum, 268
 - Toeplitz, 275
 - totally unimodular, 29, 74
 - unimodular, 29
- Matrix algorithm, 57, 174
- Matroid, 3
 - intersection, 4, 7, 27, 307, 313, 314
- Max-algebra, 153
- Max-algebraic permanent, 156
- Max-flow min-cut theorem, 18, 19, 21, 40
- Maximum cardinality matching, *see*
Cardinality bipartite matching
- Maximum clique, 208, 262
- Mean flow time minimization, 166
- Mendelsohn–Dulmage theorem, 22–24
- Metaheuristic, 257
- Military operations, 166
- MIMD, 138
- Minimum cost flow, 6, 87, 93, 94, 98
- Minimum density matching, 56
- Missile tracking, 189
- Monge matrix, 150, 274, 277, 278, 310
 - algebraic, 195
 - bottleneck, 186
 - permuted, 187
 - inverse, 150
 - permuted, 152
 - weak, 152
- Monotone matrix, 276–278
- Multi-index assignment, 8, 305, 315
 - axial 3-index, 8, 305
 - general, 315
 - planar 3-index, 10, 312
 - polytope, 307
- Multiple bottleneck assignment
problem, 167
- Multiple shortest path arborescence, 142
- Navy personnel planning, 168
- Network flow, 3, 105, 301, 302
 - maximum, 3, 39, 93
 - min-cost, 6, 87
- Normal form, 154, 156
- Nurse schedule, 168
- Object tracking, 189
- Ordered matrix, 279
- Parallel algorithms
 - linear assignment, 138, 139, 141, 142
 - auction, 139
 - complexity, 138
 - primal simplex, 142
 - shortest path, 141
 - quadratic assignment, 253
- Parallel processors scheduling, 297, 298
- Path relinking, 264
- Path structure, 280
- Perfect matching, 2, 3, 13, 15, 29, 31–33, 57, 58, 67, 174, 177, 196
 - min-cost, 73, 158, 159, 162, 174, 185
 - probabilistic algorithm, 58
 - random graphs, 59, 60, 62, 146, 149, 150
 - weighted, 6
- Permanent of a matrix, 13, 156
- Permutation, 1
 - cyclic, 1, 206, 211, 277, 278, 282
- Permutation matrix, 1, 5, 8, 16, 24, 26, 69, 172, 242
- Personnel assignment, 77, 165, 168
- Planar 3-index assignment, 10, 312
- Polytope
 - assignment, 25, 31
 - diameter of, 31, 32
 - multi-index assignment, 307

- planar 3-index assignment, 314
- quadratic assignment, 223
- PRAM, 138
- Preprocessing, 76, 98, 99, 101–103, 163
- Primal algorithms, 104
- Primal-dual algorithms, 79
- Principal submatrix assignment
 - problem, 157
- Probabilistic algorithm
 - cardinality bipartite matching, 58
 - perfect matching, 58
- Probabilistic analysis, *see* Asymptotic analysis
- Product matrix, 269, 274
- Product rate variation, 189
- Pseudoflow algorithms, 123
- Quadratic assignment, 7, 203, 249
 - admissible transformation, 233, 234
 - applications, 205
 - asymptotic analysis, 285, 290
 - Bender's decomposition, 249
 - bottleneck, 210, 281
 - bounds, 225, 233, 235, 238, 244, 245, 247
 - branch-and-bound, 250
 - branch-and-cut, 253
 - complexity, 210
 - eigenvalues, 238, 244
 - exact algorithms, 249
 - formulation, 211
 - concave program, 214
 - convex program, 214
 - Kronecker, 213
 - trace, 212
 - Gilmore-Lawler bound, 225
 - heuristic algorithms, 255, 256
 - Koopmans-Beckmann form, 203
 - Lawler form, 204
 - linearization, 217
 - Adams-Johnson, 221
 - Balas-Mazzola, 219
 - Frieze-Yadegar, 221
 - Higher level, 222
 - Kaufman-Broeckx, 218
 - Lawler, 217
 - mean objective value, 216
 - parallel algorithms, 253
 - planar, 290
 - polynomial cases, 267
 - polytopes, 223
 - quadratic programming, 247
 - random graphs, 285
 - reduction, 229
 - semidefinite, 245
 - software, 266
 - didactic, 267
- Quadratic programming, 247
- Quartic assignment, 291
 - asymptotic analysis, 293
- Random graphs, 59, 285
- Ranking solutions, 158–162
- Rectangular cost matrix, 165
- Scatter search, 264
- School timetabling, 313
- Semi-assignment
 - bounds, 301
 - linear, 164
 - polynomial, 300
 - quadratic, 293
- Semidefinite programming, 245
- Shortest path algorithms, 93–95, 97, 98
- Signature, 114, 116
- SIMD, 138
- Simulated annealing, 259
- Small matrix, 272, 274
- Software
 - linear assignment, 127, 129
 - bottleneck, 191
 - quadratic assignment, 266
- Sparsification, 98, 128
- Stable marriage, 15
- Stable matching, 15
- Stirling's formula, 59, 63
- Strongly feasible tree, 106, 109, 114, 126, 142
- Sum matrix, 268, 278
- Sum- k assignment, 195

- Supply support for space bases, 295
Surveillance systems, 317
Synchronization in transit networks, 57, 296
Tabu search, 260
Task scheduling, 296
Terminal assignment problem, 55
Time slot assignment, 66
Time-cost assignment, 192
Toeplitz matrix, 275
 benevolent, 277, 278
Totally unimodular matrix, 29, 69, 74, 93, 163, 301
Traffic matrix, 66, 67, 69, 197
Traveling salesman, 132, 206, 224, 254, 278
Triangulation of input-output matrices, 207
Turbine runner problem, 205, 276
Unimodular matrix, 29
Variable neighborhood search, 265
Vehicle scheduling, 65
Weak Monge property, 152
Wedge condition, 311
Weighted bipartite matching problem,
 see Perfect matching, min-cost