

Index

An italic *e* or *f* following a page number indicates that an example or a figure appears on that page.

- Abadie, J., 547, 598
Ablow, C.M., 657
active constraint, 44
active set, 44, 563
active-set method, 565*e*, 565*f*, 567*e*,
569*f*, 563–573, 598, 601
 algorithm, 566–567
 for linear programming, 570–572
adaptive algorithm, 433
adjacent extreme point, *see* extreme
 point, adjacent
Adler, Ilan, 315, 324, 354
affine-scaling direction
 dual, 341
 primal, 338
affine-scaling matrix, 336
affine-scaling method, 320, 336–344
 dual, 340–343
 primal, 339*e*, 337–343
 primal-dual, 342–343
affine-scaling transformation, 336
Ahuja, Ravindra K., 293, 299, 300
Aizerman, M., 547
Al-Baali, M., 479
al-Kāšī, 448
Andersen, Erling D., 267, 354
Andersen, Knud D., 267
Anstreicher, Kurt M., 354
arc, 271
Archimedes, 16
Archimedes' problem, 16, 16*f*
Armijo condition, 377
artificial variable, 149–162, *see also*
 big-M method; two-phase
 method
assignment problem, 276*e*, 277*f*,
275–277
augmented Lagrangian function, 627
augmented Lagrangian method, 628*e*,
626–640, 657
 algorithm, 627–628
 convergence, 631–634
 dual interpretation, 635–638
automatic differentiation, *see*
 differentiation, automatic
average-case cost, 301–302, *see also*
 complexity
Avriel, Mordecai, 501, 502, 547

backsubstitution, 667
backtracking line search, *see* line search,
 backtracking
Barnes, Earl R., 354
Barnhart, Cynthia, 40
barrier function, 319, 603
 inverse, 604
 logarithmic, 320, 335, 344, 604
barrier method, 319–320, 335, 344,
604*e*, 602–610, 656–657
 convergence, 613–617
 dual, 353
ill-conditioning, 608*e*, 608–609,
618–619, 657

- Lagrange multiplier estimate, 607*e*,
606–608
stabilized, 622*e*, 619–623, 657
- barrier parameter, 604
- barrier term, 602
- barrier trajectory, 345, 605, *see also*
central path
- Bartels, Richard H., 252
- basic feasible solution, 98, 107, 108*e*,
125, 126, *see also* extreme
point
adjacent, 112
degenerate, 110, 117
extended, 215–216
network model, 285–286
- basic solution, 106–117
- basic variable, 86, 107
- basis, 107
adjacent, 112
- basis matrix, 107
for the null space, *see* null-space
matrix, basic matrix
product form, *see* product form of
the inverse
representation, 240–259
representation in network, 280–287
- basis recovery procedure, 329
- Bau, David, III, 93
- Bazaraa, Mikhtar S., 171
- Beale, E.M.L., 171, 211
- Bellman, Richard E., 657
- Bernoulli, Jacob, 41
- Bernoulli, John, 35, 544
- Bertsekas, Dimitri P., 657, 701
- BFGS update, *see* quasi-Newton
method, BFGS
- Bićanić N., 447
- Biegler, Lorenz T., 657
- big-M method, 149, 156–162, 237, 292
- big-O notation, 691, 693–694
- binding constraint, *see* active constraint
- Bixby, Robert E., 41, 265
- Bland's rule, 166–167, 171
- Bland, Robert G., 166, 167, 171, 313,
316
- Bliss, Gilbert A., 545, 546
- block angular problem, 227, 238
- Boggs, Paul T., 598
- Bolza, O., 546
- bordered-inverse formula, 621
- Borgwardt, Karl-Heinz, 315–317
- Borisov, W.W., 449
- Bosch, Robert A., 354
- Boser, B.E., 547
- boundary of a constraint, 44
- boundary of a set, 44
- bounded set, 699
- brachistochrone problem, 544
- Braverman, E., 547
- Brearily, A.L., 267
- Brigham, G., 657
- Broyden class, *see* quasi-Newton
method, Broyden class
- Broyden, C.G., 417
- Buck, R. Creighton, 691, 700
- Burges, Christopher J.C., 41
- Byrd, Richard H., 420, 449, 479, 657
- calculus of variations, 543–546
- canonical form for linear programming,
see linear programming,
canonical form
- Carpentier, J., 598
- Carson, R., 41
- catenary problem, 35, 41, 705
- Cauchy, Augustin-Louis, 448, 545
- centering direction, 347
- central path, 320, 344, 345*f*, 345–346,
see also barrier trajectory
- central trajectory, *see* central path
- chain rule, 698*e*, 698–699
- characteristic equation, 661
- Charnes, Abraham, 171
- Chen, Ke, 479
- Cheriyani, J., 299
- Cholesky factorization, 448, 680*e*,
678–680
incomplete, 479
- Chvátal, Vašek, 124, 171, 238, 300, 316
- closed set, 699
- coincidence event, 32
- coincidence line, 32

- Coleman, Thomas F., 657
column generation, 214, 222–227, 270
compass search, 435*e*, 436*f*, 434–441
 algorithm, 437
 convergence, 437–441
complementary slackness
 linear programming, 183*e*,
 182–184, 188
 strict, 183, 189
 nonlinear optimization, 496, 506
 strict, 497, 506
complexity, 59, 301–305, 316
 ellipsoid method, *see* ellipsoid
 method, complexity
 linear programming, *see* linear
 programming, complexity
 simplex method, *see* simplex
 method, complexity
 smoothed analysis, 317
computational complexity, *see*
 complexity
computer arithmetic, 691–693, *see also*
 floating-point arithmetic
 IEEE standard, 691
Concus, Paul, 479
condition number, 664
conditioning, 683–686
cone, 117, 516
 second-order, 655, 656*f*
cone programming, 649, 658
 convex, 649
 second-order, 655
conjugate vectors, 453
conjugate-gradient method
 linear, 455*e*, 451–460, 478
 algorithm, 454
 preconditioned, 476*e*, 475–476
 nonlinear, 451, 452, 467*e*,
 466–470, 479
 algorithm, 466
 comparison with other methods,
 469
 Fletcher–Reeves, 469, 479
 Hestenes–Stiefel, 469
 Polak–Ribière, 469, 479
Conn, Andrew R., 400, 657
connected network, 281, 282*f*
constraint
 linear, 77–93, 125
 nonlinear, 483–547
constraint matrix, 101
constraint qualification, 546
Conte, Samuel D., 412
continuous function, 691, 699–700
control systems, 653
control theory, 543
convergence rate, 43, 60*e*, 58–62
 r-linear, 439
 linear, 59
 quadratic, 60
 superlinear, 59, 399
convex combination, 50
convex function, 49*f*, 52*f*, 48–54
 strictly, 49
convex optimization problem, 49
convex set, 48*f*, 48–54
convexity, 48–54, *see also* convex
 function; convex set
Corliss, George F., 449
Courant, Richard, 546, 656, 691
course outline, xvii–xxi
 introduction to optimization,
 xx–xxi
 linear programming, xvii–xviii
 nonlinear optimization, xviii–xx
Cramer’s rule, 287
crash procedure, 265, *see* simplex
 method, initialization
crew scheduling, 18–20, 40
Cristianini, Nello, 41
Cullum, Jane K., 478
Curtis, A.R., 449
cut in a network, 279*e*, 279
cutting plane, 651
cutting stock problem, 223*f*, 225*e*,
 223–227, 270
cycle in a network, 281, 282*f*, 287
cycling, 164–171, 211
Dantzig, George B., 124, 171, 211, 270
data fitting, *see* least-squares data fitting
Davidon, William C., 419, 448

- Davis, Timothy A., 689
de Boor, Carl W., 412
Deasy, Joseph O., 41
decomposition principle, 214, 233*e*,
227–240, 270
 algorithm, 232
 initialization, 236–237
degeneracy, 112, 115, 117, 125, 155,
155*e*, 195, 211, 222, 259,
265–266, 294, 497*e*, 498*e*,
497–499, 506
 in network model, 295–299
demand in a network, 273
Dembo, Ron S., 478
den Hertog, D., 353, 657
Dennis, John E., Jr., 394, 399, 449,
700
dependent variable, 86
derivative, *see* differentiation
derivative of a product, 697*e*, 697–698
derivative-free method, 450, *see also*
 compass search
descent direction, 56
 feasible, 58
Devex pricing, *see* pricing, Devex
differentiation
 automatic, 366, 401, 422, 426–431,
449
 forward mode, 429
 reverse mode, 429
 finite difference, 423*e*, 422–426,
429–430, 449
 central difference, 425
 complex difference, 426, 449
 deficiencies, 432–434
 forward difference, 423
 sparse, 449
 of product, *see also* chain rules
 gradient; Hessian; Jacobian
Dijkstra, Edsger W., 299
Dikin, I.I., 336, 354
direction of a set, *see* direction of
 unboundedness
direction of negative curvature, *see*
 negative curvature
direction of unboundedness, 98,
112–115, 117–124
directional derivative, 382
discrete optimization, *see* integer
 programming
dogleg strategy, *see* trust-region method,
 dogleg strategy
dose-volume histogram, 31
double precision arithmetic, 693
Dow Jones Industrial average, 27
Drud, Arne S., 599
dual feasibility, 529
dual function, 524, 528
 derivatives, 538*e*, 537–538
dual linear program, 173–179, *see also*
 duality, linear programming
 canonical form, 173–176
 formation, 173–179
 general form, 177*e*, 176–177
 interpretation, 184–185
 solution, 181, 182*e*
 standard form, 177
dual nonlinear program, *see* duality,
 nonlinear optimization
dual price, 492
dual simplex method, 192*e*, 189–195,
211, 264, 300
 algorithm, 191
 big-M method, 195
 phase-1 problem, 195
dual variable, 8, 125, *see also* Lagrange
 multiplier
duality, 538, 545–547
 linear programming, 279, *see also*
 dual linear program
 strong, 179–181, 185
 theory, 179–189, 211
 weak, 179*e*, 179–180
 nonlinear
 conjugate, 527
 nonlinear optimization, 177, 179,
484, 522–543, 547
 convex, 532
 Lagrangian, 526–532
 local, 536*e*, 534–537
 min-max, 523–526

- strong, 525–526, 531–532
- weak, 524, 529*e*, 529–531
- Wolfe, 533*e*, 532–533
- support vector machine, 538–543, 547
- duality gap, 530, 530*e*
- edge direction, 147*e*, 145–148
- Edmonds, Jack, 299
- efficient frontier, 27, 28*f*
- eigenvalue, 662*e*, 661–662
- eigenvector, 662*e*, 661–662
- Eisemann, K., 270
- Eisenstat, Stanley C., 478
- elementary matrix, 240–248, 257, 258
- elementary permutation matrix, *see* permutation matrix, elementary
- elimination, *see* Gaussian elimination
- ellipsoid, 309*e*, 310*f*, 309–310
- ellipsoid method, 312*e*, 312*f*, 308–314, 316, 319
 - algorithm, 311
 - complexity, 313
- entering variable, 130, *see also* pricing
- ϵ_{mach} , *see* machine epsilon
- equality-constrained problem
 - linear, 79*e*, 79–80
- Eskow, Elizabeth, 400
- eta file, 241
- eta vector, 241–247, 258
- Euclid’s problem, 490
- Euler, Leonhard, 544, 545
- evaluation graph, 427, 427*f*
- exact line search, *see* line search, exact
- exact penalty function, 623
- exact penalty method, *see* penalty method, exact
- Excel, 703
- excess variable, 102
- exponent in scientific notation, 692
- exponential algorithm, 304–305, *see also* complexity
- extended basic feasible solution, *see* basic feasible solution, extended
- extreme point, 106–124, 228–240, 270
 - adjacent, 112
 - relation to basic feasible solution, 110–112
- Fan, Ky, 657
- Farkas’ lemma, 188, 211
- Farkas, Julius, 211
- Farvolden, Judith M., 270
- feasible arc, 520
- feasible curve, 484, 516*e*, 516*f*, 515–517
- feasible descent direction, *see* descent direction, feasible
- feasible direction, 78*f*, 78–80, 147*e*, 145–148, 483, 484
- feasible point, 43, 44
- feasible region, *see* feasible set
- feasible set, 44, 45*f*
- feasible spanning tree solution, 285–286
- feasible-point method, 78–79, 126, 549–599
- Fermat, 3
- Ferris, Michael C., 41
- Fiacco, Anthony V., 353, 617, 618, 656, 657
- fill-in, 673
- filter, 513–514, 589, 590*f*
- filter method, 588–599
- finite-difference derivative, *see* differentiation, finite difference
- finite-precision arithmetic, *see* floating-point arithmetic
- first-order conditions for optimality, *see* optimality conditions
- fixed variable, 269
- fleet assignment, 40
- fleet scheduling, 18, 20–21
- Fletcher, Roger, 417, 419, 448, 469, 542, 599
- floating-point arithmetic, 691
- Floudas, Christodoulos A., 76
- fluence map, 29
- fluence matrix, 29
- Fomin, S.V., 41
- Ford, Jr., L.R., 270, 279, 299, 300

- Forrest, John J.H., 256, 264
Forrest–Tomlin update, 256
forward arc, 294
Fourer, Robert, 41
Fredman, M.L., 299
free constraint, 268
free variable, 102, 269
Freedman, B.A., 354
Frisch, K.R., 656, 657
Fritz–John conditions, 522, *see also*
 optimality conditions,
 constrained
Fulkerson, D.R., 270, 279, 299, 300
full pricing, *see* pricing, full
- Gács, P., 309, 317
Gal, T., 211
Gale, David, 211
game theory, 185, 523–526
Gass, Saul I., 211
Gauss, Carl Friedrich, 448, 545, 666
Gaussian elimination, 302, 303,
 666–676
 accuracy, 685–686, 688
 as matrix factorization, 669–676
 costs, 667–668
 for sparse matrix, 674e, 672–676
Gay, David M., 41, 354, 400
Gelfand, I.M., 41
general optimization algorithm, xiii, 56f,
 54–58, 365
generalized inverse, *see* Penrose–Moore
 generalized inverse
George, Alan, 689
Gilbert, Jean Charles, 479
Gill, Philip E., 93, 400, 443, 448, 449,
 598
Gilmore, Phillis C., 270
Givens rotation, 681
global optimum, *see* optimum, global
globalization strategy, 375, 511
Goldberg, A.V., 299
golden ratio, 412
Goldfarb, Donald, 264, 313, 316, 417
Goldman, Alan J., 211
Golub, Gene H., 93, 252, 479, 558, 661,
 682
Gomory, Ralph E., 270
Gondzio, J., 354
Gopalan, Ram, 40
Gould, F.J., 547
Gould, Nicholas I.M., 400, 599, 657
gradient, 691, 694e, 694–697
 of a quadratic function, 696e,
 696–697
gradient search, *see* steepest-descent
 method
gradient-related direction, 377
Gram–Schmidt orthogonalization, 681
Gregory, John, 545
Gregory, John W., 41
Griewank, Andreas, 449, 479
Griva, Igor, 41
Guignard, Monique, 547
Güler, Osman, 354
Guyon, Isabel M., 547
- Hager, William W., 689
Haimovich, M., 315
Halley, Edmond, 448
Hansen, Eldon, 76
hard constraint, 29
Harris, Paula M.J., 264
Herman, Gabor T., 41
Heron’s problem, 490
Hessian, 691, 694e, 694–697
 of a quadratic function, 696e,
 696–697
Hestenes, Magnus R., 456, 478, 479, 657
Hestenes–Stiefel, 469
Higham, N.J., 689
Hilbert, David, 546, 691
Ho, J.K., 270
Hoffman, Alan J., 171, 305
Horn, Roger A., 661
Horner, William George, 448
Horst, Reiner, 76
Householder reflection, 681
Hribar, Mary E., 657
Hung, P.F., 354
Huygens, Christian, 35

- ill-conditioned problem, 684
ill-conditioning, 265
implicit function theorem, 691,
700–701
IMRT (intensity modulated radiation
treatment) planning, 18,
28–32, 41
inactive constraint, 44
incomplete Cholesky factorization, *see*
Cholesky factorization,
incomplete
independent variable, 86
inequality-constrained problem
linear, 79*e*, 79–80
infeasible linear program, 153*e*, 154*f*,
153–154
infimum, 523
integer programming, 19, 20, 286, 704,
see also knapsack problem
intensity modulated radiation treatment
(IMRT) planning, 18, 28–32,
41
interior of a constraint, 44
interior point, 44, 320, 699
interior-point method, 125, 173, 302,
602
complexity, 321
computational aspects, 328–329,
354
dual, 320
linear programming, 319–354, *see*
also affine-scaling method;
Karmarkar’s method;
path-following method;
potential-reduction method
primal, 320
primal-dual, 325*e*, 320–331
nonlinear, *see* primal-dual
method, nonlinear
inverse barrier function, *see* barrier
function, inverse
Jacobian, 691, 695*e*, 694–695
Jain, A., 598
Jarvis, John J., 171
John, Fritz, 522
Johnson, Calvin A., 41
Johnson, Charles R., 661
Johnson, Ellis L., 40
Johnson, K.H., 447
Jones, Kim L., 270
Kantorovich, Leonid V., 171, 354
Karmarkar’s method, 301, 319, 321,
336, 353, 609, 640
Karmarkar, Narendra, 301, 319, 353
Karp, Richard M., 299
Karush, W., 545, 546
Karush–Kuhn–Tucker conditions, 545,
see also optimality conditions,
constrained
kernel of a support vector machine, 541,
547
Kernighan, Brian W., 41
Khachiyan’s method, *see* ellipsoid
method
Khachiyan, Leonid G., 308, 317
KKT conditions, 506, *see also*
optimality conditions,
constrained
Klee, Victor, 211, 306
Klee–Minty problem, 306*e*, 307*f*,
306–308, 313, 314, 316
Kleinschmidt, Peter, 211
knapsack problem, 225, 270
Kojima, M., 354
Kolda, Tamara G., 450
Krylov subspace, 458
Kuhn, Harold W., 211, 545, 546
Kuhn–Tucker conditions, 506
Kuhn–Tucker conditions, *see also*
optimality conditions,
constrained
 ℓ_1 exact penalty function, 623
Lagrange multiplier, 125, 177, 484,
488*e*, 488*f*, 487–494
computation of, 554–563
least-squares estimate, 558
via *QR* factorization, 559
via nonorthogonal projection,
559

- via orthogonal projection, 558–559
- via variable reduction, 558
- first-order estimate, 557
- Lagrange, Joseph Louis, 493, 544–546
- Lagrangian function, 484, 491–494, 504
- Lanczos algorithm, 478
- Lanczos, Cornelius, 478
- Lange, K., 41
- LAPACK, 686
- Lasdon, L.S., 598
- LDL^T factorization, 679*e*, 678–680
- least-squares data fitting, 7, 12–14, 357
 - nonlinear, 14
- least-squares problem, 682*e*, 681–683
- leaving variable, 130
- Lee, Eva K., 41
- Lee, T.C., 270
- Leibniz, Gottfried, 35
- Lemaréchal, Claude, 479, 657
- Lemke, C.E., 211
- length of the input data (L), 303–305
- level set, 378
- Levenburg, K., 400
- Lewis, Robert Michael, 450
- lexicographic method, *see* perturbation
- lexicographic ordering, 168*e*, 167–171
- Leyffer, Sven, 599
- Liberti, Leo, 76
- limited-memory quasi-Newton method,
 - see* quasi-Newton method,
 - limited memory
- Lin, Cantian, 545
- line search, 57, 57*f*, 375*e*
 - backtracking, 378
 - exact, 382
 - naive, 376*e*
- line search method, 375–391, 400, 401
 - convergence theorem, 378–381
- linear conjugate-gradient method, *see* conjugate-gradient method,
 - linear
- linear constraint, 77–93, 125
- linear convergence, *see* convergence
 - rate, linear
- linear equations, 7–9, 664–668
- linear matrix inequality, 651
- linear optimization, *see* linear programming
- linear programming, 8, 10–12, 41, 43, 86, 95–354
 - canonical form, 174*e*, 173–176
 - complexity, 211, 301–317
 - degeneracy, 112
 - duality, 173–211
 - geometry, 97–124
 - graphical solution, 98*f*, 97–100
 - multiple solutions, 145*e*, 144–145, 146*f*, 148, 149
 - self-dual formulation, 331–334, 354
 - sensitivity, 173, 196*e*, 195–204
 - general rules, 201
 - software, 704
 - standard form, 97, 98, 101*e*, 102*e*, 100–106
- Lipschitz continuous function, 700
- Liu, D.C., 479
- Liu, J.W., 689
- local optimum, *see* optimum, local
- logarithmic barrier function, *see* barrier function, logarithmic
- Lovász, L., 309, 317
- LU factorization, 240, 250*e*, 258, 259, 669–676
 - updating, 253*e*, 253*f*, 248–259
- Lu, Peihuang, 479
- Luenberger, David G., 405, 406
- Lustig, Irvin J., 41, 267, 270, 354, 657
- Lyapunov function, 653
- Lyapunov, Aleksandr M., 657
- Lyness, James N., 449
- Mathematica*, 703
- machine epsilon, 265, 692
- Mackie, T. Rockwell, 41
- Maclaurin, Colin, 448
- Maculan, Nelson, 76
- Magnanti, Thomas L., 211, 293, 299, 300
- Maheshwari, S.N., 299
- Mangasarian, Olvi L., 25, 547

- Manne, A.S., 270
Mannos, M., 305
mantissa, 692
Maratos effect, 581
Maratos, N., 657
Markowitz, Harry M., 25, 41, 673
Marquardt, D., 400
Marsten, Roy E., 41, 267, 354, 657
master problem, 229, 229e
MATLAB[®], 703
matrix, 661
 dense, 665
 indefinite, 677
 negative definite, 677
 negative semidefinite, 677
 nonsingular, 665
 positive definite, 677e, 677–678
 positive semidefinite, 677
 singular, 665
 sparse, 665
 square, 661
 symmetric, 661
 triangular, 667
 upper triangular, 667
matrix inequality, 651
matrix norm, *see* norm, matrix
maximum flow problem, 278e, 279f,
 277–280
 dual, 279
maximum likelihood estimation, 32
Mayer, A., 545, 546
Mayne, D.Q., 657
McCormick, Garth P., 353, 617, 656,
 657
Mead, R., 450
mean-value theorem, 65
Megiddo, Nimrod, 354
Mehrotra, Sanjay, 330, 354
Meijerink, J.A., 479
Meketon, M.S., 354
merit function, 513–514, 577e, 577–580
Meszaros, C., 354
method of multipliers, 631, *see also*
 augmented Lagrangian
 method
min-max duality, *see* duality, nonlinear
 optimization, min-max
minimax problem, 510
minimizer
 global, 45, 45f, 49, 358
 strict, 45, *see also* optimum,
 global
 local, 46, 46f, 49, 358
 strict, 46, 358
minimum cost network flow problem,
 see network flow problem
Minty, George J., 306
Mitra, G., 267
Mizuno, S., 354
model format, 260, 268–269
modeling language, 422, *see also*
 modeling software
modeling software, 703–704
modified barrier function, 634
modified barrier method, 634–635
modified matrix factorization, 373e,
 372–373, 399
Moler, Cleve B., 449
Monteiro, R.D.C., 324, 354
Moore–Penrose generalized inverse, *see*
 Penrose–Moore generalized
 inverse
Moré, Jorge J., 395, 399, 400, 449
multidirectional search, *see* compass
 search
multiplier-based method, *see* method of
 multipliers
Murray, Walter, 93, 400, 443, 448, 449,
 598, 657
Murty, Katta G., 124, 171, 299

Nash, Stephen G., 469, 478, 479, 657
Nazareth, J.L., 270
necessary conditions for optimality, *see*
 optimality conditions
negative curvature, 374–375
Nelder, J.A., 450
Nelder–Mead method, 450
Nemhauser, George L., 40, 270, 286
Nemirovskii, Arkadii S., 317, 658

- NEOS server for optimization software, 704
- Nesterov, Yurii, 658
- NETLIB, 478
- network flow problem, 272*e*, 271–280
- network model, 10, 16–17, 167, 227, 272*f*, 295*f*, 271–300
balanced, 274, 274*e*, 274*f*
- network problem, *see* network model
- network simplex method, 271, 287–295, 299–300
algorithm, 292
entering variable, 289, 290*f*
initialization, 292, 293*f*
operation counts, 292–293
- New York Times*, 308
- Newton decrement, *see* proximity measure
- Newton direction, 323, 335
projected, 555
reduced, 551*e*, 550–552
- Newton equations, 365
reduced, 550
- Newton's method
history, 446–448
minimization, 8, 335, 357, 364–375, 401–403, 422, 452
classical, 365
computational costs, 365–366
convergence rate, 365–369, 399
modified, 371–375
reduced, 550–552, 582
nonlinear equations, 43, 67*e*, 69*f*, 73*e*, 67–76, 323–324, 335, 364
convergence, 69, 74
failure, 70, 71*e*, 74
multiple zeroes, 70, 70*e*, 72*f*, 76
- Newton, Isaac, 446–448, 544
- Newton–Raphson method, 447, *see also* Newton's method
- Nocedal, Jorge, 400, 420, 448, 449, 469, 479, 657
- node, 271
- nonbasic variable, 86, 107
- nonbinding constraint, *see* inactive constraint
- nonconvex set, 48*f*
- nonlinear conjugate-gradient method, *see* conjugate-gradient method, nonlinear
- nonlinear optimization, 8, 14–18, 43, 86, 125, 357, 481–658
software, 704
within interior-point method, 319, 321, 334–336
- nonlinear optimization problem, 125, 177
- nonlinear programming, *see* nonlinear optimization
- nonorthogonal projection
to compute Lagrange multiplier, 559
- norm, 662–664
1-norm, 663–664
2-norm, 662–664
Euclidean, 662–664
infinity, 663–664
matrix, 664*e*, 662–664
induced, 663
vector, 663*e*, 662–664
- null space, 80, 83*f*, 82–93
- null-space equation, 550
- null-space matrix, 83
basis matrix, 83
generation of, 86–93
- numerical factorization, 328, 674
- O'Leary, Dianne P., 479
- Olivera, Gustavo C., 41
- open set, 699
- optimal basic feasible solution, 107, 117, 121–122, 125
- optimality conditions, 44–48
constrained, 483–547
first-order necessary, 486*e*, 485–491, 495–497, 504, 506–508, 519
linear constraints, 484–491, 499*e*, 494–502

- nonlinear constraints, 505*e*, 506*e*, 502–510, 515–522
- second-order necessary, 486*e*, 485–491, 496–497, 504, 506–508, 519–520
- second-order sufficient, 486–491, 497–502, 504, 506–508, 519–520
- unconstrained, 360*e*, 357–364
 - first-order necessary, 359
 - second-order necessary, 359
 - second-order sufficient, 359
- optimization model, 3–41
- optimum
 - global, 43, 76, *see also* minimizer, global
 - local, 43, 76, *see also* minimizer, local
- optimum, global, 76
- OR/MS Today*, 704
- Orchard-Hays, William, 171, 270
- Orden, Alex, 171
- Orlin, James B., 211, 293, 299, 300
- Ortega, James M., 74, 358, 400, 691, 700
- orthogonal matrix factorization, *see QR* factorization
- orthogonal projection
 - to compute Lagrange multiplier, 558–559
- orthogonal projection matrix, 89*f*, 89–93
- orthogonal subspace, 83
- Ostrovskii, G.M., 449
- Oughtred, William, 447
- out-of-kilter method, 300
- overflow, 692

- Paige, Chris C., 478
- Panier, Eliane R., 598
- Papadimitriou, Christos H., 316, 352
- parallel computing, 270, 432, 478
- parametric linear programming, 205*e*, 209*f*, 204–211, 315
- Pardalos, Panos M., 76
- Parlett, Beresford N., 478
- partial pricing, *see* pricing, partial
- partial separability, 479
- path, 281, 282*f*
- path-following method, 320, 344–354
 - complexity, 347–352
 - long-step, 348
 - primal, 346*e*, 346–348
 - primal-dual, 345–346, 352, 354
 - short-step, 348–349
- pattern classification, 18, 22
- pattern search, *see* compass search
- penalization method, 601
- penalty function, 601, 611
 - exact, 623, 624*f*
 - ill-conditioning, 611–613
- penalty method, 602–603, 612*e*, 610–613, 656–657
 - exact, 624*e*, 623–626, 657
 - exterior, 603, *see also* penalty method
 - for inequality constraints, 613
 - ill-conditioning, 657
 - interior, 603, *see also* barrier method
 - stabilized, 619–623, 657
- penalty term, 602
- Penrose–Moore generalized inverse, 559
- permutation matrix, 248, 669
 - elementary, 249
- Perry, A., 479
- perturbation, 167–171, *see also* degeneracy
- PET (positron emission tomography)
 - image reconstruction, 18, 33*f*, 32–35, 41
- PET image reconstruction, *see* positron emission tomography (PET) image reconstruction
- phase-1 problem, 150–157, 159–161
- phase-2 problem, 152, 154–156, 160, 161
- Pietrzykowski, T., 657
- pivot entry, 137
- pivoting, 137, 668
 - complete, 668
 - Markowitz, 673–674
 - partial, 668

- Plotkin, Serge A., 300
Polak–Ribière, 469, 479
polyhedral set, 77
polyhedron, 77
polynomial algorithm, 304–305, *see also* complexity
portfolio optimization, 18, 25–28, 41
positive-definite matrix, *see* matrix, positive definite
positron emission tomography (PET)
 image reconstruction, 18, 32–35, 41
potential-reduction method, 320
Powell, Michael J.D., 400, 419, 448, 449, 618, 657
Powell, Warren B., 270
preconditioning, 459, 475*e*, 474–479
preconditioning matrix, 475
predictor-corrector method, 321, 329–330, 354
preprocessing, 260, 267
pricing, 140, 260–264, 270
 Devex, 264
 full, 260
 partial, 260
 steepest-descent, 261
 steepest-edge, 263*e*, 260–264, 269
primal function, 524, 527
primal linear program, 173
primal-dual method, *see also*
 interior-point method, primal-dual
 nonlinear, 643*e*, 640–649, 657
 algorithm, 642–643
 convergence, 645–647
primal-dual simplex method, 300
principle of least action, 543
product form of the inverse, 244*e*, 240–247, 257, 270
projected gradient, 485
projected gradient method, 556
projected Hessian, 485
projection matrix, 90
projective method, *see* Karmarkar’s method
proximity measure, 348–349
pseudoinverse, *see* Penrose–Moore generalized inverse
QR factorization, 86, 90–93, 683*e*, 681–683
 to compute Lagrange multiplier, 559
quadratic convergence, *see* convergence rate, quadratic
quadratic function, 8, 9*f*
 gradient, 696*e*, 696–697
 Hessian, 696*e*, 696–697
quadratic penalty function, 577
quadratic program, 18, 574
quadratic programming software, 704
quadratic-loss function, 611
quasi-convex function, 53
quasi-Newton method, 401–402, 413*e*, 411–422, 448–449, 451
 algorithm, 415
 BFGS, 418*e*, 417–420, 445, 448, 449, 470
 Broyden class, 419
 convergence, 419–420
 DFP, 419
 for constrained optimization, 553
 inverse update, 449
 limited memory, 451, 452, 471*e*, 469–474, 477, 479
 for constrained optimization, 553
 symmetric rank-one, 416*e*, 414–417, 448
 update formula, 414
radiotherapy, 28
range space, 83*f*, 82–86
Raphson, Joseph, 447
ratio test, 81, 81*e*, 131
Ratner, M., 598
reduced cost, 125, 130
reduced function, 485, 485*e*
reduced gradient, 485
reduced gradient method, 549, 583*e*, 581–588, 598–599
 convergence, 585–588
reduced Hessian, 485

- reduced Newton method, *see* Newton's method, minimization
- Reeves, C.M., 469
- refactorization, 252, *see also* *LU* factorization, updating
- regularity, 489, 496, 503*e*, 503–504, 508*e*, 518–519, 546–547
- regularization, 644
- Reid, John K., 264, 449
- relative error, 692
- relative interior point, 44
- relaxation, 7, 20, 651
- Renegar, James, 354
- representation theorem, 120, 228
- restart procedure, 479
- reverse arc, 294
- revised simplex method, *see* simplex method, revised
- Rheinboldt, Werner C., 74, 358, 400, 691, 700
- right inverse, 559*e*, 557–563
- Rinnooy Kan, A.H.G., 76
- Rockafellar, Tyrrell R., 547
- Roos, C., 353, 354
- root node, 292
- Rosen, J.B., 598
- rounding error, 693, *see* floating-point arithmetic
- Rozonoer, L., 547
- Ruszczynski, Andrzej, 41
- Saad, Yousef, 478, 689
- Saaty, Thomas, 211
- saddle point, 486
- saddle-point condition, 525
- Saigal, Romesh, 657
- SAS, 703
- Sauer, Timothy, 691
- Saunders, Michael A., 478
- scaling, 260, 266–267, 270, 444*e*, 444–445
- Schnabel, Robert B., 394, 400, 449, 700
- Schölkopf, Bernhard, 41
- Schrader, R., 316
- Schrijver, Alexander, 124, 171, 316
- SDP, *see* semidefinite programming
- search direction, 55
- secant condition, 412
- secant method, 412*e*, 411–412, *see also* quasi-Newton method
- second-order conditions for optimality, *see* optimality conditions
- second-order cone, *see* cone, second-order
- second-order Lorenz cone, 655, 656, *see* cone, second-order
- selective orthogonalization, 478
- self-concordance, 658
- semidefinite programming, 649–658
- complementarity, 654
 - dual standard form, 650
 - duality, 653–654
 - primal standard form, 650
- semidefinite relaxation, 651
- sensitivity, 489, 492*e*, 683–686, 704, *see also* linear programming, sensitivity
- separating hyperplane, 22, 23, 24*f*
- separation margin, 22
- sequential quadratic programming (SQP), 549, 575*e*, 573–581, 598
- computational costs, 576
 - convergence, 576–580
 - filter method, 594*e*, 591–597
 - algorithm, 593–594
 - convergence, 596–597
- set constraint, 527
- shadow price, 125, 173, 492, *see also* dual variable
- shadow vertex method, 210, 211, 315, *see also* parametric linear programming
- Shanno, David F., 41, 267, 354, 417, 479, 657
- shape optimization, 18, 35–41
- Shawe-Taylor, John, 41
- Shepard, David M., 41
- Shepp, Larry A., 41
- Sherali, Hanif D., 171
- Sherman–Morrison formula, 470, 687*e*, 686–689

- Sherman–Morrison–Woodbury formula, 688–689
- Shor, N.Z., 317
- shortest path problem, 277*e*, 277, 278*f*, 280, 299
- simplex method, 8, 97, 127*f*, 125–171, 301–302
- algorithm, 131, 132*e*
 - bounded variable, 213, 219*e*
 - algorithm, 218
 - comparison with interior-point method, 328–329
 - complexity, 302
 - average case, 316, 317
 - average-case, 314
 - worst case, 305–308
 - computational efficiency, 259–270
 - degeneracy, 162*e*, 162–171
 - dual form, *see* dual simplex method
 - enhancements, 213–270
 - general formulas, 129*e*, 129–134
 - implementation, 214
 - initialization, 149–162, 260, 264–265
 - interpreted as active-set method, 570–572
 - operation counts, 140–141
 - primal-dual form, *see* primal-dual simplex method
 - revised, 139, 171
 - software, 260, 267, 269
 - stability, 259–270
 - tableau, 135–141
 - deficiencies, 139–141
 - termination, 162–171
 - tolerance, 260, 265–266
 - upper bound, 214–222
- simplex multipliers, 129
- Simpson, Thomas, 447, 448
- simulation-based optimization, 432–434
- single precision arithmetic, 693
- singularity, 665
- sink node, 272
- Skeel, Robert, 267
- skew symmetric matrix, 331
- slack variable, 102
- Slater condition, 547
- Smola, Alexander J., 41
- smoothed analysis, *see* complexity, smoothed analysis
- Sofer, Ariela, 41, 478, 657
- soft constraint, 29
- software, 703–705
- Sokolowsky, D., 305
- Sorensen, D.C., 400
- source node, 272
- spanning tree, 283*f*, 280–287
- spanning tree solution, 285–287
- sparse matrix storage, 675–676, 689
- sparsity, 126, 213, 247–248, 256, 275, 366, 401, 449, 452, 456, 665, 689
- spectral decomposition, 662
- Spielman, Daniel A., 317
- SQP, *see* sequential quadratic programming
- Squire, William, 449
- stalling, 167, 294
- standard form for linear programming, *see* linear programming, standard form
- stationary point, 46, 358, 359*f*, 486
- steepest-descent direction
 - reduced, 552*e*, 552–553
- steepest-descent for linear programming, 261
- steepest-descent method, 336, 404*e*, 401–411, 445
 - convergence, 406*e*, 407*f*, 405–407, 408*f*
 - reduced, 552–553
- steepest-descent pricing for linear programming, *see* pricing, steepest-descent
- steepest-edge pricing, *see* pricing, steepest-edge
- Steiglitz, Kenneth, 316, 352
- Steihaug, Trond, 400, 478
- step length, 55
- Stiefel, E., 456, 478, 479
- Stirling’s formula, 305
- Street, W. Nick, 25

- strong duality, *see* duality
strongly feasible basis, 295*f*, 295–299
strongly feasible tree, *see* strongly feasible basis
strongly polynomial algorithm, 300
subnetwork, 281, 281*f*
sufficient conditions for optimality, *see* optimality conditions
sufficient decrease condition, 57, 378*f*
sufficient descent condition, 377–378
Suhl, L.M., 673
Suhl, Uwe H., 673
Sundarraaj, R.P., 270
superlinear convergence, *see* convergence rate, superlinear
supply in a network, 273
support vector, 23
support vector machine, 18, 22–25, 41
 duality, *see* duality, support vector machine
supremum, 523
surface, 515
Świetanowski, Artur, 264
symbolic factorization, 328, 674
symmetric rank-one update, *see* quasi-Newton method, symmetric rank-one

Talluri, Kalyan T., 40
tangent cone, 517*f*, 517–519
Tapia, Richard A., 354
Tardos, Éva, 300
Tarjan, Robert E., 299
Taylor series, 63*e*, 64*e*, 64*f*, 62–66, 358, 483
 remainder form, 65
Taylor, Brook, 448
Ten, Shang-Hua, 317
Terlaky, T., 353
termination rules for unconstrained minimization, 441–446
Thoai, Nguyen V., 76
Thomas, S.W., 400
Thuente, David, 400
time-line network, 20, 21*f*
Timmer, G.T., 76

Tits, André L., 598
Todd, G. Peter, 41
Todd, Michael J., 313, 316, 354, 657, 658
Toint, Philippe L., 400, 449, 478, 479, 599, 657
Tolle, Jon W., 547, 598
Tomlin, John A., 256
Torczon, Virginia, 450
totally unimodular, 287
training data, 22
transportation problem, 275*e*, 275, 276*f*, 280

transshipment node, 272
Trapp, George, 449
tree, 283*f*, 281–286
Trefethen, Lloyd N., 93
triangular matrix, 667
truncated-Newton method, 451, 452, 463*e*, 460–466, 469, 477–479, 657
 for constrained optimization, 553, 554
truncation error, 423
trust-region method, 392*f*, 393*e*, 391–401
 algorithm, 392–393
 convergence theorem, 395–398, 400
 dogleg strategy, 400
trust-region subproblem, 391
Tucker, Albert W., 211, 354, 545, 546
Turing machine, 303
Turing, Alan M., 303
two-phase method, 149–156, 159–162, 237–238, 256, 292

unbounded linear program, 134*e*, 135*f*, 134–135
unconstrained minimization, 14, 549
unconstrained optimization, 355–479
underflow, 692
unimodular, 287
unrestricted variable, *see* free variable
URL for this book, xiv

- Van Der Vorst, H.A., 479
Van Loan, Charles, 93, 558, 661, 682
Vance, Pamela H., 40
Vandenberghe, Lieven, 657
Vanderbei, Robert J., 41, 270, 353, 354, 657
Vapnik, Vladimir, 41, 547
Vardi, Yehuda, 41
variable reduction, 87*e*, 86–88, 91
 to compute Lagrange multiplier, 558
variable reduction method
 to compute Lagrange multiplier, 558, 663*e*, 662–664
vector, 661
vector norm, *see* norm, vector
vertex, 107
 degenerate, 112
Vial, J.-Ph., 353, 354
Viète, Francois, 447
von Neumann, John, 171, 211
voxel, 29, 32

Wächter, Andreas, 599, 657
Walster, G. Wilson, 76
Waren, A.D., 598
weak duality, *see* duality
Web site for this book, xiv
Weierstrass, Karl, 545, 546, 700
Wengert, R.E., 449
Whiteside, D. T., 446–448
Wiegmann, N., 305
Williams, H.P., 267
Willoughby, Ralph A., 478
Wilson, R.B., 598

Wisconsin Diagnosis Breast Cancer database, 25
Wolberg, William H., 25
Wolfe condition, 378, 383*f*, 384*e*, 383–385, 387, 388, 400
 weak, 388, 389
Wolfe dual, 532
Wolfe, Philip, 171, 270, 400
Wolin, Ju.M., 449
Wolkowicz, Henry, 657
Wolsey, Laurence A., 40, 270, 286
working set, 564*e*, 563–564
worst-case cost, 301–302, *see also* complexity
Wright, Margaret H., 93, 400, 443, 449, 598, 618, 656, 657
Wright, Stephen J., 353

Xu, X., 354

Yabe, Hiroshi, 657
Yamashita, Hiroshi, 657
Ye, Yinyu, 353, 354
Yoshise, A., 354
Ypma, Tjalling J., 447
Yuan, Ya-Xiang, 420, 449
Yudin, D.B., 317

Zadeh, N., 300
Zangwill, Willard I., 657
zero-sum game, 523, 524*e*, *see also* game theory
Zhang, Yin, 354
Zhu, Ciyou, 479
zigzagging, 570, 570*f*