

Index

- \, *see* matrix, linear system solution
- :, 13–16
- <, <=, >, >=, 17
- ==, 17, 31
- % (comment), 6, 27
- & and | (AND and OR), 22
- && and || (short-circuiting logic), 31
- ~=, 17
- ~ (logical NOT), 22, 31

- all, 23, 31
- any, 23, 31
- array, *see also* matrix
 - arithmetic operators on, 20, 62–63
 - concatenation, *see also* cat, 12, 14, 65
 - element references, 14–18
 - by masking, 56, 63
 - flat indexing model, 15
 - logical, 17, 22, 56, 64
 - preallocation of memory for, 59–60
 - size and dimension, 12
 - transpose, 19, 21
- assert, 42
- axis, 47, 49, 50

- break, 33
- bvp4c, bvp5c, bvpinit, 87

- cat, 14, 69, 71
- caxis, 52
- cell array, 67–71
 - element references, 68
- char, 65
- chol, 20
- colorbar, 53
- colormap, 52–53, 55

- complex numbers, 5, 32, 57
- conjugate gradients (pcg), 78
- contour, contourf, 50

- data fitting, 81–82
- debugging, 7, 29, 33–34
- det, 20
- diag, 14, 25
- diff, 23
- differential equation
 - boundary-value problem, 86–88
 - initial-value problem, 59, 85–86, 88
 - partial (in one dimension plus time), 88–89
- doc, 3
- double, 65
- drawnow, 56

- Editor (edit), 7, 33
- eig, 20, 40, 77
- empty matrix, 13, 16
- eps (machine precision), 5
- error, 41
- expm, 21
- exporting work, 6, 28, 53
- eye (identity matrix), 14
- ezplot, ezpolar, ezplot3
 - (curve plotting), 46
- ezsurf, ezmesh, ezcontour,
 - (surface plotting), 47

- figure
 - exporting and saving, 7, 54–55
 - multiple plots in one, 55
 - opening with figure, 45
- find, 12, 17, 23, 64
- fminbmd, 80

- for, 32, 60
- format, 7, 25
- fprintf, 66
- fsolve, 80, 81
- function, 29–31, 37–41, 64
 - anonymous, 38, 47, 81, 83
 - as data, 37
 - handle to, 37
 - input arguments, 41, 69
 - nested, 40
 - subfunction, 39
- fzero, 37, 40, 79–80

- gcf, gca, gco, 51
- get, 51
- GMRES algorithm (gmres), 78
- graphics
 - animation, 56
 - annotation of, 50
 - for 2D data, 48
 - for 3D data, 49–50
 - for mathematical formula, 46
 - handle to, 51, 54
 - object types, 45
 - specifying color of, 52, 55

- help, 3, 27

- if/elseif/else, 31
- integration (quadrature), 84
- interp1, 82
- interpolation, 82–83
- interrupting execution, 7
- isequal, 31

- least-squares problem, 75, 81
- legend, 49
- length, 12
- linspace, 14
- load, 6, 66
- logical value (logical), 18, 31
- loglog, 49
- lu, 20, 76

- matrix, *see also* array
 - adjoint, 19
 - arithmetic operators on, 18
 - eigenvalues and singular values, 77, 78
 - element references, 14–18
 - exponential, 21
 - identity matrix, 13
 - inverse, 19, 26, 76
 - linear algebra, 20
 - linear system solution, 19, 24, 75–79
 - plot of, *see* spy
 - sparse, 23, 76, 78
 - transpose, 19
- max, min, 23
- mean, median, 23
- mesh, 50, 52, 55
- meshgrid, 49–50
- movie (using movie), 56

- NaN (not a number), 5, 56
- nargin, 42, 70
- ndgrid, 50
- ndims, 12
- nnz, 24
- norm, 20
- num2str, 66

- ode113, ode15s, ode45, 85, 89
- ones, 14
- optimization, 80–82

- path, 2
- pause, 56
- pcolor, 50
- persistent variables, 64
- plot, 48
- plot3, 50
- polynomial, 22, 25, 34, 67, 81
 - roots, *see* roots
- print, 49
- prod, 23
- Profiler, 7
- publishing scripts, 28

- qr, 20
- quad, quadl, quadgk, 84

- rand, randn, 14
- rank, 20

- repmat, 14
- rootfinding, *see* fzero
 - for polynomials, *see* roots
 - systems of equations, *see* fsolve
- roots, 80
- saveas, 54
- saving work, 6, 28, 53
- semilogx, semilogy, 49
- set, 51
- shading, 53
- size, 12, 26
- sort, 23
- sparse, 23
- spline, 83
- sprintf, 66
- spy, 24, 26
- std, 23
- str2num, 66
- strcmp, 66
- string, 6, 65
 - conversion to and from numbers, 66
- structure, 70–71
- subplot, 55
- sum, 22
- surf, 49, 52
- svd, 20, 77
- switch/case/otherwise, 32
- toeplitz, 14, 25, 89
- tril, triu, 14
- try/catch, 41
- varargin, 69
- vector, *see also* array, 12
 - and for loops, 32, 60–63
 - and plot, 48
 - arithmetic operators on, 22
 - array interpreted as, 15
 - creation using :, 13
 - element references, 14
- warning, 41
- waterfall, 89
- while, 33, 60
- who, whos, 6
- workspace, 2, 6, 29, 40, 64
- xlim, 97
- ylim, 97
- zeros, 14