

Index

- activity, 10, 13
- adaptive control, 215
- adaptive controller, 215
- adaptive immune system, 20
- adaptive intervention strategy, 216
- adjacency rule, 111
- admissible policies, 173
- algorithm complexity, 220
- almost sure convergence, 216
- annealed approximation, 11
- aperiodic, 38
- apoptosis, 5
- approximate policy, 189
- artificial attractor, 106
- associated cost per stage, 196
- associative memory, 4
- asynchronous networks, 227
- asynchronous PBNs, 156
- asynchronous regulatory networks, 227
- asynchronous updating, 3
- asynchronous updating schemes, 16
- attractor cycle(s), 79, 89, 90
- attractor family, 49
- attractor node, 71
- attractor states, 154
- attractor structure, 68, 89, 95, 227
- attractor(s), 3, 4, 15, 28, 48, 49, 55
- augmented logical state, 232, 233
- average connectivity, 5
- average cost, 171
- average cost per stage, 172
- average cost per stage problem, 172
- average sensitivity, 10, 11, 15, 86, 87
- average terminal cost, 185
- basin entropy, 15, 68
- basin(s), 48, 51
- basin(s) of attraction, 3, 4, 15, 28, 71, 126
- batch size, 45
- Bayes' theorem, 184
- Bayesian network, 58
- Bayesian robust control, 212
- Bayesian robust policy, 211
- Bayesian scores, 184
- belief vector, 184
- Bellman optimality equation, 220, 237
- Bellman recursion, 211
- Bellman's equation, 176, 191, 208
- Bernoulli, 33, 229
- Bernoulli distribution, 118
- best-fit error, 86
- best-fit error size, 94
- best-fit extension problem, 82, 84
- best-fit method, 88
- bias, 5, 8, 11, 87, 148
- bias deviation, 87
- bidirectional relationship, 89
- bidirectionality, 90
- binarization, 22
- binary, 33
- binary variable, 2
- Boolean function minimization, 110
- Boolean function(s), 2, 23
- Boolean minimization, 112
- Boolean network (BN), 2
- burn-in period, 46

- canalized value, 13
 canalizing, 5
 canalizing function(s), 12, 82
 canalizing value, 13
 canalizing variables, 12
 cell cycle, 16
 cell differentiation, 15
 cell migration, 48
 cell signaling, 15
 cell types, 5
 cell-cycle control network, 18
 cell-cycle network, 156, 199, 239
 cellular states, 5
 centrality parameter, 211
 certainty equivalence, 215
 chaotic, 8, 15
 chaotic phase, 9
 chaotic regime, 229
 Chapman–Kolmogorov equations, 162
 chemotherapy, 204
 Chernoff bound, 43
 child, 58
 clamped, 6
 classification, 21, 124
 code length, 119
 coefficient of determination (CoD), 23, 46, 89, 93, 100
 coefficient of threshold robustness, 25
 collapsed state space, 187
 collapsed transition probability matrix, 187
 communicating classes, 180
 complexity regularization, 115
 computational complexity, 42, 68, 222
 condition number(s), 206, 208
 conditional probability distributions, 59
 conjunction, 65
 connectivity, 87, 110, 112, 122, 148
 connectivity matrix, 6
 conservative steady-state distribution (CSSD) control policy, 222
 consistency, 113, 124
 consistency problem, 81–83
 consistent, 101
 consistent functions, 83
 constituent network(s), 31, 32, 42, 62, 119, 145, 181, 229
 constrained intervention problem, 197
 constraint, 194
 context, 31, 32, 36, 100, 104, 114, 229
 context selection probabilities, 34
 context-sensitive, 32
 context-sensitive PBN(s), 49, 145, 149, 152, 183, 228
 control gene, 161, 200, 217, 218
 control horizon, 170
 control input(s), 165, 170
 control objective, 171
 control policy, 166
 control space, 167, 184
 control strategy, 166
 control variable, 171
 controllability, 148, 218
 controlled Markov chain, 166, 185, 208
 controlled steady-state distributions, 207
 controlled transition matrix, 221, 223
 convergence, 44
 convergence rate, 44
 correlation analysis, 24
 cost function, 176
 cost of control, 166
 cost-of-control function, 217
 couplings, 2
 critical, 15, 86, 87
 critical connectivity, 11
 critical phase transition curve, 87
 critical transition curve, 9
 criticality, 86, 88
 cross-validation, 124
 curse of dimensionality, 183
 cycle length, 3
 cyclic therapeutic strategy, 204
 data inconsistencies, 100
 de Morgan’s identity, 14
 degenerate links, 6
 description lengths, 116
 desirable state(s), 146, 189, 217
 destination state, 165
 deterministic asynchronous protocols, 228

- deterministic-asynchronous Boolean network (DA-BN), 228
- deterministic-asynchronous probabilistic Boolean network (DA-PBN), 228
- differential cost, 178
- differential equations model, 15
- differentiation, 5
- directed acyclic graph (DAG), 58
- directed graph, 2
- discount factor, 172
- discounted and bounded cost per stage, 172
- discounted cost, 171, 189, 208, 235
- discounted-cost formulation, 182
- discrete linear model, 183
- discrete variable, 21
- discretization, 21, 42
- disjunction, 65
- disjunctive normal form (DNF), 110
- disordered, 15
- disturbance, 233
- dominant eigenvalue, 42
- dominated convergence, 52, 56
- Drosophila melanogaster*, 16, 130
- dual states, 73
- dynamic Bayesian networks (DBNs), 29, 60
- dynamic programming, 167–169, 185
- dynamic programming algorithm, 176, 186, 218
- dynamics induced reduction (DIRE), 70
- embedded PBN, 231
- embryo, 16
- endothelial cells, 47
- epigenetic, 4
- epoch times, 234
- ergodic, 29, 40, 162
- ergodic Markov chain(s), 95, 106, 179
- ergodicity coefficient, 206, 207
- error estimation, 124
- error rates, 118
- error size, 82, 84
- essential variables, 62
- estrogen, 125
- expected total discounted cost, 235
- exponential distribution, 238
- extension, 82
- extension problem, 82
- external control, 161, 233
- false positive ratio (FPR), 86
- feedback, 60
- fictitious, 10
- fictitious variables, 62, 66
- finite horizon, 172
- finite-horizon control, 166, 171, 185
- finite-horizon cost, 167
- finite-horizon external control, 161
- finite-horizon problem, 170
- finite-horizon stochastic control, 183
- first passage probability, 164
- first passage time, 162
- first-order Markov processes, 60
- fission yeast, 18
- fixed points, 3
- forbidden transitions, 216
- frozen, 6
- frozen core, 6
- full predictor sets, 113
- full stationary control policy, 222
- fully mapped, 105
- fully unmapped, 105
- function change, 50
- function perturbation, 126, 129, 136, 144
- fundamental matrix, 137, 140, 144, 148, 149, 208
- g-inverse, 137
- Gaussian conditional densities, 60
- gene, 2, 32
- gene activity profile (GAP), 34
- gene expression, 27
- gene expression data, 61
- gene perturbation, 233
- gene predictors, 116
- gene-level asynchronicity, 228
- generalized inverse(s), 137, 149
- glioma(s), 23, 46
- global optimal policy, 211

- goodness of fit, 115
graph, 58
graph topology, 89
greedy algorithm, 216
growth factors, 156
- Hamming distance, 22, 29, 35, 149, 187
Hamming neighbors, 11
harmonic analysis, 10
hidden Markov models, 60
homeostasis, 5, 28
homogeneous Markov chain, 27, 38, 46, 49
hypercube, 11
hysteresis, 4
- imperfect-information case, 186
inconsistencies, 104, 108
inconsistency point, 71
independent, 33
indicator function, 187
inference, 81
inference procedure, 123
inference robustness, 155
infinite horizon, 179, 194
infinite-horizon control, 171
infinite-horizon cost function, 173
infinite-horizon stationary external control, 161
infinity-norm uncertainty, 210
influence, 10
information, 4
information feedback control, 186
information vector, 184
instantaneously random, 32
instantaneously random PBN(s), 63, 132, 144, 149, 183
interior point method, 199
interval uncertainty, 210
invariant distribution, 38
irreducible, 38
irreducible Markov chain, 38, 137
irrelevant, 6
isolated, 108
iteration, 209
- k*-forest, 96
knock down, 16
Kolmogorov's structure function, 119
Kolmogorov–Smirnov statistic, 45
Kolmogorov–Smirnov test, 45
- latent variable(s), 33, 79, 100, 109, 228
leaf node, 71
leaf ordering, 74
least common multiple (LCM), 232
level sets, 68, 95
likelihood, 215
linear, 24
linear dynamical systems, 60
linear program, 199
Lloyd–Max quantizer, 22
logic gates, 110
long-run behavior, 89
long-run (steady-state) distance, 123
long-run sensitivity, 148, 154, 156, 160
lossy coding problem, 113
Lyapunov exponent(s), 11, 86
- mammalian cell cycle, 156
mappings, 68
marginal steady-state probabilities, 51
Markov assumption, 59
Markov chain Monte Carlo (MCMC), 44
Markov chain(s), 27, 31, 162
Markov decision processes, 161
Markov diagram, 39
Markovian parents, 59
master-regulators, 165
matrix inverse, 148
maximally robust parameter, 211
maximum connectivity, 3
MDL principle, 116, 118
mean field approach, 8
mean first passage time (MFPT), 144, 162, 216
mean-square error (MSE), 24, 99
melanoma, 28, 93, 116, 134
memory complexity, 193
metastates, 45
metastatic competence, 135, 182
microarray(s), 28, 33

- minimax, 205
- minimax robust control, 212
- minimax robustness, 208, 211
- minimum description length (MDL), 115
- minorization condition, 45
- minterm(s), 110, 111
- model complexity, 115
- model structure, 81
- model-free, 218
- Monte Carlo simulation, 58
- multi-output Boolean function, 151
- multidimensional scaling, 23
- multivariate Boolean regression, 117
- mutated network, 160

- NCI 60, 23
- network inference, 95
- network sensitivity, 88
- network trajectory, 165
- nodes, 32, 58
- nondescendants, 59
- nonisolated, 108
- nonlinear, 24
- nonlinear filter, 23
- nonsingleton attractors, 90
- normalized discounted cost function, 198
- normalized expected total discounted cost, 197
- normalized gain, 190
- normalized Hamming distance, 8, 122
- normalized maximum likelihood (NML), 118
- NP-hard, 183

- observation noise, 108
- Occam's razor, 21
- occupation measure, 198
- occupation probability, 197
- off-set, 82
- on-line adaptation, 215
- on-set, 82
- one-step prediction probabilities, 65
- operator, 205
- optimal control, 185
- optimal control policy, 219
- optimal control problem, 167
- optimal control strategy, 193
- optimal cyclic policy, 204
- optimal function, 94, 100
- optimal function perturbation, 147
- optimal infinite-horizon control, 156
- optimal intervention strategy, 234
- optimal predictor(s), 25, 93
- optimal quantizer, 22
- optimal robust filters, 205
- optimal stationary policy, 182, 199
- optimal structural intervention, 136, 156
- order- k consistent, 102
- ordered, 8, 15
- ordered phase, 9
- overexpression, 16
- overfitting, 124

- parent, 58
- parent nodes, 65
- parent set, 62
- partial derivative, 10
- partially defined Boolean function, 82
- partially mapped, 105
- permanent intervention, 125
- perturbation bounds, 206, 208
- perturbation identification, 130
- perturbation matrix, 41, 221
- perturbation probability, 29, 33, 40, 119, 121, 122
- perturbation theory, 137
- perturbation(s), 4, 5, 11, 50, 86, 127
- perturbed Markov chain, 142
- perturbed steady-state distribution, 143, 144
- phase transition, 11, 12
- phenotype, 146
- phosphorylation, 156
- Poisson trials, 43
- Policy Iteration, 177
- policy iteration algorithm, 181
- polynomial-time, 83
- post-translational regulation, 19
- power method, 42
- power-law, 8

- precision, 123
predictive accuracy, 115
predictor function(s), 61, 66, 90, 132
predictor gene set, 117
predictor set(s), 31, 95, 112, 114, 120
predictor(s), 23, 32, 62, 69
primal problem, 199
prime implicant, 111
principle of optimality, 167
prior distribution, 205
probabilistic Boolean network (PBN),
 27, 31
probability transition matrix, 185
projection, 68
projection mapping, 68
proliferation, 5
prune-and-minimize, 112
purity value, 121
- Q-factor, 192
Q-learning algorithm, 193
Q-learning suboptimal policy, 193
Q–M algorithm, 66
quantization, 21, 32
quantization interval, 22
quantization value, 22
quiescent cell state, 17
Quine–McCluskey (Q–M), 111
- random Boolean network (RBN), 2
random perturbation, 33
random perturbation vector, 33
rank-one perturbation, 138
rate distortion theory, 21
rate-of-cost, 234
rate-of-reward function, 200
recall, 123
receiver operating characteristic (ROC),
 86, 123
recovery phase, 204
reduced state, 73
reduction, 187
reduction mapping, 68, 69
regulator genes, 119
regulatory function, 144
regulatory graphs, 215
regulatory nodes, 117
regulatory set, 144
reinforcement learning, 191
relevant nodes, 6, 90
residuals, 116
restart, 50
restart probability, 50
resubstitution error, 124
reversible jump MCMC, 94
robust, 8, 205
robust filter design, 205
robustness, 24, 88, 148, 205
robustness surface, 213
rule-based topology, 230
- Saccharomyces cerevisiae*, 18
sample heterogeneity, 108
sarcomas, 23
scalar quantization, 21
scale-free, 8
Schizosaccharomyces pombe, 18
segment polarity, 16
selection probability, 32, 62, 67, 69, 104
semi-Markov asynchronous
 probabilistic Boolean network
 (SMA-PBN), 230
semi-Markov process, 231
semimetric, 123
sensitivity, 10, 123
sensitivity deviation, 87
sensitivity error, 86
Sherman–Morrison identity, 141
single-rooted tree, 96
singleton attractor(s), 73, 76, 92, 96, 99,
 106, 127
small sample size(s), 85, 124
specificity, 123
spurious attractors, 227
SSD control policy, 222
stability, 4
state, 34
state feedback, 185
state space, 167, 184
state transition diagram, 68, 95, 127
state transition error, 86
state transition graph, 229

- state transition matrix, 37, 41
- state transition probabilities, 63
- state transition(s), 126, 136
- stationary control policy, 221
- stationary distribution, 38, 44, 125, 131
- stationary policy, 173, 177, 182, 206
- stationary probability, 54
- steady state, 30
- steady-state behavior, 28
- steady-state data, 89
- steady-state (limiting) distribution, 38
- steady-state distribution (SSD), 29, 42, 99, 125, 137, 148, 182, 200, 205, 215, 219
- steady-state probability, 93, 190, 232
- stochastic asynchronous protocols, 228
- stochastic complexity, 118
- stochastic matrix, 42, 54, 207
- strictly stationary, 38
- strongly connected component, 20
- structural intervention, 125, 131, 133, 157, 159
- structural stability, 5
- structure parameter(s), 117, 119
- subnetworks, 68
- sum of products (SOP), 110
- switch, 32
- switch point, 121
- switching probability, 122, 229, 231
- synchronized dynamical system, 232
- synchronous, 19
- synchronous BN, 27
- synchronous updating, 2, 227
- T lymphocytes, 20
- target gene, 23, 93, 117
- terminal cost, 166, 174, 185
- terminal penalty, 169, 170
- terminal state(s), 166, 170, 172, 194
- ternary, 33
- ternary data, 29
- threshold, 21
- time complexity, 84
- time-course data, 89, 189, 219
- time-invariant, 60
- topology-based distance, 123
- trajectory, 49
- trajectory length, 55
- transcription factor, 61
- transcriptional regulation, 12, 19
- transcriptional regulatory networks, 61
- transient perturbation, 161, 162
- transient states, 29, 154
- transition Bayesian network, 60
- transition matrix, 27, 137, 144, 151
- transition probability, 35, 36, 49
- transition probability matrix, 165, 177, 205
- transition-matrix uncertainty, 210
- treatment horizon, 166
- treatment points, 204
- treatment window, 170, 204
- true positive ratio (TPR), 86
- truth table(s), 36, 83, 131
- two-state Markov chain, 45
- unbiased, 8
- unbiased function, 13
- uncertainty class, 208
- undesirable attractor, 136
- undesirable states, 145, 156, 189, 194, 217
- uniform distribution, 238
- universal normalized maximum likelihood model, 117
- updating instant, 229, 231
- updating period, 229
- Value Iteration, 176
- value iteration algorithm, 179, 193, 220
- vasculogenesis, 47
- vertices, 58
- wild-type, 16
- wild-type network, 160
- wild-type pattern, 130
- wiring, 2, 8
- wiring diagram, 117
- wiring rule, 28
- XOR, 33
- yeast cell-cycle data, 85