

Index

- advection equation, 29
 - in three dimensions, 446
- advection-diffusion equation, 31
- aluminum, 200
- angle between two vectors, 58
- area integral, 439
- automatic step control, 119

- back substitution, 604
- backward Euler method, 126, 242
- backward heat equation, 306
- banded matrix, 495, 606
- bar
 - circular, 225
 - elastic, 20
 - heat flow in, 9
- basis, 53
 - orthogonal, 59
 - orthonormal, 59
- Bessel function
 - of order n , 476
 - properties, 476
- Bessel's equation
 - of order n , 474
- Bessel's inequality, 563
 - best approximation, 62, 142, 151, 175, 454
 - in the energy norm, 620
- bilinear form, 174
 - symmetric, 174
- body force, 21
- boundary conditions
 - Dirichlet, 13
 - essential, 245, 286, 496
 - for the advection equation, 30
 - for the diffusion equation, 19
 - for the heat equation, 13
 - homogeneous, 13
 - inhomogeneous, 13, 157, 189, 252
 - mixed, 13
 - natural, 245, 286, 496
 - Neumann, 13
 - periodic, 226
 - Robin, 139, 388
 - nonphysical case, 415
 - time dependent, 206
- boundary value problem (BVP), 14
 - on a rectangular domain, 455
- Burgers's equation, 33

- $C[a, b]$, 37
- $C^2(\overline{\Omega})$, 447
- $C^k[a, b]$, 37
- $C_0^\infty(\Omega)$, 618
- $C_D^2(\overline{\Omega})$, 447
- $C_N^2(\overline{\Omega})$, 449
- carbon monoxide, 203
- Cauchy sequence, 585
- causality, 375, 383
- caustic, 331
- central difference, 298
- CFL condition, 302
- chain rule, 470
- change of variables
 - in a multiple integral, 601
- characteristic polynomial
 - of a second-order ODE, 85
 - of a square matrix, 69
- characteristics
 - method of, 313
 - of a PDE, 310
- Cholesky factorization, 604
- chromium, 257
- closure, 447
- codomain, 36

- coefficients
 - constant versus nonconstant, 4
 - discontinuous, 243
- compact operator, 428
 - eigenvectors of, 431
- compact set, 428
- compatibility condition, 220, 223, 230, 460
 - for a singular linear system, 48
- complete
 - normed vector space, 586
 - space, 431
- complete orthogonal sequence, 583
- completeness
 - of $H^1(\Omega)$, 619
 - of L^2 , 586
- complex numbers, 534
- concentration gradient, 17
- conditioning
 - of a matrix, 610
- conjugate directions, 614
- conjugate gradients
 - algorithm, 613
 - convergence, 614
- conservation law, 32
- conservation of energy, 166
- continuously differentiable function, 37
- convection equation, 29
- convection-diffusion equation, 31
- convergence
 - mean-square, 144, 556
 - pointwise, 556
 - uniform, 556
- convolution, 560
 - periodic, 561
- copper, 210

- d'Alembert's solution to the wave equation, 261
- data structure
 - for describing a triangulation, 598
- delta function, 338
- dense matrix, 179
- density, 10
- descent direction, 608

- determinant, 69
- differential equation, 1
 - autonomous, 118
 - constant-coefficient, 4, 97
 - converting to a first-order system, 79
 - first-order linear, 91
 - homogeneous, 2
 - inhomogeneous, 3
 - linear, 2
 - nonconstant-coefficient, 4
 - nonlinear, 3
 - order, 2
 - ordinary, 1
 - partial, 1
 - right-hand side, 4
 - scalar, 4
 - system, 4, 97
- differential operator
 - symmetric, 134
- differentiating an integral, 11
- diffusion, 16
- diffusion coefficient, 17
- diffusion equation, 17
 - inhomogeneous, 203
- dimension, 53
- Dirac delta function, 338
- directional derivative, 310
- Dirichlet condition, 13
- Dirichlet kernel, 559
- discrete cosine transform (DCT), 552
- discrete Fourier transform (DFT), 543
- discrete sine transform (DST), 548
 - and the FFT, 549
- displacement function, 20
- divergence
 - operator, 439
 - theorem, 439
- domain
 - of a function, 35
- domain of dependence, 263
- domain of influence, 264
- dot product, 48, 57
 - complex, 71, 536
- Duhamel's principle, 104, 363, 372, 520
- dynamic wave, 31

- eigenfunction
 - complex-valued, 534
 - of a differential operator, 135
- eigenfunction expansion, 385
- eigenpairs
 - on a disk, 479
 - under Dirichlet conditions, 141
 - under mixed boundary conditions, 145, 147
 - under Neumann conditions, 215
 - under periodic boundary conditions, 227
 - under Robin conditions, 410
- eigenspace, 70
- eigenvalue, 69, 123
 - of a differential operator, 135
- eigenvalue problem
 - generalized, 398, 625
 - Sturm–Liouville, 385
- eigenvector, 69
- elliptic regularity, 620
- energy inner product, 175, 488
- energy norm, 175
- Euclidean n -space, 36
 - complex, 535
- Euler equation, 93
- Euler’s formula, 57, 86, 534
- Euler’s method, 112, 241
 - backward, 126, 242
 - improved, 114
- even extension, 555
- even function, 553
 - and the full Fourier series, 554
- existence, 219
 - of solutions to a linear system, 42
- explicit method, 126

- fast Fourier transform (FFT), 533, 546
- Fick’s law, 17
- fill-in, 607
- finite difference, 298
- finite difference method
 - 2–2 scheme for the wave equation, 301
- finite element method, 166
 - for eigenvalue problems, 624
 - for the heat equation, 237
 - for the Poisson equation, 487
 - for the wave equation, 281
 - under Robin conditions, 418
- forward difference, 298
- Fourier coefficients, 144
 - complex, 537
 - cosine, 215
 - rate of decay, 571
 - sine, 144
- Fourier series, 144, 149
 - complex, 537
 - cosine, 215
 - double sine series, 453
 - for the heat equation, 195
 - for the wave equation, 266
 - full, 229, 232, 537
 - in three dimensions, 465
 - method of, 159
 - on a disk, 469
 - on a rectangular domain, 450
 - pointwise convergence, 564
 - sine, 144
- Fourier’s law, 440
- Fourier’s law of heat conduction, 12
- fourth-order Runge–Kutta method (RK4), 116
- Fredholm alternative, 48, 222
- free nodes, 488
- function, 35
- function space, 37
- fundamental frequency, 626
 - of a circular drum, 484
 - of a vibrating string, 268
- fundamental theorem of calculus, 11

- Galerkin method, 166, 174, 238, 281
- Gaussian elimination, 46
 - for a banded matrix, 606
 - operation count, 56, 604, 615
 - pseudocode, 604
- Gaussian kernel, 370, 527
- general solution
 - of the wave equation, 260
- generalized eigenvalue problem, 398
- generalized function, 338
- Gibbs’s phenomenon, 143, 454, 570, 577
- gold, 231

- gradient, 440
 Gram matrix, 243
 Gram–Schmidt procedure, 73
 gravitational constant, 25
 gravity, 25
 Green’s first identity, 448
 Green’s function, 335
 causal, 362
 interpretation, 365
 for a BVP, 337
 for the heat equation, 368
 free-space, 528
 for the Laplacian
 free-space (2D), 500
 free-space (3D), 505
 on a bounded domain, 508
 on a disk, 511
 for the wave equation, 376
 free-space (3D), 520, 522
 Green’s second identity, 514
 grid, 111, 181, 299
 irregular, 119
 guitar, 270

 $H^1(\Omega)$, 618
 $H_0^1(\Omega)$, 619
 harmonic function, 517
 harmonics, 401
 heat capacity, 10
 heat equation, 9, 12
 and finite elements, 237
 backward, 306
 in three dimensions, 441
 in two dimensions, 443
 inhomogeneous, 13
 heat flow, 9
 steady-state, 14
 heat flux, 11
 Heaviside function, 356
 homogeneous
 versus heterogeneous, 13
 Hooke’s law, 21
 Hookean, 21
 Hopf–Cole transformation, 34
 Huygen’s principle, 523

 implicit method, 126
 incomplete factorization, 615

 initial condition
 for ODEs, 80
 for the heat equation, 13
 for the wave equation, 23
 initial value problem (IVP), 81
 for an ODE, 81
 for the heat equation, 369
 for the wave equation, 259
 initial-boundary value problem
 (IBVP), 13
 for the heat equation, 13
 for the wave equation, 266
 inner product, 58, 174
 complex, 535
 complex L^2 , 536
 energy, 175
 inner product space, 59
 integral
 area, 439
 iterated, 438
 line, 439
 surface, 439
 volume, 438
 integral operator, 352, 426
 integrating an ODE, 111
 integrating factor, 91
 integration by parts, 134, 171, 281,
 447, 618
 interpolant
 piecewise linear, 193, 620
 inverse
 of a differential operator, 341
 inverse discrete Fourier transform, 543
 inviscid Burgers’s equation, 33, 327
 iron, 198
 iterated integral, 438
 iterative method
 for solving a linear system, 608

 Jacobian matrix, 601
 jump discontinuity, 562

 kinematic wave, 31
 kinetic energy, 168

 L^2 inner product, 61
 $L^2(\Omega)$, 579
 Laplace’s equation, 445

- Laplacian, 441
 - in polar coordinates, 472
 - in spherical coordinates, 505
- lead, 235
- Lebesgue
 - integral, 581
 - measure, 581
- line integral, 439
- line search, 609
- linear combination, 52
- linear operator, 38
- linear operator equation, 39
- linear system
 - algebraic, 35
- linearly independent, 55
- load vector, 176
 - computation of, 598
- Lotka–Volterra predator-prey model, 117
- LU factorization, 604

- mapping, 35
- mass matrix, 238, 281
- matrix, 35
 - banded, 495, 606
 - dense, 179
 - Gram, 63, 243
 - identity, 49
 - inverse, 49
 - invertible, 49
 - mass, 281
 - nonsingular, 49
 - positive definite, 75
 - singular, 249
 - sparse, 179, 182, 495
 - stiffness, 281
 - symmetric, 70
 - tridiagonal, 184
- maximum principle, 518
- mean value theorem, 566
- mean-square, 61
- mean-square convergence, 144, 556
 - of complex Fourier series, 582
- measurable
 - function, 581
 - set, 581
- mesh, 181
- method of characteristics, 313
 - method of images, 512
 - for the wave equation, 379
- method of lines
 - for the heat equation, 240
- middle C, 269
- modulus
 - of elasticity, 21
 - Young's, 21
- multiplicity
 - of eigenvalues, 69

- natural frequency
 - of a string, 268
- Neumann condition, 13
- Newton, 24
- Newton's law of cooling
 - and boundary conditions, 19
- Newton's second law of motion, 21, 27
- nodal values, 182
- nodes, 181
- nondimensionalization, 201
- norm, 61
 - energy, 175
 - of an operator, 429
- normal derivative, 442
- normal equations, 63
- normal modes
 - of a vibrating string, 268
- null space
 - of a matrix, 45
 - trivial, 46

- odd extension, 380, 555
- odd function, 553
 - and the full Fourier series, 554
 - regular, 344
- one-way wave equation, 31
- operator, 35
 - compact, 428
 - derivative, 39
 - differential, 40, 132
 - linear, 38
 - matrix, 39
 - wave, 259
- order
 - of a differential equation, 2
 - of a numerical method, 113
- ordinary differential equation (ODE), 1

- orthogonality
 - of functions, 61
 - of vectors, 59
- partial derivative
 - weak, 618
- partial differential equation (PDE), 1
- partial pivoting, 604
- particular solution, 88
- Pascal, 24
 - first-order linear, 319
 - first-order quasi-linear, 319
 - first-order semilinear, 319
- periodic convolution, 561
- periodic extension, 561
- periodic function, 553
- piano, 272
- piecewise continuous, 562
- piecewise linear
 - approximation, 620
 - basis function, 182
 - function, 181
 - interpolant, 193, 239
- piecewise polynomials, 166
- piecewise smooth, 563
- pointwise convergence, 556
 - of a complex Fourier series, 564
 - of a Fourier cosine series, 568
 - of a Fourier sine series, 568
 - of a full Fourier series, 568
- Poisson integral formula, 516
- Poisson's equation, 444
 - on a disk, 482
- polar coordinates, 470
- positive definite matrix, 75
- potential energy, 166
 - elastic, 166
 - external, 168
 - gravitational, 168
 - minimal, 170
- power series solution
 - of Bessel's equation, 474
- precompact set, 428
- preconditioned conjugate gradients, 615
- pressure, 24
- prime factorization
 - and the FFT, 546
- principle of virtual work, 170
- product rule, 447
- programming finite elements, 495
- projection theorem, 175, 537
- Pythagorean theorem, 58, 563
- quadrature, 111
 - choosing a rule, 601
 - general formula, 599
 - one-point Gauss rule, 600
 - one-point rule on a triangle, 600
 - over an arbitrary triangle, 601
 - three-point rule for a triangle, 600
- quarter-wave cosine series, 147
- quarter-wave sine series, 146
- radial function, 501
- range
 - of a function, 35
 - of a linear operator, 42
- reciprocity, 341, 352, 375, 383, 510
- resonance, 269, 295
- Riemann integral, 580
- Riesz representation theorem, 619
- Runge–Kutta method, 115
- Runge–Kutta–Fehlberg method, 119
- scalar, 36, 535
- semidiscretization in space, 240
- separation of variables, 207, 451
 - in polar coordinates, 472
- shifting the data, 158, 189, 204, 273, 463
 - on a rectangle, 633
- shock, 330
- sifting property, 338
- silver, 235
- Simpson's rule, 115
- sink
 - heat, 12
- snapshot
 - temperature, 198
- Sobolev space, 618
- solution
 - particular, 88
- source
 - heat, 12
- span, 55

- sparse matrix, 179, 495
- sparsity pattern, 495, 606
- specific heat, 10
 - and temperature, 18
- spectral method, 150
 - for a system of ODEs, 102
- spectral theorem for symmetric matrices, 73, 629
- speed
 - of a wave, 262
- square wave, 569
- stability, 125
 - of a time-stepping scheme, 283
- standing wave, 268
- steady-state
 - and Neumann conditions, 218
 - temperature, 207
- steepest descent
 - algorithm, 610
 - direction, 609
- stiff differential equation, 124, 240
- stiff system of ODEs, 124
- stiffness
 - of a bar, 21
- stiffness matrix, 176, 281
 - algorithm for computing, 597
 - singular, 249
- strain, 21
- string
 - elastic, 26
 - sagging, 28
- strong form of a BVP, 170
- Sturm comparison theorem, 434
- Sturm–Liouville eigenvalue problem, 385
 - theory, 425
- subspace, 37
 - of \mathbf{R}^n , 43
- superposition, 260
 - principle of, 50, 89
- support of a function, 184
- supremum, 429
- surface integral, 439
- symmetry
 - and eigenvalues, 72
 - of a differential operator, 134
 - of a matrix, 70
 - of the Laplacian, 448
- temperature gradient, 12
- test function, 171
- thermal conductivity, 12
- time step, 111
- time-stepping, 111
- trace theorem, 619
- transient behavior, 124
- translation, 375, 383
- transpose
 - and the dot product, 70
 - of a matrix, 48
- trapezoidal rule, 542
- traveling wave, 31
- triangulation, 488
 - data structure for, 598
 - description of, 594
- trigonometric interpolation, 545
- uniform convergence, 556
 - of a complex Fourier series, 574
 - of a Fourier cosine series, 575
 - of a Fourier sine series, 575
 - of a full Fourier series, 575
 - of continuous functions, 577
 - of cosine series, 576
- uniqueness, 219
 - of solutions to a linear system, 45
- unit normal vector, 438
- variation of parameters, 88, 103
- variational form of a BVP, 166
- vector, 35, 36
 - function as, 132
- vector field, 439
- vector space
 - complex, 535
 - definition, 36
- vibrating membrane, 444
- virtual work, 170
- volume integral, 438
- wave
 - dynamic, 31
 - kinematic, 31
 - left-moving, 262
 - right-moving, 262
 - traveling, 31

- wave equation, 22
 - acoustic, 443
 - and numerical methods, 279
 - backward in time, 306
 - d'Alembert's solution, 261
 - general solution, 260
 - in an infinite domain, 259
 - in three dimensions, 443
 - in two dimensions, 444
 - on a disk, 483
 - on a square, 457
 - with a localized source, 293
- wave operator, 259
- wave speed, 262
- weak derivative, 618
- weak form
 - of a BVP, 166, 170
 - of a BVP in two or three dimensions, 487
 - of a Sturm–Liouville problem, 396
 - of the heat equation, 237
 - of the wave equation, 281
- Wronskian, 83
- Young's modulus, 21