

Index

- Acton, Forman S., 3
adaptive interpolation, 25, 50–61
Adomian decomposition, 275
- barycentric coordinates, 421
Bernstein, Sergei, 22
Bezout matrix
 Chebyshev, 379, 394
Bezout’s theorem (number of roots of polynomial system), 393
bifurcation point, 152
 computing, 155
 limit point, definition of, 150
 transcritical, definition of, 152
bivariate Chebyshev-proxy rootfinder (CPR), 365–366, 393–394
bivariate linear polynomials
 contouring, 421
 interpolation, 419
bivariate Newton’s iteration, 369
block companion matrix, 374–380
bootstrapping, 9
Brown’s method, 9
- Cauchy iteration, 133–135
Chebfun, 22
 and the Shamrock Principle, 6
Chebyshev–Bezout matrix, 379, 394
Chebyshev companion matrix
 eigensolving cost, 27
 formula for general dimension, 403
 good condition number of, 26
 MATLAB code, 404
Chebyshev interpolation, 25
 mechanics, 50, 411
 multidomain error analysis, 66
 provable error bounds for special functions, 70
Chebyshev-proxy rootfinder (CPR)
 complex zeros, 38
 MATLAB code, 30–31
- piecewise analytic $f(x)$, 32
three key ideas, 18
Chebyshev quadrature ratio method for an isolated root, 318
Chebyshev series
 coefficients of derivatives, 413
 of root branches, 260
 stretching $[a, b]$ to $[-1, 1]$, 411
 summing, 412
classification scheme, five-dimensional, of rootfinder merit, 18
Clenshaw–Curtis quadrature, 25
companion matrix
 Chebyshev, 403
 derivation for general orthogonal polynomials, 401
 Fourier, 407–409
 Frobenius (monomial basis), 403
 Gegenbauer polynomials, 405
 general orthogonal polynomials, 407
 Hermite functions, 406
 ill-conditioning of monomial basis, 26
 Legendre polynomial, 405
 rational Chebyshev functions, 404
 spherical harmonics, 405
 table to guide choice of, 40
companion matrix, block, 374–380
 accuracy comparisons with resultants, 379
complex-valued roots
 bibliography, 96
 interpolant proxy rootfinding, 96–98, 101–106
continuation, 11, 169
 artificial parameter homotopy, 166
 complex plane, 168
 Davidenko differential equation predictor, 162–165
 in the complex plane, 167
 initialization by polynomial extrapolation, 161
 persistence forecast predictor, 158
 polynomial extrapolation predictor, 160
 predictor-corrector framework, 159

- contour integration, 98
 contraction mapping, 314
 convergence rate
 Chebyshev polynomials, 23
 cubic polynomial
 analytic solution for reduced cubic, 198
 and catastrophe theory, 219
 and one-dimensional advection (Burgers) equation, 219
 ill-conditioning of root formulas, 202
 linearity of root contours, 221
 perturbation series, 208–217
 phase-plane analysis, 221
 reduced cubic, 197
 symmetrized solution by radicals, 201
 trigonometric root formula, 206
- Davidenko equation, 162–165
 direct rootfinding methods for special low-order systems, 394
 discriminant, 184
 doublet, root, 43
 dynamic range, 27–28, 61–66
- Emma Boyd strategy, 66
 enclosing polynomials, 356–360
 explicit solutions
 conversion of trigonometric polynomial to an algebraic polynomial, 237
 cubic polynomial, 198–207
 hyperbolic functions, 243
 linear trigonometric polynomials, 240
 quadratic cosine polynomials, 243
 quadratic polynomial, 193
 quadratic sine polynomials, 243
 quadratic trigonometric polynomials, 241
 quartic polynomial, 225–226
 surds and radicals in $f(x)$, 236
 table of equations solved by Lambert W-function, 244
- fixed point iteration, 314
 fold, *see* limit point
- Groebner bases, 372
- Hermite–Padé approximants, 46, 258
 homotopy, 256
 artificial parameter, 157, 166–169
 need for trajectories in complex plane, 167
 collisions between real-valued roots, 167
 definition, 166
 example
 Bender et al., 164
- elliptic integral, 141
 Newton’s cubic, 279
 example of failure, 279
 for polynomial systems, 393
 globally convergent, 393
 probability-one homotopy, definition of, 168
 three general, 166
- hyperasymptotic, 285
- imbricate series, 304, 423–424
- infinite interval
 numerical example, 37
 proxies for, 35
- initialization, 11
- interpolation
 adaptive Chebyshev, 25
 exploiting symmetry, 39
 in the complex plane, 96
 multidomain error analysis, 66
- inverse functions
 Lagrange’s series reversion, 334
 table of properties, 330
- inverse interpolation, 317–318
- Ioakimidis’s rootfinding algorithm, 318
- Lambert W-function, 244–246
 half-power expansion about a limit point, 266
 relationship to Wright ω function, 245
 roots of $\text{erf}(x)$, 272
- Lanczos, Cornelius, 21
 Lanczos thunderbolt, 21
 Legendre polynomial companion matrix
 MATLAB code, 405
- limit point, 150–151
 definition, 150
- Lipschitz condition, 382
 log and polynomials, 109
 logarithmic law of arithmurgy, 397
- make-a-graph (MAG)
 complex plane, 112
 MAG-1D, 312
 MAG-Contour, 313, 366–367
 MAG-reversed axes for inverse function, 313, 331–334
- Maple code
 Chebyshev coefficients of df/dx from those of $f(x)$, 413
 Clenshaw’s recurrence to sum a Chebyshev series, 412
 expansion of inverse function about a limit point, 337
 Holmes’s problem with beyond-all-orders corrections, 287
 log-and-polynomial roots, 111

- log-and-power series for modon dispersion relation, 295
- log/log-log series for Lambert W-function, 290
- Newton's iteration, 147
- Padé–Chebyshev-proxy rootfinding, 45
- perturbation series for the inverse function, 336
- perturbation theory at a limit point, 267
- perturbation theory from Newton's method, 260
- power series for the steepest descent metric factor, 278
- radial basis function (RBF) equivalence equation
 - never-failing Newton's initialization (NFNI), 44
 - perturbation series, 42
- regular perturbation series, 250
- marching triangles, 381–382
 - defects, 381
 - summary, 381
- MATLAB code
 - bisection, 344
 - Chebyshev coefficients of df/dx from those of $f(x)$, 414
 - Chebyshev companion matrix, 404
 - Clenshaw's recurrence to sum a Chebyshev series, 413
 - CPR function, 33
 - CPR main script, 32
 - Legendre polynomial companion matrix, 405
 - Newton's iteration, 147
- monomial basis
 - ill-conditioning, 183
- Muller iteration, 133–135
- multiple roots, 43
 - ill-conditioning, 177
 - Kahan's pejorative manifold for, 181
 - multiple-root starburst, 177
 - square-free polynomials, 181
- multithreaded iteration, 134
- multivariate rootfinding, 13
- never-failing Newton's initialization (NFNI), 137–146
- Newton flow, 124
 - convergence domain, 131
- Newton's iteration
 - convergence domain, 130–133
 - digit-doubling convergence, 119
 - enlarging the convergence domain, 134
 - exponential decay of Newton flow theorem, 125
 - geometrical, tangent-line interpretation, 118
 - line search, Armijo, 123
 - Maple code, 147
 - MATLAB code, 147
 - multiple roots, 121
- never-failing Newton's initialization (NFNI), 137
- Newton flow, 124
- overview, 117
- steepest descent, relationship to, 123
- underrelaxation, 121
- with approximate derivative (quasi-Newton), 126
- Newton's iteration, bivariate, 369
- Newton-polishing
 - definition, 29
 - mechanics, 73–75
- nomography, 222
- numerical examples
 - Airy roots, 326
 - Bessel zeros, 274
 - Bratu eigenvalue equation, 338
 - Camassa–Holm soliton, 332–333
 - Charney baroclinic instability problem, 109
 - complex roots from Wentzel–Kramers–Brillouin (WKB) dispersion relation, 107
 - complex-valued zeros of error function, $\text{erf}(x)$, 270
 - $f = x \tan(x) - 1$, 254
 - Hermite function zeros, 37
 - Holmes's problem with beyond-all-orders corrections, 285
 - inverse of complete first-kind elliptic integral, 330
 - Kepler equation, 126
 - modon dispersion relation, 293
 - Newton's cubic, 279
 - Paterson's problem: $x + \lambda x^{7/8} - 1$, 264
 - radial basis function (RBF) equivalence equation, 39
 - steepest descent stationary point equation, 276
 - Troesch's problem, 301
- oracles, 343–360
 - Bolzano enclosing functions, 357
 - Bolzano's $f(a)f(b) < 0$ oracle, 184
 - Bolzano's with one-signed first derivative, 345
 - Budan–Fourier real roots on an interval, 185
 - contour integral for the number of roots within the contour, 349
 - derivative bound, 350
 - Descartes's rule of signs, 184
 - enclosing functions
 - interval containing precisely one zero, 358
 - first bounded curvature zero-free interval, 353
 - fundamental theorem of algebra, 183
 - multivariate quadratic polynomial/Field–Morgan, 355

- one-signed curvature, 346
- positive Bernstein coefficients, 186
- second bounded curvature zero-free interval, 354
- small symmetric part implies at least one zero, 91
- Sturm sequence of real roots on an interval, 185
- trigonometric polynomial with zero constant must have a real root, 90
- univariate quadratic polynomial/Field–Morgan, 355
- zero-free first derivative, 358
- zero-free intervals from enclosing functions, 356

- Padé approximants, 44–46, 256
- Froissart doublets, 45, 257
- Newton’s cubic, 280
- reducing failures by SVD (singular value decomposition), 257
- two-point, 257
- parametric interval polynomialization (PIP), 329
- parity, 39
 - definition, 39
 - exploiting, 39
 - in trigonometric rootfinding, 82–85
- partition-of-unity functions
 - blending different approximations, 143
 - definition, 145
- perturbation series
 - $1/N$ expansion, 263
 - about a limit point, 264
 - and Newton’s iteration, 253, 259
 - artificial perturbation parameters, 256, 263
 - expansion about a limit point for inverse functions, 336
 - hyperasymptotic, 285
 - in 3.99 dimensions, 263
 - inverse powers, 253
 - regular, 249–281
 - Maple code, 250
 - replacing $f(x)$ by its asymptotic expansion, 270
 - singular, 283–307
 - strategies, 306
 - Troesch problem, 301
 - superasymptotic, 285
- phase-plane analysis, 319
 - cubic polynomial, 221
 - quartic polynomial, 229
- polynomial roots
 - ill-conditioning
 - due to monomial basis, 182
 - of multiple roots, 176

- Puiseux fractional power series, 188
- Whittaker’s root series, 186
- polynomialization of a transcendental function
 - complex plane, 107
 - example, 4
- proxies, 18
- pseudoarclength continuation, 169
- pseudoresult, 179
- Puiseux series, 188, 251

- quadratic polynomial
 - well-conditioned root formula, 193
- quadrature formula
 - Chebyshev, 417
 - Clenshaw–Curtis adaptive, 416
 - contour integration, 99
 - trapezoidal rule (periodic integrand), 418
- quartic polynomial
 - and swallowtail catastrophe, 226
 - doubly reduced, 226
 - equivalence to intersecting conic sections, 231
 - explicit solution to reduced quartic, 225
 - linearity of root isolines, 230
 - phase-plane analysis, 229
- quasi-Newton iterations, 126
- quintic polynomial roots, 189

- radial basis functions (RBFs)
 - roots of RBF series, 72
- rational Chebyshev basis functions, 35
 - map parameter L , 36
- rational Chebyshev interpolation
 - infinite domain (TB), 35, 415
 - semi-infinite domain (TL), 36, 415
- resultants, 372–373
 - numerical comparisons with block companion matrix accuracy, 379
- Riemann–Hilbert method, 247

- semi-infinite interval
 - proxies for, 36
- Shafer iteration, 133–135
- Shakespeare–Weierstrass principle, 5
- shamrock principle, 22
- singularities of $f(x)$
 - bounded endpoint, 34
 - weak on the search interval, 34
- solutions at infinity
 - definition, 371
- special functions
 - explanation of, 324
 - rootfinding themes, 325
 - virtues and vices of special rootfinding methods, 326

- spectrally enhanced/Weyl exclusionary subdivision/
marching triangles, 394
summary, 393
- square-free polynomials, 181
- stenarithm, 323
- Sturm–Liouville eigenproblem of the fourth kind,
107
- subdivision, 28–29
- successive substitution, 314–316
with underrelaxation, 315
- superasymptotic, 285
- $TB_n(x; L)$, 35
- theorems, 357
- analytic solution of the quadratic, 193
 - analytic solution of the reduced quartic, 225
 - bisection convergence, 346
 - bivariate Bezout, 371
 - bivariate bounded curvature zero-free square, 388
 - bivariate linear polynomial interpolation formulas, 419
 - bivariate polynomial vertex value zero-free test on a triangle, 420
 - Bolzano oracle with one-signed first derivative, 345
 - Bolzano’s $f(a)f(b) < 0$ oracle, 184
 - bound on pseudoresult set, 179
 - Budan–Fourier oracle: real roots on an interval, 185
 - Chebyshev convergence, 24
 - contour integral for the number of roots within the contour, 349
 - curvature-bounded movement from a stationary point, 351
 - derivative-bound oracle, 350
 - Descartes’s rule of signs, 184
 - different signs of $f(x, y)$ at vertices of a triangle imply a zero contour in the triangle, 420
 - dilation of the reduced cubic, 204
 - doubly reduced/single-parameter cubic, 205
 - enclosing functions: Bolzano oracle, 357
 - enclosing functions: interval containing precisely one zero, 358
 - exponential decay of Newton flow, 125
 - factorization theorems of a trigonometric polynomial, 85
 - first bounded curvature zero-free interval, 353
 - first derivative bound/equispaced sampling, 88
 - Fourier derivative bounds, 350
 - fundamental theorem of algebra, 183
 - fundamental theorem of trigonometric algebra, 77
 - general polynomial companion matrix, 407
 - generalized companion matrix, 402
 - Hermite companion matrix, 406
 - implicit function theorem, 149
 - intersection of two lines, 421
 - Legendre companion matrix, 405
 - line through triangle vertices, 421
 - line through two points, 421
 - linearity of contours of quartic roots, 230
 - Lipschitz zero-free interval, 382
 - Markoff’s derivative bound, 350
 - multiple roots of a polynomial, 184
 - multivariate quadratic polynomial/Field–Morgan oracle, 355
 - number of roots of a real quadratic trigonometric polynomial, 241
 - one-signed curvature oracle, 346
 - other properties of quadratic trigonometric polynomials, 241
 - perturbation of a simple root, 180
 - Poisson summation, 423
 - polynomial enclosing function, 360
 - polynomial factorization, 183
 - polynomial/Fourier cosine equivalence, 349
 - positive Bernstein coefficients oracle, 186
 - reduction by translation: quadratic, 195
 - Rolle’s theorem, 345
 - second bounded curvature zero-free interval, 354, 383
 - second derivative bound: no real zeros, 90
 - small symmetric part implies at least one zero, 91
 - square-to-disk conformal mapping, 105
 - Sturm sequence of real roots on an interval oracle, 185
 - trigonometric polynomial enclosing function, 359
 - trigonometric polynomial with zero constant must have a real root, 90
 - univariate quadratic polynomial/Field–Morgan oracle, 355
 - Vieta’s root identities
 - cubic polynomial, 224
 - quartic, 231 - Vieta’s root theorem: quadratic, 195
 - zero-free first derivative, 358
 - zero-free interval
 - from enclosing functions, 356
 - second derivative bound, 89
 - using first derivative bound, 88 - zero-free sufficient condition: large constant, a_0 , 87
 - zeros of functions with definite parity, 39
- $TL_n(x; L)$, 36
- transcritical bifurcation point, 152

- trigonometric polynomials
conversion to an algebraic polynomial by
 $\cos(x) = c, \sin(x) = \sqrt{1 - c^2}$, 239
conversion to an algebraic polynomial by
 $z = \exp(ix)$, 237
conversion to an algebraic polynomial by tan
half-angle substitution, 240
definition of, 77
explicit solution for first degree, 240
explicit solution for quadratic, 241
explicit solution for quadratic cosine
polynomial, 243
explicit solution for quadratic sine polynomial,
243
- factorization theorems, 85
history of Fourier rootfinding, 91
secular, 70
turning point, *see* limit point
- Weierstrass approximation theorem, 5
- Weyl subdivision
bivariate endgame, 390
bivariate examples, 389
complex-plane squares, 112
dynamic range problems, 385
spectral enhancement, 388
univariate, 382
with marching triangles, summary of, 393
- Wright ω function, 245