

Index

- 1-norm, 15
 - matrix, 17
 - vector, 15
- 2-norm, 15, 59
 - matrix, 17
 - vector, 15
- 3-mode array, 91
- absolute error, 15
- adjacency matrix, 158
- Aitken extrapolation, 157
- algebra, multi-linear, 91
- all-orthogonality, 95
- ALS, *see* alternating least squares
- alternating least squares, 106
- angle, 16
- animation, 8
- approximation
 - low-rank, 62, 89, 109, 135, 139, 144, 168
 - rank- k , 135, 165
 - rank-1, 164
- Arnoldi
 - decomposition, 203
 - method, 157, 203, 204, 208
 - implicitly restarted, 205
 - recursion, 203
- ARPACK, 70, 208
- array
 - n -mode, 91
 - n -way, 91
- ATLAS, 207
- authority, 157
 - score, 158
- backward
 - error, 7, 44, 52
 - analysis, 25
 - stability, 52
- band matrix, 27
- bandwidth, 27
- basis, 18, 35
 - matrix, 99
 - orthogonal, 48
 - orthonormal, 36, 63
 - vector, 12, 165, 173
- bidiagonal matrix, 81, 197
- bidiagonalization
 - Householder, 81
 - Lanczos-Golub-Kahan, 80, 84, 85, 142, 145, 202, 207
 - partial, 207
- bilinear form, 172
- bioinformatics, 1, 107
- BLAS, 12, 207
- breast cancer diagnosis, 103
- bulge, 196
- cancellation, 9, 41, 76
- cancer, 103
- centroid, 102, 114, 139
 - approximation, 145
- chemometrics, 92, 94
- Cholesky decomposition, 24, 28, 207
- classification, 75, 114, 118, 127, 172–174
- cluster, 101, 114, 139
 - coherence, 102
- clustering, 139, 165
- coherence, cluster, 102
- column pivoting, 71, 166
- column-stochastic matrix, 151
- complete orthogonal decomposition, 71
- compressed column storage, 200

- compressed row storage, 199
- computer games, 8
- computer graphics, 8
- concept vector, 139
- condition number, 24, 32, 33, 67
- coordinates, 12, 48, 89, 104, 165, 173
- core tensor, 95, 170
- cosine distance, 16, 114, 132, 136, 140, 141
- data
 - compression, 62, 99, 175
 - matrix, 64
 - deflated, 65
 - quality, 35
 - reduction, 18
- decomposition
 - Cholesky, 24, 28, 207
 - eigenvalue, 182, 200
 - LDL^T , 23
 - LU, 22, 207
 - tridiagonal, 27
 - QR, 46, 161, 207
 - column pivoting, 71, 166
 - thin, 47
 - Schur, 182, 197, 200, 207
 - complex, 183
 - partial, 182, 204
 - real, 182
 - singular value, 55, 116, 135, 207
 - thin, 57
- dense matrix, 29, 40, 179, 185
- dependent variable, 75
- determinant, 179
- diagonal matrix, 10
- digits, handwritten, 4, 91, 97, 113–128
- distance
 - cosine, 16, 114, 132, 136, 140, 141
 - Euclidean, 15, 114, 120
 - tangent, 121, 124
- document
 - clustering, 107, 139
 - weighting, 132, 162
- dominant eigenvalue, 152
- e-business, 1
- eigenfaces, 169
- eigenspace, 182
- eigenvalue, 150
 - decomposition, 182, 200
 - dominant, 152
 - perturbation, 181, 183
 - problem, 5
 - sensitivity, 180
 - similarity transformation, 180
- eigenvector, 150, 196
 - perturbation, 181, 184
- email surveillance, 107
- equation, polynomial, 179
- equivalent vector norms, 15
- error
 - absolute, 15
 - backward, 7, 44, 52
 - backward analysis, 25
 - floating point, 7, 44, 51
 - forward, 7
 - relative, 7, 15
- Euclidean
 - distance, 15, 114, 120
 - norm, 123
 - vector norm, 15, 17
- explanatory variable, 75
- face recognition, 172
- FIFA, 2, 79, 105
- finite algorithm, 190
- floating point
 - arithmetic, 7, 44, 155, 190, 196
 - error, 7, 44, 51
 - operation, 6
 - overflow, 7, 156
 - standard (IEEE), 7
 - underflow, 7, 156
- flop, 6
 - count, 43, 51, 196, 197
- football, 2, 80, 110
- forward error, 7
- frequency, term, 132
- Frobenius norm, 17, 38, 62, 92, 99
- fundamental subspace, 60

- Gauss transformation, 21
- Gaussian elimination, 21
- generank, 159
- Gilbert-Johnson-Keerthi algorithm, 8
- Givens rotation, *see* plane rotation
- Google, 2, 5, 80, 104, 109, 147
 - matrix, 154
- Gram-Schmidt, 90
- graph
 - Internet, 149
 - link, 5, 149
 - strongly connected, 152
- GTP, *see* text parser

- handwritten digits, 4, 91, 97, 113–128
 - classification, 4, 91
 - US Postal Service Database, 4, 97, 113, 114, 119, 122, 128
- Hessenberg matrix, 197
- HITS, *see* hypertext induced topic search
- Hooke's law, 29
- HOSVD, 94, 170
 - thin, 96, 170
 - truncated, 175
- Householder
 - bidiagonalization, 81
 - matrix, 41
 - transformation, 41, 44, 45, 51, 81, 188, 197
- HTML, 132, 161
- hub, 157
 - score, 158
- hypertext induced topic search, 157

- IEEE arithmetic, 7
 - double precision, 7
 - floating point standard, 7
 - single precision, 7
- ill-conditioned matrix, 25
- implicit Q theorem, 194
- implicit shift, 194, 197
- index, 130, 137
 - inverted, 130
- infinity norm
 - matrix, 17
 - information retrieval, 1, 2, 104, 129, 133, 161, 200
- initialization, SVD, 108
- inlink, 5, 148, 158
- inner product, 13, 15, 92
- Internet, 1, 2, 5, 147, 164
 - graph, 149
- invariant subspace, 182
- inverse document frequency, 132
- inverse iteration, 186, 196, 199
- inverse matrix, 19, 29
- inverted index, 130
- irreducible matrix, 151

- k-means algorithm, 101, 102, 139
- Kahan matrix, 73
- Karhunen-Loewe expansion, 56
- Krylov subspace, 80, 89, 201, 203

- Lanczos method, 70, 208
 - bidiagonalization, 84, 85
 - tridiagonalization, 206, 207
 - implicitly restarted, 206, 207
- Lanczos-Golub-Kahan bidiagonalization, 80, 84, 85, 142, 145, 202, 207
- LAPACK, 12, 70, 179, 190, 207
- latent semantic analysis, 134
- latent semantic indexing, 130, 134, 146
- L^AT_EX, 161, 163
- LDL^T decomposition, 23
- least squares, 29, 85
 - alternating, 106
 - method, 30
 - non-negative, 106
 - normal equations, 31, 52
 - perturbation, 68
 - prediction, 75
 - problem, 30, 49, 66, 85, 117
 - solution
 - minimum norm, 69
 - QR decomposition, 49
 - SVD, 66
- lexical scanner, 163
- library catalogue, 129
- linear independence, 18
- linear operator, 3

- linear system, 21
 - over-determined, 21, 29, 30, 49, 66
 - perturbation theory, 24
 - under-determined, 69
- link, 2, 148
 - farm, 154
 - graph, 5, 149
 - matrix, 5, 200
- low-rank
 - approximation, 62, 89, 109, 135, 139, 144, 168
 - matrix, 61
- LSA, *see* latent semantic analysis
- LSI, *see* latent semantic indexing
- LU decomposition, 22, 207
 - tridiagonal, 27
- machine learning, 161
- manifold, 124
- mark-up language, 161
- Markov chain, 150
- Mathematica, 6, 208
- MATLAB, 6
- matrix, 2
 - 2-norm, 17
 - adjacency, 158
 - approximation, 61–64, 116
 - band, 27
 - basis, 99
 - bidiagonal, 81, 197
 - column-stochastic, 151
 - dense, 29, 40, 179, 185
 - diagonal, 10
 - factorization
 - non-negative, 102, 106, 141, 145, 161, 165, 168
 - Google, 154
 - Hessenberg, 197
 - Householder, 41
 - ill-conditioned, 25
 - inverse, 19, 29
 - irreducible, 151
 - Kahan, 73
 - link graph, 5, 200
 - low-rank, 61
 - multiplication, 13, 92
 - outer product, 14
 - nonsingular, 19
 - null-space, 59
 - orthogonal, 37
 - permutation, 22, 71, 165
 - positive, 152
 - positive definite, 23
 - range, 59, 182
 - rank, 19
 - rank-1, 19, 153
 - rank-deficient, 68
 - rectangular, 21
 - reducible, 151
 - reflection, 41
 - rotation, 38, 45, 53, 198
 - sparse, 3, 132, 163, 185, 199, 200, 208
 - storage, 199, 200
 - symmetric, 23
 - term-document, 2, 91, 104, 130, 131, 135
 - term-sentence, 162
 - transition, 150
 - triangular, 21
 - tridiagonal, 27, 188, 197, 206
 - upper quasi-triangular, 181
 - upper triangular, 45
- matrix norm, 16
 - 1-norm, 17
 - 2-norm, 59
 - Frobenius, 17, 38, 62
 - infinity norm, 17
- matrix-vector multiplication, 11
- max-norm, 15
 - vector, 15
- medical abstracts, 129
- Medline, 129, 136, 140, 142, 144, 145
- microarray, 159
- mode, 91
- model, reduced rank, 77, 115
- MPI, 208
- multi-linear algebra, 91
- multiplication
 - i*-mode, 92
 - matrix, 13, 92

- matrix-vector, 11
- tensor-matrix, 92
- music transcription, 107
- mutual reinforcement principle, 162
- n*-way array, 91
- natural language processing, 161
- netlib, 207
- network analysis, 159
- noise
 - reduction, 145
 - removal, 62
- non-negative least squares, 106
- non-negative matrix factorization, 102,
106, 141, 145, 161, 165, 168
- nonsingular matrix, 19
- norm
 - 1-norm, 15
 - Euclidean, 123
 - matrix, 16
 - 1-norm, 17
 - 2-norm, 59
 - Frobenius, 17, 38, 62
 - infinity, 17
 - maximum, 15
 - operator, 16
 - p*-norm, 15
 - tensor, 92
 - tensor, Frobenius, 92, 99
 - vector, 15
 - Euclidean, 15, 17
- normal equations, 31, 52
- null-space, 59
- numerical rank, 61, 71, 76
- operator norm, 16
- orthogonal
 - basis, 48
 - decomposition, complete, 71
 - matrix, 37
 - similarity transformation, 179, 187
 - transformation, floating point, 44
 - vectors, 16, 36
- orthonormal
 - basis, 36, 63
 - vectors, 36
- outer product, 14, 57
- outlink, 5, 148, 158
- over-determined system, 21, 29, 30,
49, 66
- overflow, 7, 156
- p*-norm, vector, 15
- pagerank, 147–157, 161
- parser, text, 132, 161, 163
- partial least squares, *see* PLS
- partial pivoting, 21, 28
- pattern recognition, 4
- PCA, *see* principal components analysis
- PCR, *see* principal components regression
- performance modelling, 133
- permutation matrix, 22, 71, 165
- Perron-Frobenius theorem, 152
- personalization vector, 154
- perturbation
 - eigenvalue, 181, 183
 - eigenvector, 181, 184
 - least squares, 68
 - theory, 24, 25, 180
- plane rotation, 38, 44, 45, 53, 198
- PLS, 80, 89, 142
- polynomial equation, 179
- Porter stemmer, 131
- positive definite matrix, 23
- positive matrix, 152
- power method, 150, 155, 185, 201, 204
- precision, 133
- prediction, 75
- preprocessing, 130
- principal components, 56
 - analysis, 64, 169
 - regression, 78, 144
- projection to latent structures, *see* PLS
- pseudoinverse, 69
- psychometrics, 92, 94
- QR algorithm, 179, 180
 - convergence, 194, 199
 - non-symmetric, 197
 - symmetric, 190, 192

- QR decomposition, 46, 161, 207
 - column pivoting, 71, 166
 - thin, 47
 - updating, 53
- qr function, 48
- query, 3, 78, 129–147, 158
 - matching, 132–146
- random
 - surfer, 150
 - walk, 150
- range, 59, 182
- rank, 19
 - numerical, 61, 71, 76
- rank-1
 - approximation, 164
 - matrix, 19, 153
- rank-deficient matrix, 68
- rank- k approximation, 135, 165
- ranking, 2, 147, 148, 158
 - vector, 148
- recall, 133
- rectangular matrix, 21
- reduced rank model, 77, 115
- reducible matrix, 151
- reflection matrix, 41
- regression, principal components, 78, 144
- relative
 - error, 7, 15
 - residual, 75
- reorthogonalization, 90, 204
- residual
 - relative, 75
 - vector, 30, 117
- rotation
 - Givens, 38
 - plane, 38, 44, 45, 53, 198
- rotation matrix, 53, 198
- rounding error, 7
- saliency score, 162
- SAS, 208
- SAXPY, 12, 13
- ScaLAPACK, 208
- Schur decomposition, 182, 197, 200, 207
 - partial, 182, 204
- search engine, 1, 5, 130, 147, 161
- semantic structure, 134
- shift, 186
 - implicit, 194, 197
 - Wilkinson, 191
- SIMCA, 119
- similarity transformation, orthogonal, 179, 187
- singular
 - image, 116
 - value, 56, 163
 - i -mode, 95
 - tensor, 95
 - vector, 56, 163
- singular value decomposition, *see* SVD
- slice (of a tensor), 93
- software, 207
- sparse matrix, 3, 132, 163, 185, 199, 200, 208
 - storage, 199, 200
- spectral analysis, 107
- spring constant, 29
- SPSS, 208
- stemmer, Porter, 131
- stemming, 130, 161
- stop word, 130, 161
- strongly connected graph, 152
- subspace
 - fundamental, 60
 - invariant, 182
 - Krylov, 80, 89, 201, 203
- summarization, text, 161–168
- supreme court precedent, 159
- surfer, random, 150
- SVD, 55, 94, 116, 130, 135, 163, 165, 168, 169, 200, 207
 - computation, 70, 196
 - expansion, 57
 - Lanczos-Golub-Kahan method, 108, 207
 - outer product form, 57
 - tensor, 94
 - thin, 57

- truncated, 62, 78, 136
- svd function, 58, 70
- svds function, 70, 108, 207
- symmetric matrix, 23
- synonym extraction, 159

- tag, 161
- tangent
 - distance, 121, 124
 - plane, 124
- teleportation, 153, 164
- tensor, 9, 91–100, 169–176
 - core, 95, 170
 - SVD, 94
 - unfolding, 93
- TensorFaces, 169
- term, 130, 162
 - frequency, 132
 - weighting, 132, 162
- term-document matrix, 2, 91, 104, 130, 131, 135
- term-sentence matrix, 162
- test set, 114–116
- text mining, 104, 129–146
- text parser, 132, 161
 - GTP, 131
 - TMG, 163
- Text Retrieval Conference, 145
- text summarization, 161–168
- theorem
 - implicit Q, 194
 - Perron-Frobenius, 152
- thin
 - HOSVD, 96, 170
 - QR, 47
 - SVD, 57
- TMG, *see* text parser
- trace, 17, 92
- training set, 91, 114–116, 118, 128
- transformation
 - diagonal hyperbolic, 127
 - Gauss, 21
 - Householder, 41, 44, 45, 51, 81, 188, 197
 - orthogonal, floating point, 44
 - parallel hyperbolic, 126
 - rotation, 125
 - scaling, 126
 - similarity, orthogonal, 179, 187
 - thickening, 127
 - translation, 125
- transition matrix, 150
- TREC, *see* Text Retrieval Conference
- triangle inequality, 15, 16
- triangular matrix, 21
- tridiagonal matrix, 27, 188, 197, 206
- truncated HOSVD, 175
- truncated SVD, 62, 78, 136
- Tucker model, 94

- under-determined system, 69
- underflow, 7, 156
- unfolding, 93
- unit roundoff, 7, 25, 44, 192, 196
- updating QR decomposition, 53
- upper quasi-triangular matrix, 181
- upper triangular matrix, 45
- US Postal Service Database, 4, 97, 113, 114, 119, 122, 128

- variable
 - dependent, 75
 - explanatory, 75
- vector
 - basis, 12, 173
 - concept, 139
 - norm, 15
 - 1-norm, 15
 - 2-norm, 15
 - equivalence, 15
 - Euclidean, 15, 17
 - max-norm, 15
 - personalization, 154
 - ranking, 148
 - residual, 117
 - singular, 163
- vector space model, 130, 145, 161
- vectors
 - orthogonal, 16, 36
 - orthonormal, 36
- volcanos on Venus, 1

- web page, 2

web search engine, *see* search engine

weighting

document, 132, 162

term, 132, 162

Wilkinson shift, 191

XML, 132

zip code, 113